

PowerMaster

Extension and Single Ladders

Meets EN 131

Our single and extension ladders are stronger than any other fibreglass ladders in the market, featuring a unique Strongbox construction.

- Fibreglass stiles
- Electrically safe
- Lightweight and easy to position
- Outstanding durability
- Dramatic reduction in sway and twist
- All-weather resistant
- Swivel foot maximises grip on uneven ground
- Complies to EN 131-1



PowerMaster Optional Accessories



MK Company Mark



PS Pole Strap



TE Terrain Master



TL Top Lash

Extension Ladder FED

Features flat D rungs for greater foot stability, Branch Latch and Arapoline Rope. Single action set-up.

MODEL	↕	↗	⚠	kg
FED 4.0	2.70 m	4.00 m	160 kg	15.5 kg
FED 5.2	3.30 m	5.20 m	160 kg	18.5 kg
FED 6.4	3.90 m	6.40 m	160 kg	21.6 kg
FED 7.6	4.40 m	7.60 m	160 kg	27.1 kg
FED 8.8	5.10 m	8.80 m	160 kg	31.5 kg
FED 9.4	5.70 m	9.40 m	140 kg	35.5 kg
FED 9.8	5.90 m	9.80 m	120 kg	35.5 kg

Single Ladder FND

Features flat D rungs for greater foot stability and 450mm ladder width.

MODEL	⬇	⚠	kg
FND 2.4	2.40 m	160 kg	15.5 kg
FND 3.0	3.00 m	160 kg	18.5 kg
FND 3.6	3.60 m	160 kg	21.6 kg
FND 4.2	4.20 m	160 kg	27.1 kg
FND 4.8	4.80 m	160 kg	31.5 kg
FND 5.4	5.40 m	160 kg	35.5 kg

EuroMaster

Safety Step Platform

Meets EN 131-7

- Fibreglass stiles
- Electrically safe
- Extra stability as per EU standard
- Lightweight and easy to position
- Folds to 200mm width
- Comfortable working platform
- Adjustable legs on FPE-AT range
- Stabilising system
- Large foot pads
- Leveling ability to 300mm



Premium Platform FPE-PM

Features kickboard, 400mm platform deck, sure step covers, raised legs and rear safety rail.

MODEL	⌞	⊠	⏪	⚠	kg
FPE-PM-0.6	0.65 m	1.07 m	0.97 m	150 kg	15 kg
FPE-PM-0.9	0.85 m	1.07 m	1.09 m	150 kg	17 kg
FPE-PM-1.2	1.14 m	1.07 m	1.22 m	150 kg	19 kg
FPE-PM-1.4	1.43 m	1.36 m	1.34 m	150 kg	21 kg
FPE-PM-1.7	1.71 m	1.36 m	1.46 m	150 kg	23 kg
FPE-PM-2.0	2.00 m	1.65 m	1.59 m	150 kg	26 kg
FPE-PM-2.3	2.29 m	1.65 m	1.71 m	150 kg	28 kg
FPE-PM-2.6	2.58 m	1.82 m	1.83 m	150 kg	31 kg
FPE-PM-2.9	2.86 m	2.24 m	1.96 m	150 kg	33 kg

All Terrain Platform FPE-AT

Features kickboard, 400mm x 580 platform deck, sure step covers, rear safety rail, All Terrain adjustable legs.


MODEL	⌞	⊠	⏪	⚠	kg
FPE-AT-0.6	0.65 m	1.07 m	1.09 m	150 kg	19.5 kg
FPE-AT-0.9	0.85 m	1.07 m	1.21 m	150 kg	21.0 kg
FPE-AT-1.2	1.14 m	1.07 m	1.34 m	150 kg	22.5 kg
FPE-AT-1.4	1.43 m	1.36 m	1.46 m	150 kg	24.0 kg
FPE-AT-1.7	1.71 m	1.36 m	1.58 m	150 kg	25.5 kg
FPE-AT-2.0	2.00 m	1.65 m	1.67 m	150 kg	27.0 kg
* FPE-AT-2.3	2.29 m	1.65 m	1.71 m	150 kg	28.0 kg
* FPE-AT-2.6	2.58 m	1.82 m	1.83 m	150 kg	31.0 kg

*note 2.3 and 2.6 are available on request & designed for indoor use


EuroMaster Optional Accessories



CE Lever Actuated Castors



FE Front Split Rail




MK Company Mark



TR Tool Tray



RE Rear Safety Rail



TU Terrain Master

CorrosionMaster

Platform, Extension and Single Ladders

Meets ANSI 14.7

Specially designed access and working at height solutions for the worlds harshest, corrosive environments and industries.

- Fibreglass stiles
- Electrically safe
- Lightweight and easy to position
- Outstanding durability
- Australian made and owned
- 316 Stainless steel fittings



CorrosionMaster Safety Step Platform FPS

MODEL	⚠
FPS-0.6	19.5 kg
FPS-0.9	22.5 kg
FPS-1.2	25.5 kg
FPS-1.5	28.5 kg
FPS-1.8	31.5 kg
FPS-2.1	36.0 kg
FPS-2.4	39.0 kg
FPS-3.0	45.0 kg
FPS-3.6	51.0 kg

- Larger deck
- Lightweight and durable yet load rated to 150kgs
- Strongbox joining system
- Front safety rail situated at 900mm above the deck
- Quick action set up, portability, and easy store

CorrosionMaster Extension Ladder FEF

MODEL	⚠
FEF-3.4	13.0 kg
FEF-4.0	15.2 kg
FEF-5.2	18.3 kg
FEF-6.4	21.4 kg
FEF-7.6	27.7 kg
FEF-8.8	31.2 kg
FEF-9.4	32.9 kg
FEF-9.8	32.9 kg

- Fibreglass rungs
- Dramatic reduction in sway and twist
- All-weather resistant
- Swivel foot maximises grip on uneven ground
- Complies to EN 131-1

CorrosionMaster Single Ladder FNF

MODEL	FLY ⚠	BASE ⚠
FNF-2.4	6.2 kg	6.6 kg
FNF-3.0	7.9 kg	8.3 kg
FNF-3.6	9.6 kg	9.9 kg
FNF-4.2	12.8 kg	13.3 kg
FNF-4.8	14.6 kg	15.0 kg
FNF-5.4	16.0 kg	16.5 kg

- Dramatic reduction in sway and twist
- All-weather resistant
- Swivel foot maximises grip on uneven ground
- Complies to EN 131-1



Fall Control System

Option A gives you the basic ability to be tethered to the top 4 rungs of your ladder while working. You will be able to use both hands and apply force to your work while maintaining 3 points of contact.

Option B gives you a lifeline tether for climbing and descending, hence even a fall during the climb will be controlled. Tools are able to be carried during access and egress as you are always tethered to the ladder. If an incident occurs while working at height, the rescue system is inbuilt.


Additional Options



Harness



Helmet



Rescue Kit



Wall Tie System



Man Down



PowerMaster Extension Ladder

Meets EN 131

Future proof your ladder

New EN portable ladder standards EN 131 and EN 131-7 focus on improving stability.

The Branach range of products, meet this standard by providing an unsurpassed level of stability and levelling.

Branach proudly supplies Telstra with critical height safety equipment.

Our PowerMaster Extension Ladder range features Branach's unique strongbox construction. This allows for dramatic rigidity which greatly reduces twist and sway. They are designed for maximum safety when working at heights.

The Terrain Master provides outstanding stability, eliminates lateral twist and sideways movement. Levels, stabilisers and provides unprecedented safety when working on uneven ground.

Product shown

PowerMaster with accessories:
TerrainMaster, Pole Strap, Top Lash

■ **FIBERGLASS STILES** ensure workers are isolated from the ground, making the product suitable for electrical work

■ **EQUAL STEP DISTANCE** to the ground, ensures safe access and egress.

■ Extends to an incredible base of **1.3 METRES.**

■ **ALL-WEATHER RESISTANT**

■ **BRANACH LATCH**

■ **LIGHTWEIGHT** and effortless action to deploy

■ Flat D rungs provide **SAFETY AND COMFORT** to the height worker

■ Complies to **AS/NZS 1892-3**

■ **STRONGBOX CONSTRUCTION** results in dramatic reduction in twist and sway

■ **ELIMINATES SIDWAYS TWIST AND MOVEMENT.**

■ When folded, locks within the envelope of the ladder, making transport and manual handling of the ladder **STRESS FREE.**

■ Both legs deploy and extend **INDEPENDENTLY.** Giving unparalleled stability and purchase to uneven or sloping ground.

European Head office - Denmark
Morsøgade 4
DK-6700 Esbjerg
Denmark
CVR: DK-39174847
Peter Skou
mobile +45 601 374 16
email peter@branacheurope.com

European Office - Romania
Sorin Vrincean
mobile +40 743 238 006
email Sorin@branacheurope.com

BRANACH
SAFETY. OUR WAY OF LIFE

BRANACH
SAFETY. OUR WAY OF LIFE

Superior height safety systems.

Australian made.
EU approved.

sales@branacheurope.com

branacheurope.com
sales@branacheurope.com