

Lighting The Future





As leaders in portable and rechargeable LED Lighting, NightSearcher are continuously investing in the research and development of cutting-edge solutions with innovation and product development at the heart of our operation.

Since 1989, we have proudly manufactured and delivered professional solutions worldwide, our long heritage and unmatched expertise set us apart as the trusted lighting solution of choice, offering high-quality products and solutions for a wide range of applications and budgets. This has established a creditable reputation that has allowed us to work with a variety of professional organisations, including the Police, Fire & Emergency services, Industrial & Construction industries, Automotive, Rail services, Armed Forces, Sports and Utility companies.

At NightSearcher, we are invested in playing our part in the global response to the ongoing threat that climate change presents. We design products with purpose, which support the growing demand for sustainable, zero emission, zero noise alternatives. Our "Think Zero" and "Think Green" ethos demonstrates our commitment and highlights the role that our product portfolio will play in the years to come.

NightSearcher also trades under our brands: NexSun – Professional solar lighting (P36), GenZero – Portable, renewable battery generators (P32) and SafATEX - Lighting for use in hazardous environments (P76).

We want to thank you, our loyal customers for your continued support and trust that our products make your work safer and easier.







NightSearcher's professional products are carefully designed and manufactured to the highest standards to ensure the reliability and durability our customers need. This is why we offer a 3-year standard warranty on all manufacturing defects and 1-year warranty on all rechargeable batteries from the date of purchase.

*The warranty can be extended to 5 years (free of charge) that covers defects in manufacturing on all NightSearcher products.

To find out more visit: https://nightsearcher.co.uk/en/warranty.html

New Products

Portable Floodlights Page 4 to 21

Contents

Work Lights Page 22 to 27

Power Tool Work Lights Page 28 to 31

GenZero Battery Powered Generators Page 32 to 35

NexSun Professional Solar Lights Page 36 To 44

Site Lights Page 45 to 49

AC Floodlights And Security Lights Page 50 to 51

Searchlights Page 52 to 61

Flashlights Page 62 to 69

UV Forensic Flashlights Page 70 to 71

Head Torches Page 72 to 75

SafaAtex Lights Page 76 to 85

Hazard Warning Lights Page 86 to 91

Automotive Lights Page 92 to 99

This year we bring you our brightest portable light yet, the NEW StratoStar 115,000 lumen portable tower light. We have also added to our range GenZero portable battery powered generators as well as our NEW LunarStar site lights and many more.





GenZero Battery Generators Page 32 to 35

All information is correct at time of press, we reserve the right to alter product specifications at any time and for any reason without liability. Product illustrations and effects may be simulated. Errors and omissions excepted.



Ideal for Lighting Large Areas

Sectors StratoStar can be used in:

- Rail
- **⊘** Construction and hire
- Military
- **Sports**
- **O** Highways
- **⊘** Emergency and rescue



- Fast, safe, one person deployment
- **⊘** 48 hour runtime
- **⊘** 3850m² beam



2 model available:

3,5	115,000 Lumens		
	3850m² beam		
()	3 to 48hrs runtime		
MODE	High Medium Low Dimmable		
	18Ah 30Ah		
	LifePO4 battery, 1540Wh		
*	8hrs charging time		
****	IP67 IKO8		
】	Light head: 438 x 290mm		
<u> </u>	Batter pack: 18.3Kg	Batter pack: 23.8kg	
	Light head: 12.7kg Tripod: 14.3kg		
CODE	NSSTRATOSTAR	NSSTRATOSTAR-X	

Supplied with protective bags, battery pack, tripod and AC mains charger

Optional Accessories:


400mm Ground anchors: SPGROUNDANCHORS

















IP67

- Rechargeable or AC mains powered
- Adjustable runtime 3-48 hours
- Light modes: High, medium, low and dimmable
- 360° lighting or adjusted to one direction
- 4m hand winch tripod with extendable tripod leg for use on uneven ground
- IP67 rated, robust, high-impact housing
- 1540Wh LifePO4 Phosphate battery
- LCD battery status indicators

StratoStar Key Features:











Robust aluminium + steel tripod with hand winch and safety locks






LCD programmable display:
Light mode selection • Programme runtime up to 48 hours • Battery status by colour















New StratoStar

115,000 Lumens • Rechargeable Multi-Directional Tower Light















2 model available:

	Solaris Pro	Solaris Pro-x	
31/2	16,000 Lumens		
Ĭ	Up to 500m beam		
()	2.25 to 24hrs runtime	4.5 to 48hrs runtime	
MODE	Boost (Search+Flood) Search Flood		
	14.8V 18.2Ah, 270Wh, Li-ion	14.8V 36.4Ah, 540Wh, Li-ion	
*	6hrs charging time	8hrs charging time	
,,*,	IP65		
<u> </u>	517 x 155 x 220mm	517 x 155 x 220mm	
<u> </u>	7kg	8.5kg	
CODE	NSSOLARISPRO Cat No: 0111/122075	NSSOLARISPRO-X Cat No: 0111/115041	

Supplied with AC charger and shoulder strap

Optional Accessories:

Vehicle charger: CHIC16-8V4A-12-30V

Stability pegs: SPTRIPODPEGS

Folding solar panel charger: SPSOLARPANEL Carry case: SPSOLARISPROCASE





Scan for multi-language information







LCD PROGRAMMABLE DISPLAY:

- Light mode selection Programme runtime up to 48 hours (Solaris Pro) Battery status by colour

















- Dual optics Spot and wide beam
- Fast-deployment
- Fully programmable light modes, brightness + runtime
- Telescopic pole Extends to 1.85m with built-in cable to avoid trip hazards
- Built-in stability legs for use on uneven ground
- 4 Angle adjustment, 180° swivel and tilting light head
- 2 Battery options available: 18.2Ah or 36.4Ah
- Lightweight at 7kg or 8.5kg







Single large magnet for uneven surfaces

3 Magnets







Supplied with AC mains charger

Optional Accessories:

Tripods: 2m tripod: SPTRIPODSS2M 3.5m tripod: SPTRIPOD3.5M T-Bar bracket: SPGALAXYTWINTBAR

Magnetic mounts:

Set of 3: SPGALAXYPROMAG Single large: SPGALAXYMAGMOUNT AC mains charger: CH8.4V-1.5A Vehicle charger: CHIC8.4-L-ION





Scan for multi-language information






















- Drop tested from 2.5 metres
- Robust housing made from the toughest composite materials
- **Charger storage compartment**
- Battery status indicator
- **Tripod Mountable**
- Lightweight only 1.5kg



8 Units will Light 60 x 40m Training Pitch

Perfect for Lighting:

- **⊘** Football
- Rugby
- Netball
- **O** Tennis
- Cricket
- Basketball courts
- Personal training and many more......





TENNIS COURTS

Youth Level Training - Single Court - 4/6 Kits Adult Level Training - Single Court - 6 Kits Youth/Adult Level Training - Twin Court - 8 Kits



Features & Benefits:



1 Minute Set Up



Silent Running



Weatherproof IP65 Rated



Unique Optics for Low Light Spills



Zero Emissions



Rechargeable Lithium Batteries



No Maintenance



Safe Air Cushioned Tripod



No Planning Permission Required



Lightweight and Easy to Store

Grants and Funding Available Please call us for help and advice.











RUGBY + FOOTBALL

Training pitch area 8 kits, 60-40m area Full training pitch area 16 kits





► YouTube



Scan for multi-language information

Optional Accessories:

Additional 18Ah power packs: PP14.8 x 18.2PE

Vehicle charger: CHIC16.8V4A-12/30B Hi-Vis sand bags: SPSANDBAG Carry bag: SPSPORTSSTARBAG Fence adaptor: SP-FENCEADAPTOR Set of 3 Ground pegs: SPTRIPODPEGS





31/2	20,000lm Per light head
	50m Beam
(J)	2 to 16hrs

- 2 to 16hrs
- Durable all-weather construction
- Rechargeable lithium-ion battery
- 2 to 16 hours runtime from a single charge
- Optional additional batteries for longer running times
- 1 minute setup and operational from ground level
- No planning permission required
- Unique optics for low light spills
- 3.6 metre air cushioned safety tripod

SportStar Key Features

















use all year round



Fits in the boot of your car, lightweight and compact to store











supplied with stability ground pegs





SportStar Accessories











Additional 18Ah power packs

For longer runtimes

- IP65 weatherproof rated
- Hook-on tripod bracket
- Durable polyethylene battery case
- On/Off mode switch floodlight can be operated from ground level switch
- Battery status + charging indicator (Red/Amber/Green)

NSCODE: SPP14.8 x 18.2PE

NEW Fence Adaptor

Perfect for Tennis, Netball and Basketball Courts

- Avoid any tripod in run off area
- Extends to 3 metres
- Can be a permanently left on court, only the light head and battery to remove at the end of the training session.
- Easy to install and operate
- Mounts on all standard sport fencing

NSCODE: SP-FENCEADAPTOR

HI-VIS Sand bags

Perfect for Tennis, Netball and Basketball Courts

- Added stability on hard surfaces
- 7kg (Filled)
- Easily fits over tripod leg

NSCODE: SPSANDBAG (Sand not provided)

Other Sport floodlight available - Call us to find out more:

Galaxy Pro Sports Kit

12,000 lumens - Ideal for goal training sessions



StratoStar

115,000 lumens - Lights half a football pitch



Solaris Duo 40K

High-Power Rechargeable Portable Lighting System with Dual Light Heads















- Fast-deployment, all fits in one case
- 2 telescopic extension poles reaching up to 1.85m
- . Built-in stability legs for use on uneven ground
- Housed in highly robust IP67 polypropylene case
- Replacement for generator powered lights
- Portable, sturdy and stackable
- Swivel and tilting light head

31/2	40,000 Lumens	
	Up to 100m beam	
()	3 to 24hrs runtime	
MODE	High Medium Low Eco	
	51Ah, 755Wh, Li-ion	
*	7hrs charging time	
,,*,	IP54, IP67 case	
J.	280 x 380 x 570mm	
<u> </u>	19.7kg	
CODE	NSSOLARISDUO20K-LI-ION-50 Cat no: 0111/112259	

Supplied with AC mains charger

Optional Accessories:


Solar panel charger: SPSOLARPANEL Vehicle charger: CHIC16.8V4A-12/30V Mains charger: CH16.8-8A-LI-ION







Scan for multi-language information



MegaStar 20K

Rechargeable Portable Lighting Kit, For Lighting Large Remote Areas















Optional Accessories:

Power pack: PP14.8X18.2PE Stability ground pegs: SPTRIPODPEGS











Upgraded Solaris MegaStar + Maxi 20K Rechargeable, Portable, 20,000 Lumens Floodlight with a New Battery Power Pack











2 model available:

	Solaris MegaStar	Solaris Maxi	
31/2	20,000 Lumens		
¥	Up to 50m beam		
(U	24Ah: 2hrs 15min to 18hrs runtime 38Ah: 3.5 to 28hrs runtime		
MODE	High Medium Low Eco		
	24Ah SLA 38Ah, SLA		
*	7hrs charging time (24Ah) 10hrs charging time (38Ah)		
,,*	IP65		
CODE	NSSOLARISMEGASTAR-24 NSSOLARISMEGASTAR-38	NSSOLARISMAXI-24 NSSOLARISMAXI-38	

Supplied with AC charger



UPGRADED POWER PACK:

- Durable polycarbonate case
 Battery status + charging indicators
 Light modes operated from battery pack
 Carry handle







Scan for multi-language information



Rechargeable Floodlights















- Rechargeable, can be powered directly from AC Charger
- **Robust housing**
- Slimline design
- 180° Swivel stand, lights can be independently angled
- **Tripod mountable**
- **Battery status + charging indicator**
- Control panel including thermo sensor and battery status indicator

31/2	12,000 Lumens
	Up to 110m beam
()	2 to 9hrs runtime
MODE	High Medium Low
(1111)	11.1V 5.2Ah, 578Wh, Li-ion
*	3hrs charging time
****	IP64
并	280 x 210 x 138mm
<u> </u>	2.63kg
CODE	NSGALAXY12000

Supplied with AC mains charger and tripod mounting brackets

Optional Accessories:

2m Stainless tripod: SPTRIPODSS2M 3.5m tripod: SPTRIPOD3.5M











Tower Pro Range

Collapsible Hybrid-Powered Floodlight, Rechargeable + AC Powered



4	m	റർ	els	ava	ila	ble	٠.

	Tower Pro 2K	Tower Pro 5K	New Tower Pro 7K	New Tower Pro 10K
31,5	2,000lm	5,000lm	7,000lm	10,000lm
	Up to 30m beam	Up to 90m beam	Up to 95m beam	Up to 110m beam
()	2 to 8.5hrs runtime	1 to 5hrs runtime	1.5 to 5hrs runtime	1.5 to 5hrs runtime
MODE		High Mediu	m Low	
	3.7V 4000mAh 15Wh, Li-ion	7.4V 4000mAh 30Wh, Li-ion	7.4V 4000mAh 30Wh, Li-ion	14.4V 4000mAh 58Wh, Li-ion
*	4hrs charging time	6hrs charging time	6hrs charging time	4.5hrs charging time
1,1,1,1	IP x 4 IK07	IP x 4 IK07	IP54 IK07	IP54 IK07
上	95 x 100 x 1700mm Folded: 80 x 665mm	160 x 122 x 2000mm Folded: 122 x 160 x 890mm	95 x 100 x 1700mm Folded: 80 x 665mm	150 x 150 x 2200mm Folded: 150 x 647mm
	1.8kg	4.5kg	3.5kg	5.49kg
CODE	NSTOWERPRO-2K	NSTOWERPRO-5K	NSTOWERPRO-7K	NSTOWERPRO-10K

Supplied with 2K/7K: Type C charging USB cable and carry case | 5K/10K: AC charger and carry case

20 www.nightsearcher.co.uk















- Portable, collapsible design, quick and easy to setup
- Multi-angle rotational lights
- Can be powered direct from AC mains (medium mode only)
- Robust housing
- Switch & brightness control panel
- Warm white and cool white light modes
- Battery charging indicator
- Supplied with carry case








New Roo-Star 500
Rechargeable Slim Keylight with Powerful Flood Beam





Supplied with USB-C fast charging cable

Optional Accessories:


UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







Scan for multi-language information



New Roo-Star 1200
Rechargeable Slim Inspection Light with Powerful Spot and Flood Beam











- Compact design that easily fits in your pocket or in your toolbox
- Wide floodlight and dimmable
- Narrow spot beam
- Magnetic base for hands-free operation
- · Rechargeable lithium battery
- Tough aluminium housing
- Fast charging USB Type C connection

34.5	1200 Lumens	
()	1.5 to 12hrs runtime	
MODE	Flood: High Medium Low Dimmable Spot: High	
	3.7V 2000mAh, 3.7Wh, Li-ion	
*	3hrs charging time	
1,1,1,	IP54 IK07	
上	115 x 46 x 26mm	
<u> </u>	147g	
CODE	NSROO-STAR1200	

Supplied with USB-C fast charging cable

Optional Accessories: UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION









New Duo Star
Rechargeable, Double Sided Spot and Work Light



31/5	550 Lumens	
()	4.5 to 9hrs runtime	
MODE	Flood: High Dimmable Spot: High Low Dimmable	
	3.7V 2000mAh, 4.7Wh, Li-ion	
*	3.5hrs charging time	
1,1,1	IPX4 IK07	
上	72 x 76 x 49.5mm	
<u> </u>	170g	
CODE	NSDUOSTAR	

12/24V Vehicle charger: CHIC3.7-LI-ION





New Nova Star

High Powered Multi-Functional Work Light, with Fold Flat Design





Supplied with USB-C fast charging cable

UK or EU adaptor: CH-USB-UK/EU



emergency light




12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M



















Galaxy 1200

Robust, Heavy-Duty Rechargeable Work Light



Battery status + charging indicator Power bank to charge your mobile



Supplied with USB charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M





Tripod mountable for more details



Power bank to charge your phone



Galaxy Star Incredibly Power And Bright Work



31/2	2800 Lumens
	Up to 90m beam
()	1.6 to 11hrs runtime
MODE	100% 70% 45% 35% 20%
	7.4V 2200mAh, 8.14Wh, Li-ion
*	3.5hrs charging time
*****	IP54 IK07
,	170 x 170 x 48mm
<u> </u>	701g
CODE	NSGALAXYSTAR

Supplied with AC Charger

Optional Accessories:

12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M









Power bank to charge your phone



USB rechargeable

Battery status and charging indicator Industrial strength aircraft grade aluminium Optional magnetic mount and scaffold bracket

Galaxy 1000 and 2000 Compact, Lightweight and Portable Work Lights



2 models available:

	Galaxy 1000	Galaxy 2000	
31/2	1000 Lumens	2000 Lumens	
	Up to 10m beam	Up to 20m beam	
()	1.4 to 3.2hrs runtime	2 to 4hrs runtime	
MODE	High Low	High Low	
	Li-ion 3.7V 4000mAh, 15Wh	7.4V 4000mAh, 30Wh, Li-ion	
*	3.5hrs charging time	6.5hrs charging time	
****	IP54	IP54	
J	72 x 76 x 49.5mm	72 x 76 x 49.5mm	
<u> </u>	539g	730g	
CODE	NSGALAXY1000	NSGALAXY2000	

Supplied with GALAXY1000: USB charging cable Galaxy 2000: USB-DC1 charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M










360° handle and stand





Work Lights Powered by Power Tool Batteries





WorkStar Connect Accepts one power tool battery




Supplied with 4 x power tool battery adaptors



TwinStar Connect Accepts up to two power tool batteries

Upgraded WorkStar Connect



 Accepts batteries 	from 11 leading	power tool brands
---------------------------------------	-----------------	-------------------

• Robust construction with toughened glass lens

Strong magnetic base

Adjustable stand with hanging hook

• USB powerbank to charge your mobile devices

Compact, fold flat design for easy storage

IKO7 shock proof

Tripod mountable

31,5	3000 Lumens
	Up to 30m beam
()	2 to 16hrs runtime
MODE	High Medium Low
)	Powered by power tool batteries 18-21V Makita, Dewalt, Milwaukee, Bosch, Stanley, Porter Cable, Black & Decker (Metabo, Festool, Hilti - optional adaptor)
****	IP54 (without battery)
J.	225 x 90 x 340mm
<u> </u>	1kg
CODE	NSWORKSTARCONNECT

Supplied with 4 power tool adaptors

Optional Accessories:

Power tool adaptor (18-21V batteries): Metabo: SPWORKSTARCONNECT-AD-A Festool: SPWORKSTARCONNECT-AD-B Hilti: SPWORKSTARCONNECT-AD-C Quick release tripod: SPTRIPOD1.6-CON









3,000lm

30m Beam

2 to 16hrs

IP54

New TwinStar Connect

Multi-Angled Twin Head Light, With Power Tool Battery Adapters



31/2	12,000 Lumens, 6000 per light head
	Up to 50m beam
()	1 to 8hrs runtime
MODE	High Medium Low
	Powered by power tool batteries 18-21V Makita, Dewalt, Milwaukee, Bosch, Stanley, Porter Cable, Black & Decker (Metabo, Festool, Hilti- optional adaptor)
****	IP54 (without battery)
上	Light head: 475 x 170 x 140mm
_	Light: 1.8kg Tripod: 2.1kg
CODE	NSTWINSTARC


Supplied with 4 Power tool adaptors and 1.6m tripod

Metabo: SPWORKSTARCONNECT-AD-A Festoool: SPWORKSTARCONNECT-AD-B Hilti: SPWORKSTARCONNECT-AD-C





Optional carry bag: SPTWINSTARBAG





3 model available:

	KangaStar 2K	KangaStar 5K	KangaStar 10K
31/2	2,200 Lumens	5,000 Lumens	10,000 Lumens
¥	Up to 25m beam	Up to 50m beam	Up to 100m beam
0	5.5 to 22hrs (6Ah battery)	3 to 15 hours runtime (6Ah battery)	1.5 to 7.5hrs (6Ah battery)
MODE	High Medium Low	20% 40% 60% 80% 100%	20% 40% 60% 80% 100%
****	IP65 (without battery)		
」	215mm x 150mm x 98mm	290mm x 145mm x 265mm	265mm x 145mm x 360mm
	1.24kg	2.9kg	3.1kg
CODE	NSKANGASTAR-2K	NSKANGASTAR-5K	NSKANGASTAR-10K









Supplied with:

KangaStar 2K Choose integrated A or B power tool adaptor:



Adaptor A: Panasonic, Makita, Hikoki (Hitachi), Bosch



Adaptor B: Dewalt, Milwaukee, Metabo

KangaStar 5K and 10K Choose either A or B power tool adaptor:



Adaptor A: Panasonic, Hikoki, Makita, Bosch



Adaptor B: Dewalt, Milwaukee, Metabo

Optional accessories:

KangaStar 5K and 10K



Optional Adaptor C: Flex , Festool, Einel, Parkside NSCODE: SPKANGA-AD-C



6Ah Battery: NS CODE: SPKANGA-BA



AC mains adaptor to charge the 6Ah battery or power the light straight from AC mains. NS Code: SPKANGA-AC

3.5m tripod: SPTRIPOD3.5M **T-Bar for tripod:** SPTBARSS-KANGA

Work Lights Powered by Power Tool Batteries

















New KangaStar 2K | 5K | 10K Work Lights

3-in-1 Power Supply System:

- Power Tool Adaptor
- **2** 6Ah Battery (5K + 10K)
- **O** AC Mains (5K + 10K)













5.5 to 22hrs



5,000lm



50m Beam



3 to 15hrs



- Accepts batteries from 11 leading power tool brands
- Robust aluminium construction with tempered glass lens
- Convex Lens for improved optics
- IP65 Rated, Impact resistant aluminium housing
- Hanging hooks
- Tripod mountable (5K + 10K model)
- Magnetic base (2K model)







ZERO EMISSIONS - MAXIMUM POWER









RECHARGEABLE. BATTERY POWERED GENERATORS

Introducing GenZero, NightSearcher's innovative range of battery powered generators. A selection of three portable generators designed to provide reliable and efficient power to areas where it's needed the most. Perfect for both industrial and residential applications.

GenZero generators provide maximum electric power with zero emissions. NightSearcher is committed to promoting a greener, cleaner way of working that helps the environment and businesses off-set their carbon neutral footprint.





















1600W

1800W


3600W

GenZero delivers safe and reliable power to areas with restricted access to an electricity supply:



Ideal for emergency power in natural disasters
















New GenZero 500W

500Wh Capacity Battery

Small Generator for Home, Work and Recreation

- Easily powers a selection of home appliances such as kettles, TV, air pumps, mini-refrigerators, laptop and more
- Wireless charger for your mobile
- 3 hours fast charging (80%)
- Ideal in the event of a power cut
- LED light
- Digital LCD display
- Multiple charging outputs
- Operates at 50-60Hz AC across its fixed voltage supply of 230V and provides pure sine wave AC output
- Carry handle for easy transportation
- Housed in a rugged, durable case and lightweight design at only 5kg






Continuous Output	500W
Peak Output	800W
Battery Capacity	500Wh
Battery Type	Rechargeable Lithium Battery
Charging Time	3hrs (80%) - 4hrs (100%)
AC Output Voltage	230V
DC Outputs	12V/10A (Max)
USB Outputs	2 x Type-C Output: PD60W 2 x USB-A Output:12V/1.5A
Charging Input	12-24VDC 5A adaptor
Charge Methods	AC-DC mains charger Solar panel charger Vehicle charger
Frequency Range	50-60Hz
Sine Wave Type	Pure Sine Wave
Life of Battery	More than 1000 cycles
IP Rating	IP44/IP54/IP65 depending on AC output plug fitted
Supplied with	AC Mains Adaptor
Net Weight	5kg
Dimension	241Lx161Wx181H mm
NS Code	GENZERO-500W-230V





More models coming soon, contact us for more details: sales@nightsearcher.co.uk | +44 (0)23 9238 9774





New GenZero 800W

2000Wh Capacity Battery

Industrial Portable Power Station


- Provide maximum electric power on large or remote sites with zero emissions
- An efficient, reliable power supply for site lighting or equipment
- Ideal for emergency power in natural disasters and powering household appliances
- Housed within super-tough, rugged IP66 protective case
- 3 hours fast charging (80%)
- LCD digital display, safe and easy to operate
- Offer powerful and super-efficient 230V or 110V portable power supply and provides reliable pure sine-wave inverter energy
- Can be charged from AC mains, DC output or solar
- Highly portable can be carried by one person
- Includes safety system protection including overcharge/discharge, overload over temperature, short-circuit and under-voltage



Continuous Output	800W
Peak Output	1600W
Battery Capacity	2000Wh
Battery Type	Rechargeable Lithium Battery
Charging Time	3hrs (80%) - 8hrs (100%)
AC Output Voltage	230V or 110V
DC Outputs	12V/10A (Max)
USB Outputs	-
Charging Input	29V DC 10A adaptor
Charge Methods	AC-DC mains charger Solar panel charger Vehicle charger
Frequency Range	50-60Hz
Sine Wave Type	Pure Sine Wave
Life of Battery	More than 1000 cycles
IP Rating	IP44/IP54/IP65 depending on AC output plug fitted
Supplied with	AC Mains Adaptor
Net Weight	15.5kg
Dimension	408Lx311Wx166H mm
NS Code	GENZERO-800W-110V GENZERO-800W-230V



More models coming soon, contact us for more details: sales@nightsearcher.co.uk | +44 (0)23 9238 9774





New GenZero 1800W

3000Wh Capacity Battery

Industrial Portable Power Station


- Provide maximum electric power on large or remote sites with zero emissions
- An efficient, reliable power supply for site lighting or equipment
- Ideal for charging tools and supporting remote working devices
- 2 hours fast charging (80%)
- Highly portable, carry case with extendable handle and wheels
- Housed within super-tough, rugged IP66 protective case
- LCD digital display, safe and easy to operate
- Offer powerful and super-efficient 230V or 110V portable power supply and provides reliable pure sine-wave inverter energy
- Can be charged from AC mains, DC output or solar
- Recharges in only 6 hours
- Includes safety system protection including overcharge/discharge, overload over temperature, short-circuit and under-voltage



Continuous Output	1800W
-	
Peak Output	3600W
Battery Capacity	3000Wh
Battery Type	Rechargeable Lithium Battery
Charging Time	2hrs (80%) - 4hrs (100%)
AC Output Voltage	230V or 110V
DC Outputs	12V/3A (Max)
USB Outputs	5V/1A
Charging Input	54.6V DC 10A adaptor
Charge Methods	AC-DC mains charger
	Solar panel charger
	Vehicle charger
Frequency Range	50-60Hz
Sine Wave Type	Pure Sine Wave
Life of Battery	More than 1000 cycles
IP Rating	IP44/IP54/IP65 depending on AC output plug fitted
Supplied with	AC Mains Adaptor
Net Weight	25kg
Dimension	348Lx205Wx458H mm
NS Code	GENZERO-1800W-110V GENZERO-1800W-230V



More models coming soon, contact us for more details: sales@nightsearcher.co.uk | +44 (0)23 9238 9774











At NightSearcher, we are invested to play our part in the global push to address concerns for the climate and environment. NexSun forms part of our "Think Zero" and "Think Green" ethos which highlights the benefits of portable rechargeable and solar technology, and the vital role they'll both play for years to come.



Zero emissions, zero cables, zero noise, all encompass our product range in the drive for a greener, safer and sustainable environment for us all.

Scan to view NEXSUN.CO.UK

NexSun 2000 Slim, Modern Solar Flood Light, with PIR Sensor



31/2	2000 Lumens
	Up to 45m Flood beam
()	8hrs runtime
MODE	PIR Sensor mode Set timer mode
A [™] PIR	4 Metres
Ž.	6.8W Mono-crystalline
	3.7V 2000mAh, Li-ion
*	7.5hrs charging time
****	IP65
×	Straight pole mount Wall mount
」	452 x 246 x 85mm
	2kg
CODE	NEXSUN-2000



multi-language information

Supplied with 2 x U shaped bracket, fixings and remote control



- 2000lm
 - 45m Beam
- 8hrs **IP65**
- Slim modern design
- Automatically turns ON/OFF dusk till dawn
- Optical lens anti-glare light
- Motion sensor that can reaches up to 4 metres
- · Manual on/off switch or remote control operated
- · Simple to install with no wiring required
- Operate for 10 continuous nights without recharge

NexSun 1800 & 5000 Slim, Modern Solar Flood Light, with PIR Sensor



Simple to install with no wiring required

· Battery status indicators

· Features temperature control system to optimise battery power

2 models available:

12hrs

IP65

	NEXSUN 1800	NEXSUN 5000	
31/2	1800 Lumens	5000 Lumens	
A ^{® PIR}	8 Metres	8-12 Metres	
()	12hrs runtime		
MODE	PIR Sensor mode	PIR Sensor mode Set timer mode	
	7.4V 5800mAh, Li-ion	9.6V 1200mAh, LiFePO4 lithium battery	
*	5-6hrs charging time	8-10hrs charging time	
*4*4*	IP65		
×	Straight pole mount Wall mount		
上	493 x 232 x 58mm	700 x 290 x 74mm	
<u> </u>	3kg	5.2kg	
CODE	NEXSUN-1800	NEXSUN-5000	

Supplied with 1 x Arch shaped bracket 2 x U shaped bracket and fixings and remote control.



12hrs

IP65









NexSun 2500

Ultra-modern, Slimline Rechargeable Modular Solar Powered Flood Light




345	2500 Lumens
	Up to 35m Flood beam
()	Up to 15hrs
MODE	Sensor mode Dim mode Set timer mode
Æ PIR	4 Metres
	1W Mono-crystalline
	115WH 6.4V LiFePO4 lithium battery
*	9-10hrs Charging time
****	IP65
X	Wall mount Ceiling mount Tripod mount
J.	Floodlight: 375 x 275 x 45mm Solar panel: 660 x 350mm
<u> </u>	5kg
CODE	NEXSUN-2500

Supplied with 4.5 metre cable and remote control

- 2500lm
- 35m Beam
- 15hrs
- · Automatically turns ON/OFF dusk till dawn
- 15 metres Microwave motion sensor
- · Ideal for where no AC mains power e x ists
- Manual on/off switch or remote control operated
- LiFePO4 high capacity lithium battery
- · Flood light is housed in aircraft grade aluminium
- Battery status Indicator



NexSun 2500RC
Rechargeable Solar Linear Light with a High-Powered Solar Panel



· M	2500	
3.5	2500 Lumens	
	Up to 5m, 120° Flood beam	
(0)	Up to 12hrs runtime	
MODE	Sensor mode Dim mode Set timer mode	
A [®] PIR	8 Metre	
	18W Mono-crystalline	
	154WH 12.8V LiFePO4 lithium bat	
*	6hrs charging time	
****	IP65	
X	Wall mount Ceiling mount	
上	92 x 48 x 600mm	
	2.8kg	
CODE	NEXSUN-2500RC	

Supplied with 5 metre cable, wall switch and remote control







IP65 38 www.nexsun.co.uk

- Ideal replacement for fluorescent fittings in sheds and garages Automatically turns ON/OFF dusk till dawn
- · Light can be ON/OFF like a regular light by wall mounted switch
 - **Robust Polycarbonate and aluminium housing**
- Adjustable mounting bracket



NexSun Bollard Light Multi-Coloured Cylinder & Square Bollard Lights



2 models available:

	CYLINDER BOLLARD	SQUARE BOLLARD		
345	220 L	umens		
()	Up to 16h	rs runtime		
MODE	Cool Warm White Light Full Colour Spectrum Dimmable			
	6.2W Mono-Crystalline			
	12,000mAh 3V LiFePO4 lithium battery			
*	6hrs charging time			
****	IP65			
上	225 x 255 x 90mm			
<u> </u>	4.4kg			
CODE	NEXSUN-BOLLARD-C NEXSUN-BOLLARD-S			



Supplied with remote control



NexSun 400

Solar Powered Garden Feature and Security Light



Ideal for providing lighting to driveways, sheds and garages with no mains power required

400 Lumens Up to 10m Flood beam Up to 8hrs **(J)** MODE Sensor mode | Dim mode | Always on mode ₹[®] PIR 10 Metres, Lights up for 30 seconds when activated Mono-crystalline לוו 2000mAh 3.7V lithium battery * **8hrs Charging time** 9,0,0, **IP65** X Wall mount | Bracket Mount (optional extra) 115 x 103 x 42mm 200g CODE NEXSUN-400 | Cat No: 0111/114275

Supplied with fixings

Optional Accessories:

Anti theft bracket: SPSOLARBRACKET



1100 Lumens Up to 20m Flood beam

Up to 8hrs runtime

NexSun 1100RC

Solar Powered Garden Feature and Security Light

(1)



- MODE Sensor mode | Power saving mode Always on mode | Automatic power adjust mode **Emergency mode ⊅**PIR 10 Metres, Lights up for 30 seconds when activated Mono-crystalline 7800mAh 3.7V lithium battery + 8hrs charging time IP65 **** Wall mount | Bracket Mount (optional extra) 210 x 140 x 108mm 600g CODE NEXSUN-1100RC | Cat No: 0111/114319
 - Supplied with fixings Optional Accessories:

Anti theft bracket: SPSOLARBRACKET

 Increasing security around your home & garden Automatically turns ON/OFF dusk till dawn

1100lm

8hrs

IP65

20m Beam



IP65

Installs in Minutes - No wiring

Durable ABS plastic housing

Modern wedge design


Ideal for providing lighting to driveways, sheds and garages with no mains power required

40 www.nexsun.co.uk

New NexSun 1000SL

Wall Mounted Solar Security & Flood Light





Supplied with fixings

Motion Sensor Controls











Light Time Adjustable Settings



NexSun 2in1

Wall-mounted LED Security Light with a Detachable Body







Scan for multi-language information






New NexSun Brick Light Exterior Brick Light That is Perfect for Increasing Security Around your Home and Garden












Supplied with fixings

- · Increasing security around your home & garden
- · Automatically turns ON/OFF dusk till dawn
- · VO Fire proof housing
- Anti UV housing reduces UV damage and fading
- · Designed to illuminate a large 140 degree area below, LEDs are protected by tempered glass
- No 240V AC Mains connection required
- · Ideal for use in doorways, pathways and outbuildings










NexSun Solar Panel
Rechargeable Foldable 48W Solar Panel - Recharge Products On The Go



Foldable design



- 19.8% Highly efficient Monocrystalline Solar Cell
- **48W Solar Panel**
- Designed to be portable and withstand outdoor environment
- · Excellent low light capabilities
- Working temperature -20° to 70°C
- · Foldable design
- **IP65 Rated**
- Maximum portability and perfect for your when your searchlight or floodlight needs a quick recharge.

Dual Recharging Outlets:



8.4V + 16.8V DC + USB 5

Dimensions:

Foldable size: 306mm x 309mm Open size: 1197mm x 309 x 3mm

Product code: SPSOLARPANEL

Compatible NightSearcher products:




Solaris Pro and Solaris Pro- x Floodlight P8



Floodlight P16



Environmentally Friendly = 100% Energy Saving





ProStar & ProStar Lite Searchlight P56



Panther x HP Searchlight P59

New 15m, 25m or 50m LED Rope Lights The Ultimate On-Site Lighting System, Ensuring your Work Place is Safely Lit and Secure



Multiple plug options










- Enclosed in a clear flexible plastic sheath
- Simple plug and play system
- Suitable for indoor or outdoor use
- Reduces risks from slips, trips, and other hazards







Expandable handle



15 metres 15,000 Lumens

25 metres 25,000 Lumens

50 metres 25,000 Lumens

Ideal for use in areas where access and egress need to be illuminated

3 models available:


	15 metres	25 metres	50 metres
31/2	15,000 Lumens	25,000 Lumens	50,000 Lumens
¥	120° degree beam angle		
Œ	110V or 230V or 240V		
MODE	High		
*4*4*4	IP65 (depending on plug attachment)		
<u> </u>	3kg	4kg	7kg
CODE	NSRL15	NSRL25	NSRL50

Supplied on a reel



Scan for multi-language information





New Lunar Star 28K
High Energy Efficient Site Light with 360° Illumination























- Mains or generator powered including **GenZero battery generators**
- Fast, safe, one person deployment
- 360° illumination
- Fitted with 14640 spigot
- Optional 2.6m winch tripod
- Easy to store and transport
- Indoor or outdoor use
- Inside cable storage

31/2	28,000 Lumens
	360° beam
T	110V or 240V
MODE	High
1,1,1,	IP65 IK08
J	820 x 265mm Ø
	8.6kg
CODE	NSLUNARSTAR28K

Supplied with 5m cable, protective light head carry bag and hanging mount

Optional Accessories:

Tripod: SPTRIOPOD2.6

14 Metre extension lead: SPCABLE14M









multi-language information





New Lunar Star 40K

High Energy Efficient Site Light with Multi-directional Rotation











31/2	40,000 Lumens
	360 Degree beam
	110V or 240V
MODE	High
****	IP65 IK08
J	200 x 400mm Ø
	7.8kg
CODE	NSLUNARSTAR40K





Supplied with 5m cable, protective light head carry bag and sky hook

Optional Accessories: Tripod: SPTRIOPOD4

14 Metre extension lead: SPCABLE14M







Winch tripod Safely raise the light head up to 4 metres



LinkStar Kits | EcoStar

Linkable Site Floodlights Designed for Industrial Applications













Single light head with 2.2m tripod stand

Double light head with 2.2m tripod stand and T-Bar bracket

Choose Voltage:

Choose:

E 110V or 240V

Single or double

light head

- **Choose Lumens:**
- 3,600lm (30W)
- 6,000lm (50W)
- 12,000lm (100W)
- 110V or 240V AC 50/60Hz
- Linkable floodlights
- 120° beam angle
- Adjustable brackets
- Strong die-cast aluminium casing with stainless steel fitting
- Designed for industrial applications
- Toughened glass lens
- · Light head can also be bought separately

110V LinkStar Example:

30W

----- 50 Lights/500 metres --- 25 Units





LinkStar Kits

3 Models available:

	LinkStar 30W	LinkStar 50W	LinkStar 100W
31,5	1 head - 3,600lm 2 heads - 7,200lm	1 head - 6,000lm 2 heads - 12,000lm	1 head - 12,000lm 2 heads - 24,000lm
	110V or 240V		
MODE	High		
,,*,	IP65		
CODE	NSLINKSTAR30-KIT NSLINKSTAR30TWIN-KIT	NSLINKSTAR50-KIT NSLINKSTAR50TWIN-KIT	NSLINKSTAR100-KIT NSLINKSTAR100TWIN-KIT

Supplied with 2.2m swing legged tripod stand and T-Bar Bracket (Twin heads)

Optional Accessories:

14 Metre extension lead: SPCABLE14M Scaffold Bracket: SPSCAFFOLDBRACKET



LinkStar Light Heads

3 Models available:

	LinkStar 30W	LinkStar 50W	LinkStar 100W
31/2	3,600lm	6,000lm	12,000lm
Œ	110V		
MODE	High		
1,1,1,	IP65		
CODE	NSLINKSTAR30	NSLINKSTAR50	NSLINKSTAR100



Scan for multi-language information









SITE LIGHTS









- 10 x 660 lumen, 110V LED lights spaced every 2 metres
- Low heat output Saves 80% electrical power
- Highly robust polycarbonate lenses and body with handy loops for fixing with cable ties.
- 22 metres 2.0mm yellow arctic grade cable with 16A 110V CEE plug
- Multiple festoons can be linked to form a longer light chain via a junction box
- Fully insulated for indoor and outdoors

31,5	660 Lumens per lamp
Œ	110V AC 16A
MODE	High
****	IP44
九	22 metres
<u> </u>	2.14kg
CODE	NSFESTOON22M8W

Supplied with 22 Metre 2 x 75mm yellow arctic grade cable with 16A 110V CEE Plug

Optional Accessories:

14 Metre extension lead: SPCABLE14M










EcoStar Pro Flodlights
Industrial Floodlights, Low Energy Consumption and Extremely Durable Aluminium





- 110V or 240V
- FF 1P65
- **Choose:**
- Single or double light head
- **Choose Lumens:**
- ⇒1/2 6,000lm (50W)
- 12,000lm (100W)

- Robust aluminium casing
- 120° beam angle
- Adjustable bracket
- Can operate on power sources between 85V-265V AC 50-60Hz
- Low heat emission = with no cool down required before storage
- Designed for industrial applications
- Toughened glass lens
- 0.5 metre cable
- High performance heat sink

2 model available:

	EcoStar Pro 50W	EcoStar Pro 100W	
31,5	1 head - 6,000 lumens	1 head - 12,000 lumens	
Œ	110V or 240V		
MODE	High		
1,1,1,1	IP65		
CODE	NSESPRO50	NSESPRO100	



Optional Scaffold bracket SPSCAFFOLDBRACKET



Scan for multi-language information 50 www.nightsearcher.co.uk





FastStar Security lights

Slim Design Security Light - Fast and Easy Installation



3 model available:

	FastStar 10W	FastStar 30W	FastStar 50W
31,5	800 lumens	2400 lumens	4000 lumens
	10m beam	20m beam	30m beam
Œ	220V or 240V		
MODE	High		
0,0,0,	IP65		
上	113.4 x 127.9x52mm	147.6 x 166.3x56.3mm	166.8 x 188 x 56.3mm
	334g	555g	730g
CODE	NSFASTSTAR10 NSFASTSTAR10PIR	NSFASTSTAR30 NSFASTSTAR30PIR	NSFASTSTAR50 NSFASTSTAR50PIR

Supplied with 30cm cable



Adjustable settings:

- Time
- Sensor



2 ways to connect to mains AC supply: directly into internal terminal block

With the cable provided, into a suitable rated junction box







31,5	Searchlight: 600 Lumens Work Light: 1200 Lumens
	Up to 700m beam
O	Searchlight: 4.5 to 25hrs runtime Work Light: 8 to 40hrs runtime
MODE	Searchlight: High Low Strobe Dimmable Work Light: High Low Red Red Flashing Dimmable
	3.7V 8000mAh, 30Wh
*	6hrs charging time
9,9,9,	IP54
J	213 x 132 x 106mm
	708g
CODE	NSCOBRA-X

Supplied with Shoulder strap and type C fast charging cable

Optional Accessories: UK or EU adaptor: CH-USB-UK/EU Vehicle Charger: CHIC3.7-LI-ION



Scan for multi-language information



SEE AND BE SEEN!



Red emergency flashing mode

New Cobra-X

Rechargeable Searchlight and Floodlight in One











- Spot beam searchlight with work light
- Red light mode for an emergency
- Hands-free operation when using the work light
- Rechargeable lithium battery
- Tough polypropylene construction,
- 2 metre impact resistant housing
- Supplied with comfortable shoulder strap







Power bank to charge your phone



2 models available:

	HawkStar	HawkStar-X
31/2	2500 Lumens	4200 Lumens
	Up to 400m	Up to 600m beam
()	3.5 to 7.5hrs runtime	4.5 to 9.45hrs runtime
MODE	Narrow Wide Boost Dimmable	
	7.4V 6.6Ah, 48.83Wh	7.4V 10.2Ah, 75.48Wh
* I	6.5hrs charging time	8hrs charging time
****	IP65	IP65
上	250 x 125 x 120mm	250 x 125 x 120mm
	1kg	1.1kg
CODE	NSHAWKSTAR	NSHAWKSTAR-X

Supplied with charging cradle and vehicle charger

Optional Accessories: Shoulder strap: SPHAWKSTARSTRAP AC Charger: CH-8.4V-1.5A




YouTube

Scan for multi-language information











- Dual optics wide angle flood or long distance search beam
- Multiple brightness levels and dimmable
- Fits securely in charging cradle Crash tested at 70MPH (112KPH)
- Emergency function automatically illuminate in the event of a power cut
- Rubberised handle for comfortable non-slip grip
 - Wall & vehicle mountable charging cradle with quick release function for fast and easy deployment
 - Adjustable stand for hands free use as a work light







2 models available:

	ProStar	ProStar Lite
31/2	10,000	Lumens
	Up to 1200m beam	
O	2 to 25hrs runtime	1.5 to 18hrs runtime
MODE	Narrow Wide Boost Dimmable	
	14.8V 10.2Ah, 150.96Wh	14.8V 7.8Ah, 115.44Wh
★	6hrs charging time	
1,1,1,	IP65	
上	280x180x120mm	
	1.8kg	1.5kg
CODE	NSPROSTAR	NSPROSTAR-LITE

Supplied with AC adaptor, charging cradle and shoulder strap

Optional Accessories: Vehicle charger: CHIC16.82A-LI-ION Folding solar panel charger: SPSOLARPANEL





Scan for multi-language information


ProStar Lite and ProStar

2-in-1 Rechargeable Searchlight and Floodlight











- Dual optics wide angle flood or long distance search beam
- Multiple brightness levels and dimmable
- Swivel head for directing light where its needed the most
- Rubberised handle for comfortable non-slip grip
- Rubberised bezel for impact protection
- Anti-slip base to give added strength and stability
- Wall and vehicle mountable charging cradle
- Supplied with comfortable shoulder strap





Trio-550

Lightweight, Rechargeable Searchlight with Emergency Light Function



31/5	550 Lumens
	Up to 600m beam
()	3 to 15hrs runtime
MODE	High Low Flashing
	3.7V 4500mAh, 16.65Wh
*	10hrs charging time
****	IP54
】	193 x 117 x 132mm
<u>^</u>	650g
CODE	NSTRIO550Y (Yellow) NSTRIO550 (Grey)

Supplied with wall mount, fast charging USB type C cable, USB 12V-24V car charger, shoulder strap, AC USB mains adaptor















Emergency Function:



Scan for multi-language information

Panther XHP-X

Searchlight Chosen by Professionals



→1/€ 1800lm





IP54

- Parabolic reflector enables maximum distance-to-lumen ratio
- Lightweight design
- Rechargeable lithium battery
- · Robust polyethylene construction, impact resistant casing
- Unique deep-dish reflector
- Adjustable stand
- Battery charging indicator
- Supplied with a comfortable shoulder strap

Hands free use when using built in stand

31,5	1800 Lumens
	Up to 1000m beam
O	3 to 8hrs runtime
MODE	High Low Flashing
	7.4V 4.4Ah, 32.56Wh
*	9hrs charging time
****	IP54
上	260 x 150 x 180mm
_	1kg
CODE	NSPANTHERXHP-X Cat No: 0111/108311

Supplied with AC charger, adjustable stand and shoulder strap


Optional Accessories:

Vehicle charger: CHIC8.4-LI-ION AC Charger: CH-8.4V-1.5A









Trigger Pro Long Distance Targeted Beam



31/2	1300 Lumens
¥	Up to 750m beam
(U	3.25 to 12hrs runtime
MODE	High Low Strobe
	3.7V 3600mAh
*	5hrs charging time
****	IPX4
上	173 x 176 x 86mm
	570g
CODE	NSTRIGGER-PRO Cat No: 0111/113529
Supplied with wrist strap, micro USB cable, 12V vehicle charger	

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU





Scan for multi-language information

60 www.nightsearcher.co.uk



Searchlight 900

Deep dish Reflector Giving Maximum Distance to Lumen Ration for a Bright Spot Beam

























- Two position handle
- Pistol handle
- Rechargeable lithium battery
- Adjustable stand
- USB power bank charge on the go!
- Storage for charging cable



Searchlight 1600
Powerful Spot beam and Amber Flashing Emergency Mode



315	1600 Lumens
	Up to 1000m beam
()	3 to 120hrs runtime
MODE	High Amber flashing
	7.4V 4400mAh, 33Wh, Li-ion
*	6hrs charging time
,,*,	IP44
J .	226x165x179mm
<u>^</u>	1.03kg
CODE	NSSL1600

Supplied with AC Charger and vehicle charger
















- Deep-dish reflector giving the maximum distance-to-lumen ratio for a bright spot beam
- Amber flashlight for emergency or signalling purposes
- Robust polycarbonate construction
- Rechargeable lithium battery
- 3-position adjustable handle Adjustable stand



Ideal for all Rail, Security, Emergency Services, Scenes of Crime, Search and Rescue Sectors 250mm 100mm 150mm 50mm **KEYSTAR** 300 Lumens 110m Beam **EXPLORER MINI** 400 Lumens 125m Beam EXPLORER CX1000 1000 Lumens 250m Beam **EXPLORER TWISTER** 400 Lumens 90m Beam **EXPLORER-1200** 1200 Lumens 650m Beam **EXPLORER XPL-C** 1100 Lumens 600m Beam **ZOOM 500** 500 Lumens 4 285m Beam **ZOOM 600R 600 Lumens** 250m Beam **ZOOM 1000R** 1000 Lumens 500m Beam **MINI MAGNUM** 2000 Lumens 400m Beam **MAGNUM 3000** 3000 Lumens 500m Beam Narrow beam MAGNUM-1100 1100 Lumens 1100m Beam **MAGNUM-11600** 11600 Lumens



31/5	300 Lumens
	Up to 110m beam
()	17hrs runtime
MODE	High Dimmable
	3.7V 600mAh, 3Wh
*	4hrs charging time
,,*,	IPX7
J.	67 x 34 x 135mm
<u> </u>	29g
CODE	NSKEYSTAR

Supplied with USB charging cable


Optional Accessories:

Vehicle charger: CHIC3.7-L-ION AC adaptor UK/EU: CH-USB-UK/EU





Scan for multi-language information



Magnum 11600
Ultra-Powerful, Professional, Rechargeable Flashlight with Wide Angled Beam



N/	l
3.5	11600 Lumens
	Up to 525m beam
()	3 to 54hrs runtime
MODE	Boost High Medium Low Eco Flashing
	7.4V 7800mAh, 58Wh
*	9hrs charging time
*4*4*	IP67
上	273 x 95mm ø
<u> </u>	1.235kg
CODE	NSMAGNUM11600

Supplied with mains charger, shoulder strap and carry case

Optional Accessories: Mains charger: CH12V-2A Vehicle charger: CHICMAGNUM





Magnum 1100

Super Bright and Ideal for Searchlight and Lighting up a Precise Target



• Battery status indicator

3,5	1100 Lumens
	Up to 1100m beam
(U	1.5 to 26hrs runtime
MODE	Boost High Medium Low Flashing
	7.4V 2600mAh, 20Wh (supplied) or 3 x 1.5V Type C Alkaline batteries
*	6hrs charging time
,,*,	IP67
上	265 x 90mm ø
_	835g
CODE	NSMAGNUM1100

Supplied with mains charger, shoulder strap and carry case.

Optional Accessories:

Mains charger: CH-MAGNUM-1100-UK Vehicle charger: CHICMAGNUM **Holster:** ACS-D-HOLSTERS





IP67

Magnum 3000

Rechargeable, Robust and Reliable Flashlight with Wide Angled Beam








3000lm

IP67

500 Beam

- Wide angled beam
- **Rechargeable lithium battery**
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Heavy duty wrist strap 1.5 to 25hrs
 - IP67 Waterproof design
 - **Battery status indicator**



Supplied with wrist strap, Li-ion battery, AC mains charger and carry case

Optional Accessories: Vehicle charger: CHICMAGNUM Holster: ACS-D-HOLSTERS





Mini Magnum

Compact, High Powered Rechargeable Flashlight with Wide Angled Beam



31/2	2000 Lumens
	Up to 400m beam
()	2 to 57hrs runtime
MODE	Boost High Medium Low Flashing
	3.7V 5000mAh, 19Wh
*	6hrs charging time
****	IP68
	158 x 50mm ø
<u> </u>	320g
CODE	NSMINI-MAGNUM

Supplied with USB rechargeable Li-ion battery, charging cable and wrist strap

Optional Accessories:

Vehicle charger: CHIC3.7-L-ION Holster: ACS-C-HOLSTERS







400 Beam



IP68

Heavy duty wrist strap

IP68 - Waterproof design **Battery status indicator**

High capacity 5000mAh Li-ion battery

Knurled body for secure grip

New Explorer Twister

Twist from Straight Angle to Right Angle, Rechargeable Flashlight



Strong magnetic base

IPX4

Compact and tough aluminium construction

31/2	400 Lumens
	Up to 90m beam
()	1 to 3hrs runtime
MODE	High Low
	3.7V 750mAh, 3Wh
★	4hrs charging time
****	IPX4 IK07
上	120 x 21mm ø
<u> </u>	86g
CODE	NSEXPLORERTWISTER





Supplied with magnetic fast charging USB type C cable

Optional Accessories:

Vehicle charger: CHIC3.7-L-ION UK or EU adaptor: CH-USB-UK/EU



New Explorer CX1000 | Explorer Mini Compact, High Powered Rechargeable Flashlight



Type III hard anodised aluminium housing

Tail cap switch - designed for tactical use

Knurled body for secure grip



Supplied with USB charging cable and wrist strap

Optional Accessories:

Vehicle charger: CHIC3.7-L-ION UK or EU adaptor: CH-USB-UK/EU





4 to 18hrs

IP67

YouTube

Upgraded Explorer 1200 Ultra-Lightweight, Professional Flashlight with a Compact Design



31/2	1200	
	Up to 650m beam	
()	2.5 to 63hrs runtime	
MODE	High Medium Low Eco Flashing SOS	
	3.7V 2600mAh, 9.62Wh	
*	6hrs charging time	
1,1,1,1	IPX7	是是
	165 x 35mm ø	
<u>^</u>	211g	
CODE	NSEXPLORER1200	USB
	MODE III III III III III III III	Up to 650m beam 2.5 to 63hrs runtime MODE High Medium Low Eco Flashing 3.7V 2600mAh, 9.62Wh 6hrs charging time IPX7 165 x 35mm ø 211g

Supplied with Type C USB charging cable

Optional Accessories: Vehicle charger: CHIC3.7-L-ION UK or EU adaptor: CH-USB-UK/EU

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



Upgraded Explorer XPL-C

Heavy Duty, Rechargeable LED Flashlight with USB-C Port and Charging Cradle



31/2	1100 Lumens Up to 600m beam	
¥		
(U	1 to 12hrs runtime	
MODE	High Medium Low Flashing SOS	
	3.7V 2600mAh, 10Wh	
*	6hrs charging time	
*4*4*	IP65	
」	Flashlight: 193 x 44mm ø	
_	280g	
CODE	NSEXPLORER-XPL-C	
Committee of could be to the contract of the contract of the country of the count		

Supplied with Li-ion battery, charging cradle, red cones and Type C USB charging cable

Optional Accessories:



In the event of a power cut 6 white LEDs will illuminate automatically

- Type III hard anodised aluminium housing
- Rechargeable lithium battery
- Knurled body for secure grip
- Tail cap tactical switch

600 Beam

1 to 12hrs


IP65

Spot to Flood - Zoom Flashlight Range



Zoom **Focus Beam:**

Long Distance Spot Beam Wide Flood Beam







New Zoom 600R

Rechargeable Spot to Flood Zoom Flashlight with Wall / Vehicle Mount Charging Base



31/2	600 Lumens	
	Up to 250m beam	
(U	1.5 to 15hrs runtime	
MODE	High Low Medium	
	3.7V 2600mAh, 10Wh	
*	4hrs charging time	
****	IPX4 IKO7	
」	135 x 31mm ø	
	200g	
CODE	NSZOOM600R	





Supplied with fast charging USB Type C cable and charging base

Optional Accessories:

Vehicle charger: CHIC3.7-L-ION Holster: SP-MEGAZOOM-HOLSTER UK or EU adaptor: CH-USB-UK/EU











- Rechargeable lithium battery
- Integrated pocket / belt clip
- Ideal for illuminating precise target
- Type III hard anodised aluminium housing
- Knurled body for secure grip
- Tail cap switch designed for tactical use

68 www.nightsearcher.co.uk

YouTube

Zoom 500

4AA Battery Powered Tactical LED Flashlight with Spot-to-Flood Zoom



1 to 45hrs

IP66

. Type III hard anodised aluminium housing

Tail cap switch - designed for tactical use

31/2	500 Lumens	
V	Up to 285m beam	
()	1 to 45hrs runtime	
MODE	Boost High Medium Low Flashing	
	4 x AA Alkaline battery	
****	IP66	
上	141 x 29mm ø	
	1 69g	
CODE	NSEXZOOM500	
Supplied with 4 x AA Alkaline battery and wrist s		

Optional Accessories:

Red cone: SPEXP-XML-CR Yellow cone: SPEXP-XML-CY

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



Upgraded Zoom 1000R Rechargeable Tactical LED Flashlight with Spot-to-Flood Zoom



- Ultra lightweight design
- Rechargeable lithium battery
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Tail cap switch designed for tactical use









Supplied with wrist strap and Type C cable charging cable

Optional Accessories:

Yellow cone: SPEXP-XML-CY AC adaptor UK/EU: CH-USB-UK/EU

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER

Vehicle charger: CHIC3.7-LION UK or EU adaptor: CH-USB-UK/EU






IP66

500 Beam

4 to 50hrs

UV395

Lightweight, Battery-Powered UV Flashlight Designed for Detecting Counterfeit Money and Documents







Optional Accessories:

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



Rechargeable lithium battery

3.5hrs

IP66

late and the late of the late of

Integrated pocket / belt clip

Ideal for illuminating precise target

Type III hard anodised aluminium housing

Knurled body for secure grip

• Tail cap switch - designed for tactical use

UV365

Heavy-duty UV Flashlight Designed for Detecting Counterfeit Money and Documents



Integrated pocket / belt clip

Knurled body for secure grip

Ideal for illuminating precise target
Type III hard anodised aluminium housing

Tail cap switch - designed for tactical use

30m Beam

70 www.nightsearcher.co.uk

3hrs

IP65

Un to 30m	
Up to 30m	
3hrs runtime	
High	
2 x 18650 Li-ion batteries (Not Supplied)	
4hrs charging time	
IP65 153 x 40mm ø	
NSUVLED365	




Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



New UV365-MAX

Rechargeable UV Flashlight Specifically Designed for Security, Inspection and Crime Scene Investigations



2hrs

100m Beam

2hrs

Knurled body for secure grip

Type III hard anodised aluminium housing






Supplied with USB charger, charging cable, Li-ion rechargeable battery and UV protective glasses

Optional Accessories: Holster: ACS-C-HOLSTERS



New UV365-2AA

High Powered UV Flashlight Specifically Designed for Forensic Applications and Crime Investigation



Powered by 1 x AA Alkaline batteries Integrated pocket / belt clip

Ideal for illuminating precise target

Tail cap switch - designed for tactical use

Knurled body for secure grip

3.5	365nm Wave length, 980,000uW	
	Up to 100m	
()	2hrs runtime	
MODE	High	
	1 x AA Alkaline batteries	
*	132x33.5mm ø	
上	29 x 24.5 x1 52mm	
<u> </u>	118g	
CODE	NSUV365-2AA	



Supplied with 1 x AA Alkaline battery

Optional Accessories:

Holster: SP-MEGAZOOM-HOLSTER




Spot to Flood - Zoom Head Torch Range



Zoom Focus Beam

Long Distance Spot Beam To Wide Flood Beam





New Zoom 700 + 700R

Adjustable Spot to Flood Zoom Head Torch



	Zoom 700 Zoom 700R	
31,5	700 Lumens	
Ĭ	Up to 200m beam	
O	1.5 to 25hrs runtime	
MODE	High Medium Low Warm White	
	3 x AAA Alkaline batteries	3.7V 2600mAh, 10Wh Li-ion
*		4.5hrs charging time
,,*,	IP64 IK08	
」	65 x 45 x 45mm	
_	95g	
CODE	NSHTZOOM700	NSHTZOOM700R

Two models available:

Zoom 700 Supplied with 3 x AAA Alkaline batteries

Zoom 700R

Supplied with a removable Lithium battery pack





700lm

1P64

Wide flood beam + long distance Spot beam

Hybrid power supply - rechargeable lithium battery and disposable batteries

- Compact and lightweight design
- · Warm white diffused beam for close up work
- 90° beam angle adjustment
- Adjustable non-slip head straps

Supplied with USB Charging cable and lithium battery (Zoom 700R) 3 x AAA batteries (Zoom 700)

Optional Accessories: Spare battery: BA3.7X800MAH Helmet clips: SPPCLIPS,

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







Scan for multi-language information



1.5 to 25hrs

200m Beam

New Zoom 780EXR

Adjustable Spot to Flood Zoom Head Torch with 10.5 Hours Runtime (High mode)



31/2	780 Lumens			
	Up to 200m beam			
()	10.5 to 82hrs runtime			
MODE	High Medium Low Rear White Rear White Flashing			
	2 x 3.7V 18650 6400mAh Li-ion or 4 x AA Alkaline battery			
*	8.5hrs charging time			
,,*,	IP66			
」	81 x 59 x 47mm			
<u> </u>	351g			
CODE	NSHTZOOM780EXR			

Supplied with USB charging cable and lithium battery

Optional Accessories:

Helmet clips: SPPCLIPS

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION

Hybrid Head Torch

Can be used with the (supplied) Lithium battery pack or 4 x AA Alkaline batteries











Zoom 1100RX

Rechargeable Spot to Flood Zoom Head Torch with Red Rear Warning Lights



- 1100lm
 - 300m Beam
- 2.5 to 42hrs
- **IP66**
- Wide Flood beam + Long distance Spot beam
- **Multiple light modes**
- Rear red warning lights
- **Charging indicator**
- Adjustable non slip head straps
- Removable battery pack with charging indicator
- 90° Beam Angle Adjustment

3,,5	1100 Lumens			
	Up to 300m beam			
(2.5 to 42hrs runtime			
MODE	Boost High Medium Low Flashing Rear Red + Flashing			
	3.8V 2850mAh, 109Wh or 4 x AA Alkaline batteries			
★	3.5hrs charging time			
****	IP66 IK08			
并	61 x 70 x 63m			
	292g			
CODE	NSHTZOOM1100RX			

Supplied with USB Charging cable and lithium battery

Optional Accessories:

Helmet clips: SPPCLIPS

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



Hybrid Head Torch

Can be used with the (supplied) Lithium battery pack or 4 x AA Alkaline batteries









LightWave 520RRechargeable, Spot and Flood beam with On/Off Wave Sensor



31/2	520 Lumens
	Up to 140m beam
()	2.5 to 5hrs runtime
MODE	Spot + Flood Flood Spot
	3.7V 1800mAh, 7Wh
*	3hrs charging time
*4*4*	IP44 IK08
上	65 x 40 x 47mm
_	96g
CODE	NSHTLIGHTWAVE520

Supplied with Fast charging USB type C charging cable **Optional Accessories:**

Helmet clips: SPPCLIPS, AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







Scan for multi-language information






2 Ways to turn ON+OFF:

Manual switch or Wave.

Ideal when hands are dirty, wearing gloves, fishing or climbing



HT800 and HT800RX

Distance Sensor Automatically Adjusts from Spot to Flood beam







Rechargeable Head Torches


Rear white lights Battery charging and status Indicator Charge directly in head torch

HT800



Rear warning lights









- Distance sensor
- 180° beam angle adjustment
 - **Light mode memory**
- Adjustable non-slip head straps
- Safety Lock: Prevents accidental power loss during storage or transportation
- Diffused side lights for low level lighting
- Optional helmet clip available

	HT800RX Rechargeable	HT800 Non-rechargeable
31/2	800 Lumens	850 Lumens
V	Up to 550m beam	Up to 550m beam
()	2.5 to 169hrs runtime	2.5 to 50hrs runtime
MODE	Spot + Flood, Flood (Low or High) Spot (Low or High)	Spot + Flood, Flood (Low or High) Spot (Low or High)
	3.7V 2600mAh, 9.62Wh	4 x AA Alkaline battery
*	5hrs charging time	-
1,1,1,1	IP66	IP66
上	46 x 85 x 39mm	46 x 85 x 39mm
<u> </u>	230g	219g
CODE	NSHT800RX Cat No: 0111/120695	NSHT800

Supplied with HT880RX: USB Charging cable and Lithium battery HT800: $4\times AA$ Alakline Batteries

Optional Accessories:

Spare battery: BA18650-USB Helmet clips: SPPCLIPS

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







Distance Sensor:

Automatic spot to flood sensor





LightWave 700RRechargeable, Zoom Spot and Flood beam with On/Off Wave Sensor



Hybrid Head Torch

Can be used with the (supplied) Lithium battery pack or 3 x AAA Alkaline batteries



OR



🛂 🗲 700lm





IP64

- · Zoom Spot-to-Flood beam
- Wave ON/OFF sensor
- Warm white side lights
- · Quick 2.5hrs Recharge time
- · Adjustable non-slip head straps
- Removable battery pack with charging indicator
- 90° Beam Angle Adjustment

31/2	700 Lumens			
	Up to 2000m beam			
()	2.5 to 22hrs runtime			
MODE	White: High Medium Low Warm White: Constant Flashing			
	3.7V 800mAh, 7Wh			
*	2.5hrs charging time			
****	IP64			
J.	77 x 47 x 49mm			
<u> </u>	120g			
CODE	NSHTLIGHTWAVE700R			

Supplied with USB type C charging cable and Li-ion Polymer battery **Optional Accessories:**

Helmet clips: SPPCLIPS,

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION






Scan for multi-language information



Long Distance Spot Beam

Wide Flood Beam







2 Ways to turn ON+OFF: Manual switch or Wave.

Ideal when hands are dirty, wearing gloves, fishing or climbing



A brand by NightSearcher

The ATEX certification mark on our SafATEX range of portable and fixed lighting signifies that our equipment has been rigorously tested and is completely safe for use in potentially explosive atmospheres for which they are certificated. Oil, Gas, Petrochemical, Aviation, Marine, Utility sectors and the Emergency Services are all markets sectors where our ATEX products can be used.

Employee safety is crucial for everyone working within these hostile and hazardous environments. Each product within the SafATEX range has been carefully thought out and designed to promote worker safety as well as ease of use. The portable products are designed to be used whilst wearing PPE, such as fire fighter gloves.




YouTube Scan to see the range in Action

Create a safe, compliant workspace with our selection of portable lighting and fixed light fittings.

Designed for oil & gas, petrochemical, aviation, marine, mining and utility applications

Intrinsically Safe Explained

Hazardous Area Classification Zone 0, Zone 1, Zone 2 This diagram shows how hazardous area zones may occur in typical circumstances



Hazardous Area Classification Zone 20, Zone 21, Zone 22 This diagram shows how hazardous area zones may occur in typical circumstances



Gas Zones


0 + 1 + 2

Flammable gases, vapour

or liquids

Dust Zones Zone 20 + 21 + 22

> Combustible dusts



The SafAtex portable lights are trusted by a wide variety of commercial and industrial users, as well as emergency services all over the world.





manufacturers declaration of product compliance to all relevant EU Directives



Specific mark for Explosion Protection



Equipment (Mining)



Equipment Category (Mining)



Not For Use In Mines



Atex Category 1 (Old Zone 0)



Tested for Gases, Vapour and Dust Atmospheres

ATEX Ex Marking For Explosive **Dust Atmospheres**



Protected Equipment



Safe 'i'



Group



Temperature Classification



Equipment Protection Level



Ingress Protection Level Marking

ATEX Ex Marking For Explosive Gas



Explosion Equipment



Intrinsic

Gas Group Equipment

Level

Group

Temperature



Equipment Level

SAFATEX Sigma SL 1000 Zone 1 and 21, Rechargeable Searchlight with a Long Spot Beam



31/5	890 Lumens			
	Up to 830m beam			
(8 to 20hrs runtime			
MODE	High Low Flashing			
	22.2 V 2600mAh 6 x 18650 batteries			
*	8hrs charging time			
22.24	IP68			
上	140 x 67mm Ø			
<u> </u>	872g			
CODE SA-SIGMA-RSL1000				
a collection to be a consequent to the collection				

Supplied with AC charger and shoulder strap

ATEX Zone 1 & 21 and 2 & 22 😥 II 2 G Ex db ib IIC T6 Gb

(II 2 D Ex ib tb IIIC T80°C Db IP68 -20°C <Ta> +55°C ATEX Cert No. TUV 19 ATEX 8442 X IECEX Cert No. IECEX TUR 19.0062X



CERTIFICATION:














- Digital battery status indicator with real-time
- Rechargeable lithium battery
- Ergonomic handle for easy light mode operation
- Compact size for ease of use in confined spaces and transportation



SAFATEX Sigma RSL370 Zone 0, Rechargeable Searchlight, with Charging Cradle



-	and the
	& National State S
	GAS ZONE 0 MINING APPROVED
	GAS ZONE O MINING APPROVED

₹ 370lm

IP64

400m Beam

4 to 30hrs

Tough polycarbonate, ABS construction

ideal for heavy industrial use Wall mountable charging cradle

Lightweight design

Rechargeable lithium battery

Large switch - can be easily operated when wearing gloves

Battery charging indicator

3,5	370 Lumens	CERTIFICATION:
	Up to 400m beam	
()	4 to 30hrs runtime	(Ex) (SP)
MODE	High Medium Low	ATEX C OS
	3.7V 1960mAh, Li-ion	CF
*	6.5hrs charging time	
****	IP64	ROHS REACH
J	256 x 136.2 x 170.4mm	IEC IECEX
	Searchlight: 650g with cradle: 980g	
CODE	SA-SIGMA-RSL	

Supplied with shoulder strap and wall charging cradle

CLASS I DIV 1&2 GRP ABCD, CLASS III TEMP CODE: T4 IP64 FILE NUMBER: 261379 ATEX Zone O Gas: 😥 II 1G Ex ia op is IIC T4 Ga Mining: 🔃 I M1 Ex ia op is I Ma SIRA 17 ATEX 2195X GAS: Ex ia op is IIC T4, Ga (Zone 0) MINING: Ex ia Ma | IECEx SIR 17.0042X





SAFATEX Sigma MINI Zone 0 Head Torch, with Easy Twist On/Off Bezel Switch



140 Lumens Up to 86m beam 6hrs runtime MODE High 3 x AAA batteries (not included) **ID67** 000 70 x 60mm Ø 110g CODE SA-SIGMA-HTMINI

CERTIFICATION: CE RoHS REACH

IEC IECEX

Optional Accessories: Helmet clips: SPPCLIPS

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III / TEMP CODE: T4 IP67 | FILE NUMBER: E324236

Gas: Ex ia IIC T4 Ga | Mine: Ex ia I Ma | IECEx UL 15.0086X



¹∕<u>∠</u> 140lm

86 Beam



- · Rotary on/off switch
- Strong ABS housing with durable rubber coating
- · Fully adjustable silicone lined headband
- Submersible up to 1 metre for 30 mins
- Safety locking battery compartment
- · 90° rotational switch





SAFATEX Sigma PRO
Zone O Head Torch, with Large Switch and Powerful 100m Beam



220 Lumens Up to 100m beam 5 to 12hrs runtime MODE High | Low 3 x AAA batteries (not included) 900 IP67 80 x 50 x 45mm 上 143a CODE **SA-SIGMA-HTPRO**



Optional Accessories: Helmet clips: SPPCLIPS

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EF CLASS III TEMP CODE: T4 IP67 | FILE NUMBER: E324236

ATEX Zone 0 | Gas: 😥 II 1G Ex ia IIC T4 IP67 DEMKO 14 ATEX 1354X

Gas: Ex ia IIC T4 Ga IP67 | IECEx UL 14.0059X



→1 220lm

Large accessible switch, even when wearing bulky gear such as fire gloves

▶ 100m Beam

Strong ABS housing with durable rubber coating Fully adjustable silicone lined headband

5 to 12hrs

Submersible up to 1 metre for 30 mins

₩ IP67


Safety locking battery compartment 90° rotational head



SAFATEX Sigma RFL

Zone 1 and 21 Rechargeable Dual Ended Flashlight, with Spot or Flood Beam





GAS ZONE 1

DUST ZONE 21











Spot: 157 | Flood: 129 Lumens Up to 220m | 100m beam (1) 9 | 18.5hrs runtime Spot: High | Low Flood: High | Low | Flashing MODE 3.7V 2.2Ah, Li-ion 6hrs charging time 4 IP68 ,,,, 辶 156 x 35mm Ø 190g CODE SA-SIGMA-RFL

Supplied with wrist strap

ATEX Zone 1 & 21 and 2 & 22

😉 II 2 G Ex ib IIC T4 Gb



Scan for multi-language information

CERTIFICATION:

ROHS REACH











- Compact and lightweight
- High strength aluminium housing
- Easy operation with gloved hands
- Rechargeable lithium battery
- Suitable for heavy industrial use Dual ended - front spot light and rear flood light
- **Battery charging indicator**







CERTIFICATION:

Rous REACH

SAFATEX Sigma ZOOM Zone 0, with Adjustable Spot to Flood Beam








Adjustable beam - twist head for spot to flood beam making it ideal for both distance and close up work

- Rotate sliding switch between light modes
- Tough polycarbonate housing, rubberised head and grip for durability
- Suitable for heavy industrial use



Supplied with wrist strap

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III / TEMP CODE: T4 IP67 | FILE NUMBER: E324236

ATEX ZONE 0 GAS: 😉 II 1G Ex ia IIC T4 Ga MINE: I M1 Ex ia I Ma | DEMKO 15 ATEX 1476X GAS: EX ia IIC T4 GA | MINE: Ex ia I Ma | IECEX UL 15.0046X

Beam















IP67

· Easy operation with gloved hand

SAFATEX Sigma RA
Zone O Right Angled Torch, Used by Fire Fighters Wearing Breathing Apparatus



325 | 140 Lumens Up to 290m beam (J) 6.5 to 13hrs MODE High | Low 4 x AA batteries (not included) IP54 900 183 x 69 x 63mm 250g CODE SA-SIGMA-RA

CERTIFICATION: ((RoHS REACH



CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III TEMP CODE: T4 IP54 | FILE NUMBER: 261379

ATEX Zone O Gas: 🔕 II 1G Ex ia IIC T4 Ga MINING: 😉 I M1 Ex ia I Ma | Sira 15ATEX2166X GAS: Ex ia IIC T4 Ga | MINING: Ex ia Ma IECEX SIR 15.0062X



325lm

290 Beam

6.5 to 13hrs

IP54

- 90° beam allowing chest mounting for hands free operation
- Focus designed to penetrate through smoke
- Large switch is easy to operate even when wearing gloves
- Rubberised head and grips for durability
- Tough polycarbonate housing
- · Easily cleaned after use



SAFATEX Sigma 4AA Zone 0 Compact Flashlight, with Sliding Mode Switch

(1)

MODE

,,,,

上



140g CODE SA-SIGMA-4AA Supplied with wrist strap

Optional Accessories: Helmet clips

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III TEMP CODE: T4 | FILE NO: E324236

185 Lumens

Up to 117m beam

8 to 30hrs

High | Low | Flashing

4 x AA batteries (not included)

IP68

172 x 47mm Ø

Gas: 😥 II 1 G Ex ia IIC T4 IP68 | DEMKO 13 | ATEX 1205039X Gas: Ex ia IIC T4 Ga | IECEx UL13.0060X




CERTIFICATION:

Rous REACH



8 to 30hrs



IP68 Rated

Rubberised head for extra durability

Tough polycarbonate housing

Can be mounted on a helmet

· Impact resistant, drop proof up to 1m · Easy operation with gloved hand

IP68



SAFATEX Sigma PL
Zone O Pocket Sized Light, with a Long 20.5 hours Runtime



345	67 Lumens			
	Up to 41m beam			
0	20.5hrs runtime			
MODE	High			
	2 x AA batteries (not included)			
1,0,14	IP67			
上	142 x 30 x 26mm			
	41g			
CODE	SA-SIGMA-PL			

CERTIFICATION: ϵ RoHS REACH IEC IECEX

Supplied with wrist strap

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III Temp Code T5 IP67 File number: E324236

ATEX Zone O Gas: 😥 II 1G Ex ia IIC T5 Ga Mine: 🖾 I M1 Ex ia I Ma | DEMKO 16 ATEX 1661X Gas: Ex ia IIC T5 Ga Mine: Ex ia I Ma | IECEx UL 16.0015X



MINING APPROVED















Long run time up to 20.5 hours

GAS ZONE 0

- · Rubberised head for extra durability
- Tough polycarbonate housing for heavy industrial use
- · Easy ON/OFF tail switch, when wearing gloves
- IP67 Submersible up to 1 metre for 30 mins
- · Tail cap switch





SAFATEX Sigma 3C Zone O Large Capacity Battery, with 80 Hours Runtime



	-
	C
	c
	C
	C
	C
	C
	C
	C
	C
	CI
	CI
	CI
	CI
	CI
	CI

31,5	150 Lumens
	Up to 248m beam
()	42.5 to 80hrs runtime
MODE	High Low
	3xC Cell batteries (not included)
0,0,0	IP67
上	225 x 60 x 85mm
A	190g
CODE	SA-SIGMA-3C

CERTIFICATION:









optional Accessories: lelmet bracket

LASS I DIV 1 & 2 GRP ABCD | CLASS II DIV 1 & 2 GRP EFG LASS III TEMP CODE: T4 | FILE NO: E61379

.TEX Zone 0 | Gas: & II 1G Ex ia IIC T4 | DEMKO 13 .TEX 1112940X as: Ex ia IIC T4 Ga | IECEx UL 13.0008X





248m Beam



IP67

- Long run time up to 80 hours
- · Rubberised head for extra durability
- Tough polycarbonate housing for heavy industrial use
- Easy ON/OFF tail switch, when wearing gloves
- IP67 Submersible up to 1 metre for 30 mins



SAFATEX Titan R and RX
Zone 1 and 21 Rechargeable Portable Floodlight, with Magnetic Feet or Metal Stand





Choose:

1400lm (10W)

2100lm (15W)

Choose:

Stainless Steel Stand

Magnetic Base

- High strength aluminium housing
- Rechargeable lithium battery
- Tiltable light head
- Up to 10 hours runtime (R model)
- Carry handle
- Compact, ideal for confined spaces
- Temperature class T4 and T6

GAS ZONE 1

DUST ZONE 21





4 models available:

	Titan R Stainless Steel Stand	Titan R Magnetic Base	Titan RX Stainless Steel Stand	Titan RX Magnetic Base
315	1400 Lume	ns, 10W	2100 Lumens, 15W	
	Up to 20m	n beam	Up to 30r	n beam
()	10hrs rui	ntime	6hrs ru	ntime
MODE	High		Hig	h
	6.6Ah, Li-ion		6.6Ah, Li-ion	
4	3 to 5hrs charging time		3 to 5hrs cha	rging time
8,0,0,	IP66		IP6	6
J	209 x 236 x 303mm	46 x 85 x 39mm	209 x2 36 x 303mm	46 x 85 x 39mm
	5.2kg	6.5kg	5.2kg	6.5kg
CODE	SA-TITAN-R-STAND	SA-TITAN-R-MAG	SA-TITAN-RX-STAND	SA-TITAN-RX-MAG

Optional Accessories: 3.5m stainless steel tripod: SPTRIODSS

CERTIFICATION:





ATEX Zone 1 & 21 and 2 & 22 Ex II 2 G Ex db op is IIC T* Gb

II 2 G Ex tb op is IIIC T* Db FILE NUMBER: EPT 18 ATEX 2977 X

Gas: Ex d IIC T6 T4 Gb Ex tb IIIC T80°C T130°C Db IP66 IECEx CQM 15.0039X



multi-language information





New SAFATEX Titan AC Floodlights Zone 1 and 21, Ideal for Wet Locations and Hose Down Environments



Choose:

17310lm (one light head)

34136lm (two light heads)

54 69120lm (four light heads)

- High strength aluminium housing
- Adjustable bracket
- Low THD around 10%, for less interference
- 6KD Surge protection
- Shock and vibration resistant tempered glass
- Can be ceiling, wall or scaffold mounted







3 models available:

	One Head	Two heads	Four heads
315	17310 Lumens	34136 Lumens	69120 Lumens
MODE	100-277V AC		
Ŭ	High		
WATT	120W	240W	480W
」	IP66		
<u> </u>	332 x 212 x 142mm	332 x 426 x 142mm	671 x 426 x 142mm
CODE	8.3kg	13kg	27kg
CODE	SA-TITAN-1H	SA-TITAN-2H	SA-TITAN-4H

Optional Accessories: Stanchion bracket or Pole mount bracket



CERTIFICATION:









ATEX Zone 1, 2 & 21, 22 € II 2 G Ex db IIC T* Gb © II 2 GEX to IIIC T* Db IP66
FILE NUMBER: TÜV 21 ATEX 8775 X
IECEX Certification NO.:
IECEX TUR 21.0070X



Scan for multi-language information



NEW SAFATEX Titan AC + 24V Pendant Zone 1 and 21, Ideal for Wet Locations and Hose Down Environments



Temperature class T4

2 models available

	Titan Pendant	Titan 24V Pendant	CERTIFICATION:
314	5820	Lumens	
	80°	beam '	CX/
MODE	ŀ	ligh	<u>ATEX</u>
₫	100-277V AC	24V	$C \in$
0,0,0	IP66		
J.	220 x 220mm		RoHS
	10.4kg		IFC IECEX
CODE	SA-TITAN-PENDANT	SA-TITAN-PENDANT24	

ATEX Zone 1 & 21 and 2 & 22

II 2 G Ex db op is IIC T* Gb | II 2 G Ex tb op is IIIC T* Db

FILE NUMBER: EPT 18 ATEX 2977 X

Gas: Ex d IIC T6 T4 Gb | Ex tb IIIC T80°C T130°C Db IP66 | IECEx CQM 15.0039X

Optional Accessories: Special order only:












Scan for multi-language information

SAFATEX Titan 17000 Zone 2 and 22 Powerful AC Fixed Light Fittings



the harshest indoor and outdoor conditions



43m Beam

IP66

- **IK08 High strength Aluminium housing**
- Ultra bright LEDs
- Adjustable bracket
- Long range Floodlight
- Shock and vibration resistant tempered glass
- **Surge protection**
- **Explosion proof**
- Temperature class T5 and T6

345	17000 Lumens
	Up to 43m beam
MODE	High
I	110/120V or 220/240V
274.74	IP66
辻	425.5 x 336mm
A	10.4g
CODE	SA-SIGMA-17000

CERTIFICATION:







ATEX Zone 2 & 22

🔂 3 G Ex nR IIC T5 or T6 Gc

3 D Ex tc IIIC T95°C or T85°Dc
FILE NUMBER: TÜV 15 ATEX 7672X

Optional Accessories: Special order only:



Stanchion Bracket



Pole mount Bracket





Scan for multi-language information

IP66



31/2	7380 Lumens 60W
MODE	High
#	110-277V 50/60Hz
*1*1*	IP66
上	1285 x 126 x 88mm
	7.5kg
CODE	SA-TITAN-LINEAR

Supplied with 0.6m cable

CERTIFICATION:









ATEX Zone 1 & 21 and 2 & 22 🔃 II 2 G Ex emb IIC T6 Gb (i) II 2 D Ex th IIIC T80°C Db IP66 LCIE 20 ATEX 3006 X

Ex eb mb IIC T5 T6 Gb | Ex tb IIIC T80°C Db | IECEx LCIE 20.0018X



multi-language information











Scan for multi-language information

New Pulsar NavStar

Set of 10 Sequential, Rechargeable, Fast-Deployment Hazard Warning Lights



Conforms to schedule 13, Part 10: Traffic signs regulations and general directions 2016 (TSRGD)







- Automatic switch on and sequencing
- Fast and safe deployment hazard warning light set
- Rechargeable lithium battery
- Housed in a high-impact, shock resistant and reversible charging case
- 360° illumination zone with 6 flash modes, 4 colour modes
- Simple two-button operation
- Vertical beam for helicopter and drone operations





Pulsar Pro Range

Designed for Traffic Control, Signalling, Hazard Awareness, Zone Demarcations





Choose:

Single Pulsar Pro

Set of 5 Pulsar Pro

Set of 5 Sequential Pulsar Pro







- 360° Illumination
- **Rechargeable Lithium battery**
- Alert oncoming traffic of any hazard
- Central white work light
- **Magnetic mounting**
- High impact resistance and crush proof up to 3 Tonnes
- Supplied in robust charging case

3 models available:

	Single Pulsar Pro	Set of 5 Pulsar Pro	Set of 5 Sequential Pulsar Pro	
		Up to 1km beam		
(U	8 to 60hrs runtime			
	3.7V 700mAh, 3Wh, Li-ion			
*	10hrs charging time			
1,1,1,1		IP67		
上	24 x 100mm ø	Case: 380 x 70 x 370mm	Case: 380 x 70 x 370mm	
<u> </u>	200g	2.9kg	2.9kg	
CODE	NSPULSARPRO-R/B/Y/G	NSPULSARPRO5-R/B/Y/G	NSPULSARPROSQ-R/B/Y	

Supplied with

Single: Charging base, charging cable, car charger

Set of 5: Charging carry case, mains charger and car charger

Light Mode	Runtime
Rotate	9hrs
Quad Flash	9hrs
Single Blink	60hrs
Alternative Blinks	9hrs
SOS Rescue	14hrs
Steady on High	5hrs
Steady on Low	35hrs
2 LED Lights 28hrs	
4 LED Lights 18hrs	
White Torch mode	8hrs
Sequential mode (Sequential pulsar Pro)	15hrs

COLOUR	MCD
Blue	6,000
Green	11,000
Red	7,000
Yellow	7,500

Optional Accessories: Magnetic Cone mount: SPPULSARMAG










Scan for multi-language information








Sequential Pulsar Max

Rechargeable Hazard Lights Ideal for use on High-Speed Roads









Supplied with charging case, mains charger + vehicle charger

Optional Accessories:

UK or EU Adaptor: CH-USB-UK/EU
Magnetic Cone mount: SPPULSARMAG

CONFORMS TO SCHEDULE 13, PART 10: Traffic signs regulations and general directions 2016 (TSRGD)

- - 1km beam
- 72+hrs
- **IP68**
- 360° Illumination
- **Rechargeable Lithium battery**
- Alert oncoming traffic of any emergency
- Float in water
- **Magnetic mounting**
- **Crush proof up to 3 Tonnes**



Single Pulsar AAA

3 x AAA Multi Mode Hazard Warning Lights

(1)

0,0,0

丄

CODE



Float in water **Magnetic mounting** • Crush proof up to 3 Tonnes Supplied with 3 x AAA alkaline batteries

COLOUR	MCD
Blue	6,000
Green	11,000
Red	7,000
Yellow	7,500



Light Mode	Runtime
Rotate	52hrs
Quad Flash	120hrs
Single Blink	240hrs
Alternative Blinks	18hrs
SOS Rescue	22hrs
Steady on High	10hrs
Steady on Low	25hrs
2 LED Lights 52hi	
4 LED Lights 25hr	
White Torch Mode	60hrs

Up to 1km beam

240hrs runtime

3 x AAA Alkaline batteries

IP67

340 x 110mm ø 170g NSPULSARAAA-B/G/Y







3 to 9hrs

IP65

34.5	2000 Lumens
	Up to 15m beam
(U	3 to 9hrs runtime
MODE	Work light: High Medium Low Removable lights: Flashing High
	Work light: 3.7V 5000mAh, 19Wh, Li-ion
*	5hrs charging time
****	IP65
上	255 x 90 x 34mm
	956kg
CODE	NSHAZSTAR

Supplied with USB charging cable









Power bank to charge your phone





• Power bank to charge mobile devices

IK07 Shock proof

LifeGuard

5-In-1 Light Will Save Your Life! Every Vehicle Should Have One!










Supplied with 3 x AAA Alkaline batteries Optional Accessories: Holder, Velcro pocket clip



StarBooster

5 in 1 Emergency Starter Car Kit

CODE



345	500 Lumens
()	4 to 75hrs runtime
MODE	Work light Torch Emergency Light
	11.1V 3 x 2600mAh, 29Wh, Li-ion
*	4hrs charging time
上	166 x 96 x 31.5mm
<u> </u>	447g





Supplied with insulated jump cables, USB cable and AC mains charger

NSSTARBOOSTER



Jump starts 3.0L Petrol

- Portable jump starter
- Reverse polarity protection
- Red flashing emergency lights
- Fits in your pocket or glove box
- Magnetic handle
- Battery status indicators

>1 € 500lm

(\) 4 to 75hrs

New iSpector UBL Under-Bonnet Cordless Rechargeable Light





Supplied with type C USB charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







Pocket Pro

Rechargeable Pocket Sized Work Light and Torch



34.5	600 Lumens
	Up to 30m beam
(U	2.5 to 6hrs runtime
MODE	Work light: High Torch: High + Low
	3.7V 1400mAh, 6Wh, Li-ion
*	2.5hrs charging time
上	61 x 35 x 118mm
<u> </u>	126g
CODE	NSPOCKETPRO





Supplied with type C USB charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION




iSpector Pocket Rechargeable Pocket Sized Light



 Conveniently fits In your pocket • Battery status + charging indicator

Resistant to workshop chemicals & solvents







Supplied with type C USB charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION





31/2	280 Lumens
	Up to 10m beam
(U	1.5 to 4.5hrs
MODE	Work light: High + Low Rear light Torch
	3.7V 750mAh, 3Wh, Li-ion
*	2hrs charging time
*4*4*	IP44 IK07
工	30x19x306mm
	80g
CODE	NSI-SPECTORMINI


Supplied with type C USB charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







iSpector Flex

Rechargeable 360° Flexible Arm Inspection Light



& solvents







Supplied with USB adaptor (UK) + charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



TriSpector

Car Professionals Set, 3-in-1 Rechargeable Inspection Kit



96 www.nightsearcher.co.uk



Supplied with USB adaptor (UK) + charging cable and protective case







New iSpector 750
Rechargeable 2-in-1 Inspection Light with Multi-directional Base



345	750 Lumens
	Up to 40m beam
(U	2 to 7hrs runtime
MODE	Work light: High, Low Torch
	3.7V 2600mAh, 10Wh, Li-ion
*	4hrs charging time
*4*4*	IP65 IK07
J.	194x41x59mm
<u> </u>	337g
CODE	NSI-SPECTOR750

Supplied with USB-C fast charging cable

Optional Accessories:

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



Rotation body











Micro 1000 Rechargeable Compact Wide Area Work Light



• Battery overcharge + discharge protection Resistant to workshop chemicals & solvents

31/2	1000 Lumens
(U	2 to 4hrs runtime
MODE	High Low
	3.7V 2600mAh, 10Wh, Li-ion
*	4hrs charging time
*4*4*4	IP65 IK07
1	78 x 76 x 52mm
<u> </u>	220g
CODE	NSMICRO1000





Supplied with USB charging cable



PocketStar

Hi Vis Pocket Inspection Light, Ideal for Close up Work



Rubberised ABS yellow casing

98 www.nightsearcher.co.uk

• Resilient polycarbonate/ABS construction

31/2	150 Lumens
()	4hrs runtime
MODE	High
	3 x AAA Alkaline batteries
, ,	158 x 76 x 17mm
_	54g
CODE	NSPOCKETSTAR





Supplied with 3 x AAA Alkaline batteries



Pro250


Rechargeable Twist and Swivel Inspection Light with Charging Base



Hanging hook

Anti-slip comfortable grip

• Resilient polycarbonate and ABS construction







Supplied with AC mains charger, 12V + 24V DC, vehicle charger, charging base, Micro USB cable



StarBlade

Rechargeable Slimline Inspection Light that Illuminates Hard to Reach Areas



31/5	300 Lumens
O	3hrs runtime
MODE	High
	3.7V 2200mAh, 9Wh, Li-ion
*	4hrs charging time
上	338 x 42 x 6mm
<u> </u>	148g
CODE	NSSTARBLADE



Supplied with USB adaptor (UK) + charging cable



- reach areas
- Exceptional clear white light output
- Hanging hook and magnetic base
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents







NightSearcher Ltd Unit 4, Applied House, Fitzherbert Spur, Portsmouth, Farlington, PO6 1TT, UK 023 9238 9774 sales@nightsearcher.co.uk www.nightsearcher.co.uk



Poland

NightSearcher Export Garbary 53, Poznan **Poland** +48 61 624 29 98 exportsales@nightsearcher.com www.nightsearcher.com



Germany

NightSearcher Lichttechnik Stadtweide 17 46446 Emmerich am Rhein, Deutschland +49 282 2602 3110 info@nightsearcher-lichttechnik.de www.nightsearcher-lichttechnik.de














Our Quality Assurance | Your Peace Of Mind

















