


Enhanced quality

Using the technology Noritsu has developed over the years as a leader in silver halide printing, QSS Green III delivers a level of quality that exceeds all expectations.

High quality & High resolution

Beautiful, sharp prints with multiple dot gradation dye ink system

QSS Green III uses a high-grade dye ink system that accurately portrays fine details due to its multiple dot gradation technology. The high quality ink, combined with the excellent absorption of our genuine Noritsu paper, enables QSS Green III to produce outstanding print quality.



Two profiles to choose from


There are two profiles available as a standard feature of QSS Green III - A profile to emulate traditional printing (AgX) and a full color inkjet (IJ) gamut profile that explodes with colors well beyond the traditional look. The profile can be easily changed anytime to meet individual needs.



High grade ink produces long lasting colors


Prints made with conventional dye ink tend to fade quickly. However, the ink used in QSS Green III enables prints to withstand light and ozone. This is why QSS Green III prints boast excellent lightfastness and long lasting colors.

Molecular structure of conventional dye ink



Molecular structure is fairly weak resulting in deterioration and fading.


Molecular structure of QSS Green III dye ink



Molecular structure is strong and withstands decomposition. Your prints will be enjoyed for generations.

QSS Green III can make impressive 1,440 x 1,440 dpi high-resolution prints

1,440 x 1,440 dpi high resolution prints are less grainy and have smoother gradations than standard prints. This improves the portrayal of contrast, texture, and depth.




Different resolutions (the standard 720 dpi or the high resolution 1,440 dpi) can be registered in different print channels in EZ Controller. This enables you to easily change the resolution by simply changing print channels.

Optimize the image with EZ Controller

EZ Controller (Sold separately)

In addition to serving the important role of system operation software, EZ Controller has a wealth of advanced image correction functions to correct sharpness, contrast, noise, backlight, red-eye, under/over exposure, and more.



RAW file printing

High quality prints from RAW image files



Our EZ Controller software incorporates Adobe DNG conversion technology along with Noritsu's AccuSmart image processing technology. This means you can easily make high quality prints from RAW image files without using separate RAW file conversion software.

JPEG data



In this sample, a large portion of the pixel data in the original JPEG image has highlight areas that are too light. As a result, when the image is reduced, but the pixels representing the highlight areas that were too light are unsalvageable.

RAW data



Using RAW data, all gradations are used, producing an image that is well balanced. There are very few pixels with shadows that are too dark and highlights that are too light.

Specifications					
Printing system	Piezoelectric inkjet system				
Print resolution	720 x 720 dpi: 6 gradations per dot (5 dot sizes + no dot (White)) / 1,440 x 1,440 dpi: 4 gradations per dot (3 dot sizes + no dot (White))				
Print size	Roll paper Paper widths: 89, 102, 127, 152, 203, 254, 279, 305 mm (3.5", 4", 5", 6", 8", 10", 11", 12") Paper advance lengths: When the widths are 89 and 102 mm (3.5", 4") : 88.9(3.5") to 457.2 mm (18") When the width is 127 mm (5") : 88.9(3.5") to 840.0 mm (33") When the widths are 152, 203, 254, 279 and 305 mm (6", 8", 10", 11", 12") : 88.9 (3.5") to 1,400.0 mm (55")				
	Sheet paper Paper widths: 203 (8") to 330 mm (13") Paper advance lengths*: 178 (7") to 625 mm (24.6")				
Maximum print size	Roll paper: 305 x 1,400 mm (12" x 55") Sheet paper: 330 x 635 mm (13" x 25")				
Paper types*1	Noritsu proprietary inkjet photo paper Glossy Paper widths: 102, 127, 152, 203, 254, 305 mm (4", 5", 6", 8", 10", 12") Paper roll length: 100 m (328 feet) Semi-glossy Paper widths: 102, 127, 152, 203, 254, 305 mm (4", 5", 6", 8", 10", 12") Paper roll length: 100 m (328 feet) Pearlescent Paper widths: 203, 254, 305 mm (8", 10", 12") Paper roll length: 50 m (164 feet)				
	Print size*2	Double-sided sheet paper (Thin, Semi-glossy)	Double-sided sheet paper (Thick, Semi-glossy)	Double-sided sheet paper (Thick, Folded, Semi-glossy)	
	Sheet paper (Sold by Noritsu)	203 x 203 mm (8" x 8")	Supported		
		210 x 297 mm (8.3" x 11.7")	Supported	Supported	
		254 x 203 mm (10" x 8")	Supported		
279 x 216 mm (11" x 8.5")		Supported	Supported		
305 x 305 mm (12" x 12")	Supported				
254 x 178 mm (10" x 7")			Supported		
Ink	4 colors of dye ink: Y (Yellow), M (Magenta), C (Cyan), BK (Black) Volume: 500ml per color				
Dimensions	See "External view" below				
Weight	Printer with the 4-order print sorter unit: Approx. 232.5 kg (512.6 lbs) (excluding options, paper and ink cartridges) Printer with the 12-order print sorter unit: Approx. 242.4 kg (534.4 lbs) (excluding options, paper and ink cartridges)				
Power specifications	AC 100-120V / 200-240V 1P2W				
Rated power capacity	1,440VA or less				

*1 Paper types are subject to change without notice.

*2 Indicates the size of the print as it comes out of the printer. Each sheet paper size is 10 mm longer (in the advance length direction) before it is printed.


Print size (Width x Advance length)	Print capacity for roll paper (prints/hour)*1*2	
	Print resolution: 720 dpi Prints/hour (Approx.)	Print resolution: 1,440 dpi Prints/hour (Approx.)
127 x 89 mm (5" x 3.5")	1,180	404
152 x 102 mm (6" x 4")	950	320
89 x 127 mm (3.5" x 5")	1,031	350
102 x 152 mm (4" x 6")	825	275
127 x 178 mm (5" x 7")	639	209
203 x 102 mm (8" x 4")	633	213
203 x 254 mm (8" x 10")	280	89
203 x 305 mm (8" x 12")	236	74
254 x 203 mm (10" x 8")	305	97
254 x 305 mm (10" x 12")	209	65
305 x 203 mm (12" x 8")	274	86
305 x 254 mm (12" x 10")	223	69
305 x 457 mm (12" x 18")	127	39
305 x 914 mm (12" x 36")	55	19
305 x 1,400 mm (12" x 55")	33	12

Print size (Width x Advance length)	Print capacity for sheet paper (prints/hour)*1*3	
	Print resolution: 720 dpi Prints/hour (Approx.)	Print resolution: 1,440 dpi Prints/hour (Approx.)
203 x 203 mm (8" x 8")	161	61
210 x 297 mm (A4 / 8.3" x 11.7")	129	48
254 x 178 mm (10" x 7")	156	58
254 x 203 mm (10" x 8")	146	54
279 x 216 mm (Letter / 11" x 8.5")	132	49
305 x 305 mm (12" x 12")	106	38

*1 Using Noritsu proprietary inkjet paper (Calculated according to our criteria. The capacity you achieve may be different.)


*2 The capacities listed for 152 mm (6") and smaller print sizes represent the capacity when two paper rolls of the same width and same surface are loaded in a two-lane magazine.

*3 The above figures signify single-sided print capacity.



PhotoXport

The specifications, information, and appearance of the machine herein are subject to change without notice.



Interchange Business Park,
Unit 41, 16 Coal Cart Road, Birstall,
Leicester, LE4 3BY,
United Kingdom
Tel: +44 (0) 116 267 5907
Fax: +44 (0) 116 234 1431
Email: photoxport@btconnect.com

QSS & AccuSmart™ are trademarks of Noritsu Precision Co., Ltd.

All other product and company names herein may be trademarks of their respective owners.

The best just got better

