



> Kenro

Photo & Video Hardware


Catalogue 2023





CONTENTS

























How to Order / Information for Trade Buyers

Product Codes

To avoid any confusion, please always provide the product code when ordering or referring to any item. Please also be sure to note the appropriate suffix (if applicable).

Trade Account Facilities

Accounts are available in the UK and worldwide to approved trade customers, subject to our normal terms of trade. If you would like to open an account, please visit our website and complete the application form.

Website

Our website details our full product range and is updated when new products are launched. **www.kenro.co.uk**

Terms of Trade

All orders are accepted subject to our Terms of Trade, as shown on our website and in our current price list.

Product Availability

We carry very large back up stocks of the majority of our product ranges, so you can order with confidence.

Buv Online

Account holders in the UK can buy online 24/7 from our website. If you have an account and would like a log in for the online trade store, please contact the sales office.

Same Day Dispatch

We pride ourselves on offering an efficient service to our customers. All standard orders received by 12pm on a business day are dispatched the same day, subject to product availability. Most UK mainland deliveries are made within 2 working days.

Opening Hours

Our sales office hours are 8:30am to 4:30pm Monday - Friday. We are closed on public holidays.

Replacement Products

Occasionally, changes are made to improve the specification, packaging or quality of products. In the event of this occurring, Kenro reserves the right to supply suitable replacements without prior notice.

Photo and Video Equipment

As well as stocking a great range of photo albums, frames and hardware under our own brand, Kenro is the UK and Ireland distributor for a number of photo and video equipment brands. Other brands that we distribute include Nissin flash products, Marumi filters, and Takeway.



MICROPHONES



Record high quality audio to your DSLR camera, camcorder, smartphone, audio recorder, action cam or any other recording device with Kenro's easy-to-use, plug and play microphone solutions.

Supplied with a 2-year UK warranty and everything you need to start working straight out of the box, these simple solutions give you hassle-free, professional quality sound on a budget.

_	KNMC101	KNMC102
Туре	Lavalier	Shotgun
Polar pattern	Omnidirectional	Cardioid
Frequency response	65 Hz ~ 18 kHz	35 ~ 18 kHz +/- 3dB
Sensitivity	-30 +/- 3 dB (0 dB = 1V / Pa, at 1 kHz)	-42 +/- 1 dB (0 dB = 1V / Pa, at 1 kHz)
Signal to noise ratio	74 dB SPL	76 dB SPL
Output	3.5mm (1/8") 4-pole gold plug	3.5mm TRS and TRRS connector
Dimensions	Cable: 6m / 20ft	22 x 22 x 81mm
Weight	Microphone - 2.5g; Power module: 18g	86g
Battery	1 x LR44 (included)	None required



Kenro Lavalier Microphone KNMC101

This omnidirectional lavalier clip-on microphone is powered by one LR44 battery (included) and comes complete with all you need straight out of the box.

If features a high quality condenser and low handling noise, plus a 6m long cable for maximum freedom of movement, making it ideal for use in any scenario where one individual is speaking directly to camera.



Kenro Universal Cardioid Microphone KNMC102

This lightweight cardioid shotgun-style microphone features a cold shoe mount allowing it to be mounted directly onto a camera or audio mixer.

No battery is required – the microphone connects directly to your recording device via the included 3.5mm audio cable. A professional furry windshield is included, and the metal body ensures maximum longevity.

VIDEO TRIPODS

Kenro's range of video tripod kits, heads and slider is designed for ease of use, reliability and affordability. In a choice of 8-layer carbon fibre or high quality aluminium alloy, it includes a video monopod with a fold-out base for additional stability when space is at a premium, plus a standard video tripod for regular filming needs. It also features an ultra-stable twin tube video tripod in aluminium, with a three section, dual leg system and mid-section spreader for extra rigidity and peace of mind.

Each tripod and monopod is matched with a fluid-action, two-way pan and tilt head, with built-in spirit level, quick release plate and adjustable foam-lined handle. They are supplied in padded carry cases with a 6-year limited warranty.

Also available in this range are two Kenro video heads, for smaller and larger loads, a bowl head adapter, and our innovative double distance slider, which is ingeniously engineered to offer greater range of motion than its actual length.



	KENVT101A	KENVT101C	KENVT102	KENVT102C	KENVT103
Туре	Monopod	Monopod	Tripod	Tripod	Tripod
Material	Aluminium	Carbon Fibre	Aluminium	Carbon Fibre	Aluminium
Number of sections	5	5	3	3	3
Leg locking mechanism	Flip lock	Flip lock	Flip lock	Flip lock	Twist lock
Maximum Leg Diameter	34.5mm	34.5mm	28mm	31mm	16mm
Minimum Leg Diameter	22mm	22mm	22mm	24mm	14mm
Maximum Working Height	1590mm	1590mm	1590mm	1700mm	1850mm
Minimum Working Height	635mm	635mm	245mm	250mm	855mm
Folded Length	635mm	635mm	790mm	840mm	900mm
Weight	2.06kg	1.96kg	2.8kg	2.8kg	4.5kg
Maximum Load	5kg	5kg	5kg	6kg	6kg









Kenro Video Heads & Bowl Adapter

Kenro video heads are light and compact with a good load bearing capacity. They are fluid action and supplied with an adjustable pan handle and quick release plate. These heads have a flat base to fit standard tripods. A 65mm video head bowl adapter is also available separately.



Kenro Video Head VH01F (Small) KENVH01F

Base diameter: 65mm Bush thread: 3/8" Weight 960g

Maximum load: 5kg



Kenro Video Head VH02F (Large)

KENVH02F

Base diameter: 65mm Bush thread: 3/8" Weight 1.06kg Maximum load: 8kg

Kenro Double Distance Slider

KENVT104

This cleverly designed slider extends seamlessly in either direction when mounted on a tripod, offering double the usual range of motion for its size, delivering the perfect combination of portability and performance. Use it on a flat surface for greater load capacity (6kg), or on a tripod for more range (76cm).

With its aluminium construction, this slider is both strong and lightweight, and the smooth, belt-driven movement gives beautifully clean footage. This easy-to-use, affordable system adds a professional edge to any video footage.

Technical Specifications

Maximum load (flat surface): 6kg Maximum load (tripod mounted): 3kg

Actual length: 50cm

Movement range (flat surface): 38cm Movement range (tripod mounted): 76cm

Dimensions: 500 x 100 x 90mm

Weight: 1.64kg




PHOTO TRIPODS



With a range of nine models encompassing everything from entry level, to professional, to heavy duty, Kenro's tripod and monopod kits are expertly designed and engineered for exceptional value of good, reliable service. Manufactured vears eight layers of high quality carbon or in magnesium aluminium alloy, each tripod is supplied as a kit with convenient carry case and a matched ball head, and comes with a six year limited warranty.

Designed to be compact and travel-friendly without compromising on stability or ease of use, these tripods have twist-lock legs that adjust out with stops in three positions for low level photography, plus a retractable hook underneath the centre column for attaching weights for added stability. With the exception of the entry-level model (KENTR103), all tripods are also supplied with both standard and short centre columns, have rubber and spiked feet for all kinds of terrain, and feature a removable leg for conversion to a monopod when space is at a premium.

	KENTR103	KENTR104C	KENTR201	KENTR202	KENTR401	KENTR501C
Material	Aluminium	Carbon Fibre	Aluminium	Aluminium	Aluminium	Carbon Fibre
Number of sections	5	4	4	4	4	4
Maximum Leg Diameter	22mm	25mm	25mm	27mm	28mm	30mm
Minimum Leg Diameter	10mm	15mm	15mm	19mm	18mm	22mm
Maximum Working Height	1614mm	1635mm	1647mm	1641mm	1940mm	1680mm
Minimum Working Height	rking Height 385mm 220mm	220mm	237mm	250mm	205mm	262mm
Folded Length		475mm	464mm	470mm	480mm	600mm
Weight	1.12kg	1.44kg	1.58kg	1.88kg	2.15kg	2.2kg
Maximum Load	8kg	8kg	7kg	12kg	10kg	14kg
Detachable Monopod	No	Yes	Yes	Yes	Yes	Yes
Maximum Monopod Height	N/A	1735mm	1723mm	1730mm	1765mm	1740mm
Ball Head	Dual action	Triple action	Dual action	Dual action	Dual action	Triple action









KENTR103

The smallest and lightest in our Karoo Travel Tripod range, the KENTR103 is light but durable, as well as stable in use with an impressive load capacity. This budget-friendly aluminium tripod features a two-section locking centre column and is supplied with a matched dual-action ball head.

Kenro Heavy Duty Travel Tripod Kit

KENTR501C

This heavy duty carbon fibre tripod is ultra stable in use and boasts a maximum load capacity of 14kg. Supplied with reversible standard and short centre columns, a durable carry bag and a matched triple action ball head, this versatile tripod has rubber and spiked feet for secure use in any terrain.



Karoo Professional Travel Tripod Kits

Small: KENTR201 Large: KENTR202

Karoo Professional Tripod Kits are available in small (max. load 7kg) and large (max. load 12kg) options. They are manufactured in high quality magnesium aluminium alloy. When not in use, the legs can be folded back 180 degrees, making these tripods extremely compact and easy to travel with.





Manufactured in high quality carbon fibre and aluminium, Kenro's KENGHC1 gimbal head is designed for use with large telephoto lenses and DSLR cameras. The elevated tilt mechanism and height-adjustable platform enable the user to perfectly align the tilt axis of the head with the camera / lens centre of gravity.

The gimbal design makes it easy to manipulate very large lenses around the centre of gravity. The 360-degree smooth panning base and swinging arm have dial indicators and separate locks, making this gimbal head ideal for sporting events, nature, and long-distance photography, especially fast-moving subjects.

Technical Specifications

Product code: KENGHC1 Maximum load: 15kg

Weight: 1.3kg

Base diameter: 65mm
Tripod bush: 3/8"

Plate: 150mm quick release Arca Swiss style Materials: Carbon fibre and aluminium Maximum dimensions: 236 x 89 x 251mm

Kenro Ball Heads

These ball heads are precision manufactured in aluminium alloy and are designed for lightweight, compact and stable performance in use with modern cameras and tripods. All ball heads feature 3/8" fittings, a built-in spirit level and Arca Swiss-style quick release plate, and are supplied with fabric carry bags. They are designed to fit Kenro and other leading makes of camera tripods. Supplied with a 2-year UK warranty.







	KENBC1	KENBC2	KENBC3
Ball action	Triple	Triple	Triple
Maximum load	6kg	8kg	12kg
Head weight	0.31kg	0.45kg	0.59kg
Base diameter	48mm	56mm	60mm



Kenro X2 Slide Viewer

KNSVX2

This easy-to-operate desktop slide viewer offers 2x magnification for standard 35mm mounted slides. The glass magnifying lens prevents distortion and provides optimum clarity, and you can be sure you're viewing the image true-to-life with the built-in LED light source.

Simply insert 2 AA batteries (not included), insert your slide, push down on the slide to engage the light trigger, and look through the magnifying lens to view. This small, lightweight slide viewer is compact and easy to store and transport.

Technical Specifications

Magnification: x2 Light source: LED Power: 2 AA batteries

Compatibility: 35mm mounted slides



Kenro X3 Slide Viewer

KNSVX3

Kenro's X3 desktop slide viewer offers 3x magnification for standard 35mm film and mounted slides. The glass magnifying lens prevents distortion and provides optimum clarity, while the built-in 6500K LED light source ensures you're viewing the image with true-to-life colours.

This lightweight slide viewer requires 4 AA batteries to operate (not included) and is simple to use, compact, and easy to store and transport.

Technical Specifications

Magnification: x3

Light source: LED 6500K Power: 4 AA batteries

Compatibility: 35mm film and mounted slides



Kenro LED Light Panel

KNSL01

This slim LED light panel from Kenro is an ideal light source for viewing slides, negatives and film. It can also be used for artwork, tracing, calligraphy, embossing, lettering and more. The LED light source and light-diffusing acrylic panel offer even distribution of light across the whole viewing area with no 'hot spots' or dim points.

The viewing area measures 5x4" (10x12.5cm) and is colour corrected to white daylight for accurate colours. Supplied with a soft case, this light weighs just 240g and is only 14mm thick. 6 AAA batteries (not included) are required to operate, and power is used efficiently to prevent the surface of the viewing area from heating up.

Technical Specifications

Light source: 5x4" LED 5000K +/- 270K


Power: 6 AA batteries



sales@kenro.co.uk > Page 9 > wv

FILM SCANNERS





The range comprises the entry-level KNSC202 5MP USB scanner, the versatile KNSC302 4-in-1 scanner, and the small but powerful 22MP (interpolated) KNSC201. All Kenro scanners are supplied with a 2-year UK warranty.

	KNSC201	KNSC202	KNSC302
Туре	Film and slide scanner	USB film and slide scanner	4-in-1 film, slide and photo scanner
Sensor	14.0 megapixels (4416x3312) CMOS sensor	5 megapixels CMOS sensor	8 megapixels CMOS sensor
Resolution	14MP / 22MP (interpolated)	5MP / 10MP (interpolated)	8MP / 16MP (interpolated)
Compatibility	35mm slides; 35mm positive and negative film strips; 126KPK film; 110 film; Super8 film	35mm slides; 35mm positive and negative film strips	Photos 3.5x5", 6x4" or 7x5"; standard business cards; 35mm negative or positive film strips; 35mm slides
Power source	USB; DC 5V adapter	USB	USB; DC 5V adapter
Display	Colour 2.4" TFT LCD screen	None	Colour 2.4" LCD screen
Memory	128MB internal; 32GB SD external	None	External SD card
System compatibility	Windows XP; Vista; Windows 7 / 8; Windows 10; Mac 10.7.3 and above	Windows 7 / 8 / 10 (32 / 64 bit)	Windows 98; Windows XP; Vista; Windows 7, 8, 10
Weight	250g	350g	809g
Dimensions	87 x 86.5 x 102.5mm	82 x 86 x 152mm	235 x 208 x 147mm
Exposure control	Automatic / manual (-2.0 EV to + 2.0 EV)	Automatic / manual (-2.0 EV to + 2.0 EV)	Automatic / manual (-2.0 EV to + 2.0 EV)
Colour balance	Automatic / manual	Automatic / manual	Automatic / manual

Kenro Film Scanner

KNSC201

This small scanner packs fantastic results into a compact unit. The built-in 2.4" LCD preview screen helps you to make instant choices on which pictures to scan, and a TV out connector gives the option to preview on a big screen. The unit accepts colour and black and white negatives, as well as mounted (maximum thickness 1.3mm) and unmounted slides and also has a Super 8 insert for digitising frames from your old movies. Even 126 and 110 size film is catered for with the included adapters.

Connect to your Windows or Mac computer via USB, or use the scanner as a standalone unit with the 128MB internal memory, or an external SD card up to 32GB (not included). You can make adjustments to white balance and exposure before scanning, using the built-in controls. Using a CMOS sensor, the digitised images are scanned at 14 megapixels (4416 x 3312) and can be interpolated up to 22 megapixels in JPEG format.



Kenro USB Film Scanner

KNSC202

This affordable, entry-level scanner features a 5MP CMOS sensor and is quick and easy to use, with just one button press required to scan each image.

It is simultaneously powered and connected to your Windows or Mac computer by USB. Simply install the included software, connect via the included USB cable and start scanning direct to your computer, with no need for an additional memory card.

Supplied complete with everything you need to get started, this comprehensive scanner kit includes the KNSC202 USB film scanner, a USB cable, film and slide holders, a cleaning brush, a software CD-ROM and an instruction manual.



Kenro 4-in-1 Film & Photo Scanner KNSC302

This versatile 4-in-1 scanner is compatible with 35mm negative and positive film strips, 35mm slides, standard business cards, and photographs 3.5x5", 6x4" or 7x5".

It can be connected to your Windows computer via USB to transfer scanned images to the PC, or used as a standalone unit, saving the images onto an external SD card (not included) to then be transferred onto your computer at a later date (please note, this is the recommended method for usage with a Mac computer). White balance and exposure can be adjusted using the built-in controls before scanning to ensure that you get the best possible image every time.

This scanner kit contains the KNSC302 scanner, a 4-in-1 photo and business card scanning tray, USB cable, film holder, slide holder, power adapter and instruction manual.

sales@kenro.co.uk



FLASHGUNS



Kenro's flash series contains three flashgun models to suit a range of different purposes, including a standard speedflash, a mini speedflash and a macro ring flash.

These well-specified flash units each boast excellent value, a range of professional features and a 2-year UK warranty.

Whether you're looking for a standard speedflash for your everyday photography needs, a mini speedflash to suit your smaller DSLR or mirrorless camera, or an adjustable ring flash for shadowless macro photography, Kenro has a product to suit.

10 A		KFL101 Canon	KFL102	KFL201
Ty	ype	Standard Speedflash	Mini Speedflash	Ring Flash
G	uide number	GN58 (ISO 100)	GN32 (ISO 100)	GN14 (ISO 100)
Fi	its available	Canon & Nikon (dual fit)	Canon, Nikon, Sony, Micro Four Thirds, Fujifilm	Canon, Nikon
100	colour emperature	5500K	5600K	5500K
FI	lash modes	Automatic (TTL), manual, multi, master, slave ,S1, S2	Automatic (TTL), manual, multi*, master, slave**, S1, S2	Automatic (TTL), manual, multi (multi mode on Canon fit only)
W	/ireless distance	Indoor 20-30m / Outdoor 10-15m	Indoor 15m / Outdoor 10m	
R	ecycle time	2.3 seconds	5 seconds approx.	1-5 seconds
-	ower source not included)	4 AA batteries	2 AA batteries	4 AA batteries
W	Veight	460g	150g	410g
D	imensions	200 x 70 x 65mm	110 x 65 x 35mm	135 x 53 x 68mm
F	eatures	Manual / auto zoom 18-180mm High speed sync (up to 1/8000s) Rear curtain sync Built-in diffusor and reflection card Rotate / swivel head	3x LED modelling lamps High speed sync (up to 1/8000s)** Rear curtain sync USB charge function Rotate / swivel head	LED modelling lamps Fire flash tubes together or singly Rear curtain sync Independent A:B flash ratio control AF assist light

Kenro Standard Speedflash

KFL101

(Canon & Nikon)

Designed for amateur or professional use, the Kenro Standard Speedflash is compatible with both Canon E-TTL and Nikon i-TTL systems in one unit, ideal for photographers who use cameras of both systems.

Featuring a guide number of GN58, on-camera TTL, high speed synchronisation, S1 and S2 slave functions, fast recycle time, auto zoom, built-in diffusor and much more, this great flashgun boasts everything that photographers need to get the best results from any shoot.

Wireless control options include 4 communication channels (1-4) and three slave unit groups (A-C).

Supplied with a soft carry case, softbox and flash stand, plus a 2-year UK warranty.



Kenro Mini Speedflash

KFL102

(Canon / Nikon / Sony / Micro Four Thirds / Fujifilm)

This compact, powerful flashgun is packed with features despite its size. Although it is just 11cm high, this tiny flashgun has a guide number of GN32 (ISO 100). Without batteries, it weighs 150g, making it the perfect external flashgun for smaller DSLR and mirrorless cameras, and a useful addition to any photographer's kit bag.

The KFL102 boasts full TTL compatibility, as well as manual and multi (stroboscopic)* modes, S1, S2, master and slave functions**. Small but versatile, it also features a bounce and swivel head, high speed** and rear curtain sync, a USB charge function (when used with rechargeable batteries – not included), a backlit LCD screen, three LED modelling lamps which can also be used for supplementary video lighting and a full daylight colour temperature of 5600K.



Supplied with a softbox diffusor, plastic stand, carry case and instruction book.

*Multi mode not available on Fujifilm fit ** Master, slave and HSS functions only available on Canon and Nikon fits

Kenro Ring Flash

KFL201

(Canon / Nikon)

Available in Canon or Nikon fit, the Kenro Macro Ring Flash is designed for shadow-free, close-up photography for a range of purposes, including scientific, industrial, medical, dental, nature and small product photography. Recommended operating distance is 20cm-5m.


It features a guide number of GN14, LED modelling lamps, and independent A:B power adjust functions, as well as TTL, manual and multi modes (multi mode on Canon fit only), rear curtain sync and a large, backlit LCD screen. The two flash tubes can be fired together or independently as required, and flash ratio can be controlled in 1/2 stop increments 1:8 - 1:1 - 8:1.

Supplied with eight adapter rings (40.5, 52, 55, 58, 62, 67, 72 and 77mm), a carry case and a 2-year UK warranty.



sales@kenro.co.uk > Page 13 > www.kenro.co.uk

BINOCULARS



A 2-year UK warranty is supplied as standard with every pair of binoculars.

	KNBL101	KNBL301	KNBL302	KNBL303	KNBL401	KNBL402
Туре	Ultra Compact	Standard	Standard	Zoom	Waterproof	Waterproof
Magnification	10x	10x	16x	10-30x	8x	10x
Field of view, real (degree)	5.5 degrees	7 degrees	3.8 degrees	3.5 degrees	7.8 degrees	6.2 degrees
Field of view, real (m/1000m)	98m	122m	66m	60m	137m	109m
Exit pupil diameter	2.5mm	5mm	3.1mm	6mm (x10) / 2mm (x30)	4mm	3.337mm
Close focus distance	4m	9m	12m	14m	2m	2.5m
Diopter adjustment	-3/+3	-4/+4	-4/+4	-2/+2	-1	-1
Interpupillary distance	56-76mm	56-74mm	56-74mm	56-74mm	56-74mm	56-74mm
Dimensions	115 x 45 x 72mm	180 x 190 x 62mm	174 x 192 x 62mm	230 x 210 x 75mm	123 x 119 x 43mm	121 x 119 x 43mm
Weight	254g	840g	820g	1030g	500g	500g
Objective lens diameter	25	50	50	60	32	32
Prism system	Gallilean BK7	Porro Prism BK7	Porro Prism BK7	Porro Prism BK7	BAK-4 Roof Prism System	BAK-4 Roof Prism System
Lens and prism coating	-	Fully coated	Fully coated	Fully coated	FMC	FMC
Adapt to tripod	No	Yes	Yes	Yes	Yes	Yes

Kenro Ultra Compact Binoculars 10x25

KNBL101

Easy to carry around and quick to set up, Kenro's ultra compact binoculars are small and lightweight enough to tuck away in a pocket. They feature 10x magnification using Galilean BK7 prism glass for the best image quality, making them ideal for hikes and nature walks, or for feeling closer to the action at sporting or live music events.

They weigh just 245g and are supplied in a soft carry pouch with a belt loop for easy access and scratch-free storage.

In the box: Ultra compact binoculars, soft carry pouch with belt loop, cleaning cloth, instruction manual, neck strap





Kenro Standard Binoculars

10x50: KNBL301 16x50: KNBL302

Kenro standard binoculars are available in a choice of 10x magnification or 16x magnification, and use the Porro prism system with BK7 glass for superior image quality with no vignetting around the edge of the view. These traditional style, classic binoculars are equally at home on country walks or at sea, ideal for birdwatching, stadium sports or wildlife expeditions. The ergonomic rubberised casing offers shock protection and perfect grip, and front and end caps are provided with a soft carry case for scratch protection.

In the box: Standard binoculars, soft carry case, front and end caps, cleaning cloth, instruction manual, neck strap



KNBL303

These versatile, practical binoculars feature adjustable magnification from 10-30x, with plenty of detail in the high power range and a wider field of view in the lower power range. Despite their power, they are still compact enough to carry around for long periods, and adaptable to a range of situations. They use the Porro prism system with BK7 glass for superior image quality with no unsightly vignetting. The ergonomic, rubberised casing offers shock protection and

perfect grip, and front and end caps are provided along with a soft carry case for scratch protection in storage and in transit.

In the box: Zoom binoculars, soft carry case, front and end caps, cleaning cloth, instruction manual, neck strap



Kenro Waterproof Binoculars

8x32: KNBL401 10x32: KNBL402

These waterproof binoculars from Kenro use a high quality roof prism system for a lightweight, streamlined design while still offering excellent image brightness and clarity. These binoculars are highly portable, and the waterproofing makes them ideal for all kinds of outdoor activities. They are light enough to be handheld for extended periods of time, and can also be adapted to a tripod for greater stability and versatility.

In the box: Waterproof binoculars, pouch, neck strap, cleaning cloth and instruction manual



CAMERA ACCESSORIES

Kenro Universal Charger

KNCH02

The Kenro Universal Charger is incredibly versatile and charges the majority of standard batteries, as well as battery-powered devices that charge via USB. Featuring automatically controlled fast / trickle charging, it controls the charge accurately to ensure that batteries charge swiftly and fully. This charger also has reverse polarity and defective battery detection, as well as short circuit prevention.

This unit will charge: 3.6-3.7V / 7.2-7.4V Li-ion battery packs, 1-2 NiMh / NiCd AA or AAA batteries, square batteries for camcorders and digital cameras, as well as MP3 / MP4 devices, smartphones, tablets and more via the USB port.

Supplied with a 2-year UK warranty.



AC input voltage: 100-240V AC DC input voltage: 12V DC 1000mA

Battery size: AA/AAA NiMh / 3.6-3.7V or 7.2-7.4 Li-ion Li-ion charge output rating: 3.6-3.7V 700mA / 7.2-7.4V

700mA

NiMh / NiCd output rating: 2 x 1.4V 1000mA max / -dv:

10_{mv}

USB output rating: 5V DC 500mA

Other features: Reverse polarity detection; short circuit

prevention; bad battery detection

Package contents: Universal charger, AC power adapter,

DC car cord, instruction manual







DSLR Screen Protector

TD110

3 clear film overlays 100x800m which can be cut to size and attached to a screen to protect from scratches and reduce glare. Includes applicator and cleaning wipes.



Magic Cleaning Cloth

MR107

A white, ultrafine microfibre cloth for optimum softness measuring 31x38cm. For cleaning lenses and optical equipment without smearing.



Hurricane Blower

KENR014

This hurricane blower uses a double valve system to produce a powerful jet of air for blowing dust and fluff from cameras and lenses without needing to touch the equipment.



ARCHIVAL PRODUCTS




Standard Ringbinder – Unprinted KEN127PL

This black ringbinder is suitable for professional use and features a 4-ring mechanism, with a capacity of approximately 30 pages depending on whether slides or negatives are being stored. Designed for use with Kenro KNF negative pages.



Standard Ringbinder & Slipcase KEN130

Kenro's hardwearing, unprinted black ringbinder (KEN127PL) supplied with a matching slipcase for maximum protection against dust, especially where long term storage is required. Designed for use with Kenro KNF negative pages.




Ringbinder for TKP Pages

Ringbinder: TKP01 Photo pages: TKP111

This 3-ring mechanism ringbinder is attractively finished in marled blue and holds up to 30 TKP111 photo pages. These acid-free, photo safe white pages each hold 8 photos 6x4" and are supplied in packs of 10.

Negative File Pages

Available in translucent paper (supplied with data index card) or transparent acetate (acid and chlorine free, suitable for long term film storage). These side-loading pages hold either 7 strips of 35mm film, or 4 strips of 120mm film, depending on the option chosen.




35mm film

Acetate (35mm)

KNF11 Pack of 25 KNF17 Pack of 100 KNF04/A Pack of 1300

Paper (35mm)

KNF08 Pack of 25 KNF15 Pack of 100 KNF02/A Pack of 1300



120mm film

Acetate (120mm)


KNF10 Pack of 25 KNF16 Pack of 100 KNF03/A Pack of 1300

Paper (120mm)

KNF07 Pack of 25 KNF14 Pack of 100 KNF01/A Pack of 1300

Negative Bags

Manufactured from acid-free translucent glazed paper, these negative storage bags are supplied in bulk for use in labs and photo developing mini labs.



NB002	2.75x2.75" for 6x6cm	Pack of 1000
NB003	2.75x3.75" for 6x9cm	Pack of 1000
NB006	4.25x5.25" for 4x5"	Pack of 1000
NB007	5.5x7.5" for 5x7"	Pack of 1000
NB009	8.5x10.5" for 8x10"	Pack of 500
NG010	10.5x12.5" for 10x12"	Pack of 500
NG011	12.5x16.5" for 12x16"	Pack of 500
NB012	17x21" for 16x20"	Pack of 250

Clear Fronted Bags

Supplied bulk packed in boxes of 500 for use in the trade, these photo storage bags are ideal for delivering photo prints and have clear fronts with white paper backs.



NB020	5.5x6"	NB023	8.5x10.5"
NB021	8x6"	NB024	10.5x13"
NB022	7.5x10"	NB025	12.25x17"

KENAIR





Kenair Clean Air Duster & Master Kit

Eco-Friendly Formulation

The New Eco Friendly Kenair Air Duster uses an Ultra Low Global Warming Potential (GWP) Propellant. Kenro is one of the first companies to utilise this product technology in an Air Duster. The new product has a similar performance to the original, but with the additional benefit of a lower GWP (Global Warming Potential). The Eco Friendly Kenair is ozone friendly and complies with the latest EU regulations on fluorinated gases (EU No. 517 /2014).

Kenair emits a powerful controllable jet of gas. It is used to blow dust, fluff, lint, grit or other unwanted debris from surfaces or cavities. It is used extensively as a high performance cleaner for photo, video, computer and electronic equipment, and is also used generally in industry, engineering, maintenance, by hobbyists and a host of other applications.

A dust vac attachment is available separately to convert the blower into a mini vacuum cleaner, allowing it to suck small particles and debris into an attached chamber.

Order codes

KENR01 Kenair Master Kit (360ml + valve)

KENR02 Kenair Aerosol 360ml KENRO4 Kenair Actuator Valve TD122 **Dust Vac Attachment**



Dust Vac Attachment **TD122**







Kenair Lens Cleaner 150ml

KENR013

This high quality 150ml aerosol cleans, polishes and demists camera lenses and optical equipment of all kinds.

The lens cleaner is suitable for use on glass, mirrors, Perspex, ceramic and porcelain, camera lenses and optical instrument lenses, plus most plastics. This product must not be sprayed directly onto VDUs or photocopiers, and is also not suitable for polycarbonate lenses.

Kenair Anti-Reflect 400ml

KENR07

Kenair Anti-Reflect spray reduces reflections and glare in product photography. The Full Matt product is ideal for use in photographing highly reflective surfaces such as glass and mirrors. Versions of the Kenair Anti-Reflect specifically for black or white reflective surfaces are also available. Easy to wipe off after use with a soft, dry cloth.

Order codes

KENR07 Kenair Anti-Reflect Full Matt Kenair Anti-Reflect Black KENR07B KENR07W Kenair Anti-Reflect White











Kenro Limited Greenbridge Road Swindon, Wiltshire SN3 3LH, United Kingdom

Tel: +44 (0) 1793 615836 Email: sales@kenro.co.uk

Kenro (Ireland) Tel: +353 (0) 1637 3963 Email: sales@kenro.ie









