

A person wearing a yellow safety helmet, a dark jacket with reflective yellow stripes, and work gloves is using a yellow and black DeWalt chainsaw to cut through a large tree trunk. The person is positioned on the left side of the frame, and the chainsaw is held horizontally against the tree. The background shows a dense forest with green foliage. The DeWalt logo is prominently displayed in the top left corner.

DEWALT

OUTDOOR
RANGE BROCHURE

www.DEWALT.com

GUARANTEED TOUGH.



DEWALT OUTDOOR

PROFESSIONAL POWERTOOLS ARE GUARANTEED TOUGH

54V XR FLEXVOLT

18V XR


RUNTIME TO RIVAL PETROL

Traditional mechanical carbon brush motors generate friction and heat build-up, resulting in lost energy and reduced runtime. We use brushless motors that run more efficiently and cooler and have a longer runtime between charges. Coupled with the high-capacity 54V XR FLEXVOLT battery our outdoor tools have the power and runtime to rival traditional petrol-powered alternatives.



CLEANER, QUIETER, SMARTER

Compared to petrol-powered landscaping tools, our 54V XR FLEXVOLT series and 18V XR range offer cleaner, more efficient and sustainable solutions that generate significantly lower noise levels. These benefits are in addition to our renowned reliability, robustness and durability.



FREEDOM

With no trailing cables and no need to be near an electrical point when working, operating our landscaping tools couldn't be easier. Start-up is as simple as sliding a battery in and a giving single trigger pull, while full variable triggers deliver both power and control.



TOUGH LIGHTWEIGHT DESIGN

Compact yet sturdy lightweight designs minimise stress to your arms when in use. Combined with ergonomic handles allows for extended tool use without compromise.

GUARANTEED TOUGH:



18V XR

18V XR BRUSHLESS POLE SAW DCMP567

This ergonomic tool has been meticulously engineered by DEWALT with a lightweight, well-balanced and sturdy form factor, making it easy to manoeuvre even at its fully extended length. Made from light aluminium tubing and at just 4.5 kg. The DEWALT Pole Saw reaches as far as 4.5 metres*, with an angled head that gives users a more controlled position, particularly for tougher jobs such as limbing or felling.

SPECIFICATIONS

Reach (Extended)	3.0 m, with extension pole = 4.5 m reach
Weight	4.5 kg
Bar length	20 cm
Bucking strips	Yes
Brushless motor	Yes
Cuts per charge (5.0 Ah)	55 cuts in 4" x 4" timber

ART. NO. PRODUCT DESCRIPTION

DCMP567N-XJ	18V XR Pole saw bare version
DCMP567P1-GB	18V XR Pole saw 1 X 5.0 Ah

RECOMMENDED ACCESSORIES:

DT20667-QZ	Chainsaw 20 cm Bar & Chain, Pitch: 3/8", Gauge: 0.043", Links: 33, File: 4 mm
DT20668-QZ	Replacement 20 cm Chain: Pitch: 3/8", Gauge: 0.043", Links: 33, File: 4 mm
DT20662-QZ	Chainsaw oil

*Based on a 1.8 m person holding the pole in a straightened position at chest level



18V XR

18V XR POLE HEDGE TRIMMER DCMPH566

This pole hedge trimmer has extensive 3.35 m reach and innovative articulating 7-position head, combined with an operating speed of 2800 spm. Professionals can power through demanding jobs in complete control of the tool, whatever the height, shape or density of the foliage. Delivering extreme runtime of up to 75 minutes. With a 550 mm blade length and impressive 25 mm cutting width, this robust tool provides consistently reliable cutting performance.

SPECIFICATIONS

Max reach	3.35 m
Blade length	55 cm
Blade gap	25 mm
Blade strokes	2800 spm
Runtime (with 5.0 Ah battery)	up to 75 min
Weight	3.6 kg

ART. NO. PRODUCT DESCRIPTION

DCMPH566N-XJ	18V XR Pole hedge trimmer bare version
DCMPH566P1-GB	18V XR Pole hedge trimmer 1 x 5.0 Ah

RECOMMENDED ACCESSORIES:

DT20666-QZ	Hedge trimmer oil
------------	-------------------



18V XR

**18V XR HEDGE TRIMMER
DCMHT563**

The lightest high-level cordless hedge trimmer available on the market today at just 2.9 kg. Compact yet high-performing hedge trimmer reliably delivers up to 75 minutes of runtime. With a blade length of 550 mm and a 25 mm cut capacity, this rugged hedge trimmer can tackle the toughest of shrubbery, hedging and dense undergrowth, effortlessly slicing through larger branches and stems without experiencing jams.

SPECIFICATIONS

Blade length	55 cm
Blade gap	25 mm
Blade strokes	1400 min
Runtime (with 5.0 Ah battery)	up to 75 min
Weight	2.9 kg

ART. NO. PRODUCT DESCRIPTION

DCMHT563N-XJ	18V XR Hedge trimmer 25 mm bare version
DCMHT563P1-GB	18V XR Hedge trimmer 25 mm 1 x 5.0 Ah

RECOMMENDED ACCESSORIES:

DT20666-QZ	Hedge trimmer oil
------------	-------------------



18V XR

**18V XR HEDGE TRIMMER
DCM563**

Expand your XR Range with this 18V XR hedge trimmer that delivers an impressive runtime of up to 75 minutes per charge. Wrap around aux handle for a comfortable grip in multiple orientations. Compact and lightweight design for less user fatigue whilst trimming. Professional performance with the added convenience of being cordless 55 cm dual-action, laser-cut blades with 19 mm cutting gap and hardened steel for longer life and lasting sharpness.

SPECIFICATIONS

Blade length	55 cm
Blade gap	19 mm
Blade strokes	1400 min
Runtime (with 5.0 Ah battery)	up to 75 min
Weight	2.9 kg

ART. NO. PRODUCT DESCRIPTION

DCM563PB-XJ	18V XR Hedge trimmer 19 mm bare version
DCM563P1-GB	18V XR Hedge trimmer 19 mm 1 x 5.0 Ah

RECOMMENDED ACCESSORIES:

DT20666-QZ	Hedge trimmer oil
------------	-------------------



18V XR

**18V XR STRING TRIMMER
DCMST561 (FOLDING SHAFT)**

DCMST561 is powered by a high performance DEWALT brushless motor that delivers a runtime of up to 40 minutes on a single 18V 5.0 Ah battery. With a patented split shaft and hinge format, which allows the string trimmer to fold down to a compact size for easy storing or transporting in a vehicle. Engineered to handle the most challenging of tasks, the large 360 mm swath and 2 mm DEWALT twisted line ensure absolute precision and impressive cutting results.

SPECIFICATIONS

Motor	Brushless
Swath	36 cm
Weight	3.5 kg
Speeds	Variable
Feed system	Bump
Feed reload	Quick load
Line	2 mm twisted

ART. NO. PRODUCT DESCRIPTION

DCMST561N-XJ	18V XR String trimmer split bare version
DCMST561P1-GB	18V XR String trimmer split 1 x 5.0 Ah

RECOMMENDED ACCESSORIES:

DT20652-QZ	Grass Trimmer Line 2 mm x 68.6 mt
DT20658-QZ	Quickfeed spool and 6 mt 2 mm line



18V XR

**18V XR BRUSHLESS STRING
TRIMMER DCM561 (SPLIT SHAFT)**

Grass trimmer with brushless motor and patented gear drive design, providing more torque and maintaining cut speed under load. Fully variable trigger, offering total power control to the professional user. Padded rubber aux handle for optimal user comfort. Two-speed control, delivering versatility to the user for extended runtime or increased performance. Professional style guard, for more cut access and better visibility. Excellent performance with the added convenience of being battery powered.

SPECIFICATIONS

Line cutting speed	0-4600 / 0-6000
Cutting width	33 cm
Weight (without battery pack)	3.6 kg
Measured sound power	79,5 dB(A)

ART. NO. PRODUCT DESCRIPTION

DCM561P1S-GB	18V XR String trimmer split shaft 1 x 5.0 Ah
DCM561PBS-XJ	18V XR String trimmer split shaft bare version

RECOMMENDED ACCESSORIES:

DT20652-QZ	Grass trimmer Line 2mm x 68.6 mt
DT20656-QZ	Grass trimmer replacement spool & 7.8 mt 2 mm line
DT20658-QZ	Quickfeed spool and 6 mt 2 mm line



18V XR

18V XR POWER PRUNER DCMPP568

Versatile high-performance cordless powered pruner. High efficiency with up to 1000 cuts with one charge (5.0Ah), 38 mm cut capacity and LED Light. Premium ergonomics and designed to be comfortable even when using it all day.

SPECIFICATIONS	
Battery Voltage	18 Volt
Cuts pr charge	1000 (5Ah)
Cut capacity	38 mm
Blade replacement	Tooled
Adjusted blade opening	No
Non stick coated blades	Yes

ART. NO.	PRODUCT DESCRIPTION
DCMPP568RN-XJ	18V XR POWERED PRUNER BARE
DCMPP568P1-GB	18V XR POWERED PRUNER 1 X 5.0 AH



18V XR

18V XR BRUSHLESS AXIAL BLOWER DCMBL562

Powerful brushless motor to deliver performance on a variety of applications. Weight is properly distributed for comfortable use and maximum manoeuvrability. Aerospike concentrator allows airflow speed to be increased or decreased to match any application. Great for cleaning up in gardens, parks, workshops or on construction sites. Also available is the DCV100-XJ compact blower. A compact, durable and lightweight blower with ergonomic comfort-grip handle.

SPECIFICATIONS	
Air Speed	200 Km/h
Air Volume	450 CFM
Sound power level	95 dBA
Weight (without battery pack)	3.1 kg

ART. NO.	PRODUCT DESCRIPTION
DCMBL562N-XJ	18V XR Axial blower bare version
DCMBL562P1-GB	18V XR Axial blower 1 x 5.0 Ah
DCV100-XJ	18V XR Compact blower bare version



2 X 18V XR BRUSHLESS LAWN MOWER DCMW564

This powerful cordless lawnmower is equipped with a brushless motor for maximum energy efficiency and extended run times. It has an ergonomic push handle design, 5 height settings and dedicated carry handles for easy transport in between mowing sites or storage. The DEWALT lawn mower has a 48 cm cut capacity and utilises 2 x 18V XR 5.0 Ah interchangeable batteries (bought separately). Its electronic dashboard gives clear battery-charge status. For natural lawn fertilisation, the lawnmower is equipped with a mulching function or use the 55 litre capacity mesh fabric bag for cut-free lawn aesthetics.

SPECIFICATIONS	
Deck size	51 cm
Blade length	48 cm
Bag capacity	55 liter
Self propelled	No
Functions	Mulch and bagging
Motor	Brushless
Height settings	25 – 38 – 57 – 74 – 86 mm
Weight (without battery pack)	25.9 Kg

ART. NO.	PRODUCT DESCRIPTION
DCMW564RN-XJ	2 X 18V XR Mower bare version
DCMW564P2-GB	2 X 18V XR Mower 2 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20671-QZ	Mowerblade for DCMW564 (48 cm)



18V XR BRUSHLESS 30CM CHAINSAW DCM565

The DCM565 18V XR Compact Chainsaw is a versatile tool that can be used in either outdoor or construction applications. Featuring a 300 mm bar and chain, the DCM565 is equally effective at cutting logs as it is trimming timber beams in confined spaces. Lightweight and easy to manoeuvre the DCM565 benefits from a large auxiliary handle, auto-oiling and tool free bar and chain replacement. A variable speed trigger results in improved control during cutting and means that no pull start is required. The DCM565 uses tool free bar fitment and tensioning for quick, easy chain adjustments, as well as automatic oiling— both of which result in reduced maintenance.

SPECIFICATIONS	
Bar length	300 cm
Cutting capacity	30 cm
Chain speed	7.68 m/s ²
Variable speed trigger	Yes
Oil tank capacity	120.0 ML
Cuts per charge (5.0 Ah)	70 cuts in 4" x 4" timber
Weight	3.3 kg

ART. NO.	PRODUCT DESCRIPTION
DCM565N-XJ	18V XR Chainsaw, 30 cm bare version
DCM565P1-GB	18V XR Chainsaw, 30 cm, 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20665-QZ	30cm Chainsaw Chain & Bar, Pitch: 3/8", Gauge: 0.043", Links: 45, File: 4 mm
DT20676-QZ	Replacement 30cm Chain: Pitch: 3/8", Gauge: 0.043", Links: 45, File: 4 mm
DT20662-QZ	Chainsaw oil

CONVERTIBLE BATTERY PACK

18V XR

Backwards compatible

54V XR FLEXVOLT

XR FLEXVOLT



DEWALT is committed to offering real-world practicality and convenience.

The XR FLEXVOLT battery pack is not only interchangeable across the complete 54V range but is also backwards compatible with all existing 18V XR tools. Circular saws, Drills, Table Saws, Nail Guns, Alligator Saws, Impact Drivers – professional tradesmen can now operate every power tool they need on a single cordless system.

18V XR



54V XR FLEXVOLT



XR FLEXVOLT



ADVANCED TECHNOLOGY

Standard XR batteries have 5 x 3.6V (18V) cells connecting in a series and either one or two strings in parallel, giving either an 18V 2.0 Ah or an 18V 5AH battery.

FLEXVOLT batteries are flexible. They connect in parallel for 18V tools and in a series for 54V tools. The result? The right power for the tool - with increased runtime and consistent performance.

DEWALT

XR FLEXVOLT

POWER OF CORDED | FREEDOM OF CORDLESS

WHAT IS XR FLEXVOLT?

XR FLEXVOLT is a range of 54V power tools that offer performance and runtime which has never been seen before. For the first time professional tradesmen can reliably undertake heavy-duty construction applications without the need for mains power.

This innovation means that you can have true mains performance across a range of tools without the inconvenience of a cord. **DEWALT XR FLEXVOLT** is the only battery on the market that can switch from 54V to 18V making it backward compatible with your existing XR power tools.



CORDLESS WITHOUT COMPROMISE

Traditionally, when compared with corded power tools even the most efficient cordless systems required a compromise between portability and power.

DEWALT has unlocked the true potential of cordless technology to deliver a growing range of 54V power tools that require zero compromise. All the power of corded, with the freedom of cordless.

54V XR FLEXVOLT

EVERY SINGLE ONE IS RIGOROUSLY TESTED

TO WITHSTAND THE TOUGHEST CONDITIONS

**54V XR FLEXVOLT**

54V XR FLEXVOLT RADIAL BLOWER DCM572

Powered by the 54V XR FLEXVOLT battery, the DCM572 blower from DEWALT clears more debris quickly with up to 423CFM and 207 km/h. High efficiency brushless motor. Radial blowers are suitable for blowing on narrow areas.

SPECIFICATIONS

Air volume	423 cfm (12 m ³ /min)
Blow speed	207 km/h
Sound power level	97 dBA
Weight	3.2 kg

ART. NO. PRODUCT DESCRIPTION

DCM572N-XJ	54V XR FLEXVOLT radial blower bare
DCM572X1-GB	54V XR FLEXVOLT radial blower 1 x 9.0 Ah



54V XR FLEXVOLT

54V XR FLEXVOLT AXIAL BLOWER DCMBA572

Designed for the fast and effective removal of construction debris, workshop waste, leaves, twigs, moss and other stubborn garden matter, this versatile and powerful cordless blower will be welcomed by an array of professional users including construction teams, carpenters, metal and woodworkers, gardeners, landscapers, park clean-up workers and clearance specialists. Axial blowers are suitable for blowing on wide areas.

SPECIFICATIONS	
Air volume	650 cfm (18,4 m ³ /min)
Blow speed	200 km/h
Sound power level	97 dBA
Weight	3.1 kg

ART. NO.	PRODUCT DESCRIPTION
DCMBA572N-XJ	54V XR FLEXVOLT Axial blower bare
DCMBA572X1-GB	54V XR FLEXVOLT Axial blower 1 x 9.0 Ah



54V XR FLEXVOLT

54V XR FLEXVOLT STRING TRIMMER / BRUSHCUTTER DCM571

The 54V XR FLEXVOLT grass trimmer enables fast job completion with its 38 cm cutting swath. The high efficiency brushless motor enables increased runtime, durability and efficiency. 2 speed setting and variable speed trigger provide ultimate control. 25 cm Tri-blade included for brush cutting applications.

SPECIFICATIONS	
Cutting width	38 cm
Line cutting speed	0-5100 / 0-5600 rpm
Weight	4,6 kg

ART. NO.	PRODUCT DESCRIPTION
DCM571N-XJ	54V XR FLEXVOLT Brushcutter bare
DCM571X1-GB	54V XR FLEXVOLT Brushcutter 1 x 9.0 Ah

RECOMMENDED ACCESSORIES:	
DT20652-QZ	Grass Trimmer Line 2.5mm x 68.6 m
DT20656-QZ	Grass Trimmer Cap, Spool & Line
DT20653-QZ	25 cm Brushcutter Tri-Blade
DT20654-QZ	25.5 cm Brushcutter Straight Blade
DT20655-QZ	23 cm Brushcutter 4T Blade



54V XR FLEXVOLT

54V XR FLEXVOLT GRASS TRIMMER DCM5713

Offering all the power of a petrol driven tool without the inconvenience of having to carry / mix fuel. The DCM5713N string trimmer also benefits from a 38 cm swathe allowing it to be used for simple grass cutting.

SPECIFICATIONS

Cutting Width	38 cm
Load Speed	0 - 5600 rpm
Line Diameter	2 mm
Line Length	7.5 m
Weight	6.6 kg

ART. NO. PRODUCT DESCRIPTION

DCM5713N-XJ	54V XR FLEXVOLT Grass Trimmer bare
DCM5713X1-GB	54V XR FLEXVOLT Grass Trimmer 1 X 9.0 Ah

RECOMMENDED ACCESSORIES:

DT20652-QZ	Grass Trimmer Line 2.5 mm x 68.6 m
DT20656-QZ	Grass Trimmer Cap, Spool & Line



54V XR FLEXVOLT

54V XR FLEXVOLT HIGH PERFORMANCE CHAINSAW, 45 CM, DCMCS574

Made for professional landscape use, the 54V Chainsaw delivers 20 percent more peak power and more than 2X the max torque than a 50.2 cc petrol chainsaw. Capable of cutting through 17-in. white oak logs as fast as 15 seconds using a DCB547 battery, the chainsaw features robust chain tensioning for reliable chain retention, auto-oiling for longevity of use, a chain brake and an onboard wrench for quick chain adjustments.

- Up to 65 cuts on 150 x 150 mm per charge (9.0 Ah)
- Up to 85 cuts on 150 x 150 mm per charge (12.0 Ah)
- Up to 115 cuts on 150 x 150 mm per charge (15.0 Ah)

SPECIFICATIONS

Motor	54 volt
Power rating	2100 W (DCB547 battery)/2900 W (DCB549 battery)
Petrol equivalent	40CC
Bar/chain	45 cm
Chain tension	Dual lock
Bucking spikes	Metal
Oiler	Automatic
Pitch	3/8"
Chain speed	13.5 m/s
Weight without akku	5.0 kg

ART. NO. PRODUCT DESCRIPTION

DCMCS574N-XJ	54V XR FLEXVOLT Chainsaw, 45 cm, bare
DCMCS574X1-GB	54V XR FLEXVOLT Chainsaw, 45 cm, 1 x 9.0 Ah, charger
DT20687-QZ	45 cm chainsaw bar for DCMCS574
DT20688-QZ	45 cm chainsaw chain for DCMCS574



**54V XR FLEXVOLT
HIGH PERFORMANCE CHAINSAW,
50 CM, DCMCS575**

Made for professional landscape use, the 54V Chainsaw delivers 20 percent more peak power and more than 2X the max torque than a 50.2 cc petrol chainsaw. Capable of cutting through 17-in. white oak logs as fast as 15 seconds using a DCB547 battery, the chainsaw features robust chain tensioning for reliable chain retention, auto-oiling for longevity of use, a chain brake and an onboard wrench for quick chain adjustments.
 Up to 65 cuts on 150 x 150 mm per charge (9.0 Ah)
 Up to 85 cuts on 150 x 150 mm per charge (12.0 Ah)
 Up to 115 cuts on 150 x 150 mm per charge (15.0 Ah)

SPECIFICATIONS

Motor	54 volt
Power rating	2900 W (DCB547 battery)/3300 W (DCB549 battery)
Petrol equivalent	50CC
Bar/chain	50 cm
Chain tension	Dual lock
Bucking spikes	Metal
Oiler	Automatic
Pitch	3/8"
Chain speed	13.5 m/s
Weight without akku	5.5 kg

ART. NO. PRODUCT DESCRIPTION

DCMCS575N-XJ	54V XR FLEXVOLT chainsaw, 50 cm, bare
DCMCS575X1-GB	54V XR FLEXVOLT chainsaw, 50 cm, 1 x 9.0 Ah
DT20689-QZ	50 CM chainsaw bar for DCMCS575
DT20690-QZ	50 CM chainsaw chain for DCMCS575



**54V XR FLEXVOLT
CHAINSAW DCM575**

The high power 54V XR FLEXVOLT battery, combined with the brushless XR FLEXVOLT motor and the 40 cm Bar/Chain allows the DCM575 chainsaw to cut through thick tree trunks easily and quickly. With the 54V XR FLEXVOLT motor, the DCM575 chainsaw truly delivers unrivalled performance for a cordless chainsaw, without the hassle of pull cord start up, petrol fumes or engine maintenance.

SPECIFICATIONS

Tool Free Chain Tensioning	Yes
Sound Power Uncertainty	100.5 dB(A)
Oil capacity	110-120 ml
Cut Speed	15 m/s
Weight	5,68 kg

ART. NO. PRODUCT DESCRIPTION

DCM575N-XJ	54V XR FLEXVOLT chainsaw bare
DCM575X1-GB	54V XR FLEXVOLT chainsaw 1 x 9.0 Ah

RECOMMENDED ACCESSORIES:

DT20660-QZ	Chainsaw 40 cm Bar & Chain (DT20663)
DT20663-QZ	Replacement 40 cm Chain
DT20662-QZ	Chainsaw oil for all chainsaws

ABOUT DEWALT

With more than 90 years' experience in designing and manufacturing world-class solutions for the professional construction industry, DeWALT represents performance, innovation and reliability. Tools that carry the DeWALT brand are Guaranteed Tough: engineered to exceed the expectations of building contractors and professional tradesmen, even when tested in the most extreme construction environments. The DeWALT reputation for quality has been earned from the company's commitment to providing best-in-class products that meet the highest levels of durability and end-user

protection. DeWALT supplies complete application solutions for the modern construction environment, which include corded and cordless power tools, saw blades and power tool accessories, dust extraction attachments, anchors and fastenings, jobsite storage, lasers and instruments, generators, compressors and more.

DeWALT also has one of the most extensive service and repair networks in the world.

For more information, visit www.DeWALT.com



Text and photographs, specifications of dimensions and performance are composed with the greatest care. The correctness of the information cannot be guaranteed, especially it is not guaranteed that the products comply with the images regarding colour, form and equipment or that the products comply with the proportion of the images.

Amendments due to misprints or errors are reserved. Please see the operator's manual and the warning labels posted on the item itself for more details.

www.DeWALT.com

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

Be the first to see product news and special offers from DeWALT. Register at MyDeWALT

