



Water & Waste Order Form

Contact Name:	Event Date: 2	Event Date: 25th-26th September					
Event: PATS 2022	Hall Name/No	lall Name/No.:					
Company Name:	Stand Numbe	Stand Number:					
Company Address:							
Tel Number:	Date:						
Email Address:	Signed:	Signed:					
STANDARD SUPPLIES	Cost	Quantity	Total				
Water Supply 15mm (push fit ball fix valve)	£220.00						
Additional 15mm Water Supply (At same location)	£110.00						
Waste Outlet 40mm	£220.00						
Additional 40mm Waste Outlet (At same location)	£110.00						
Non Standard Supplies	POA						
CONNECTIONS Standard Connection of supply to your equipment. (Either	£205.00						
Standard Connection of supply to your equipment. (Either	£205.00						
15mm water supply or 40mm waste supply)							
Non standard Water or Waste Connection	POA						
	VAT						
	Total						
Stand Floor Details: (i.e. venue floor, carpet, raised platform							
Connection Date & Tir	ne:						
Disconnection Date & Tir	ne:						
Please note water and waste connections can only be provided in floor duct. Please inform Stagecraftuk prior to using the waste con		d subject to being	g located on a				
All orders received less than 10 working days before the event but	ild will be subject t	o a 20% surchar	ge.				
Stagecraftuk reserve the right to substitute specified equipment w subject to Stagecraftuk's terms and conditions. Goods/Services w Please tick the box below indicating how you would like to pay:							
Invoice (For BACS)	Credit/Debit Card						
Please return your fo	ms to:						

Email: Sales@stagecraftuk.com Post: Stagecraftuk, International Way, Telford, Shropshire, TF3 4JH

Fax: 01952 281553 Tel: 01952 281600



Water & Waste Order Form

Please indicate using the grid below the location of the services required. Please also fill in the surrounding stand numbers so that the stand orientation can be attained.

		S	stand N	lumber	,					
						†				
Stand Number										
										Stand Numbe
						of Star ad Nur				
Whilst every effort w	ıill be r					and w not be			eques	st on the grid above,
Please specify belo								vith any supply		er details that could