Network Digital Menu Boards

32" | 43" | 50" | 55"





Cost-effective package solution; 24/7 commercial grade displays with built-in network media player and 1 year CMS software subscription

Complete Package Solution

We have combined a 24/7 commercial display, a network Android media player, one year free CMS software and a library of predesigned templates for the ultimate package solution.





Save time and Money

1st Year Free Software Subscription

The first year of using our cloud based CMS is absolutely free. You can also purchase 3 additional year's access at the point of purchase or make a one off payment to have access for life.



24/7 Commercial Use

These displays use a commercial grade LCD panel and LED backlight. They have the ability to be in constant use 24/7 for over 70,000 hours and have no external buttons or controls to avoid tampering.





Exclusive Template Library

As well as being able to create your own layouts you can choose from our exclusive library of pre-design editable templates.


Choose an existing layout, add your own images and information then publish it to your screen.





450cd/m² IPS Panel

Commercial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature when used in either landscape or portrait.



Multi Screen Synchronisation

Create stunning content across multiple displays or just have your menus change at the same time.



Power Timer

The eco-friendly power timer allows you to assign daily or weekly on and off times for your screen meaning that it is only in use when it needs to be; improving your environmental efficiency.



Low Power Consumption

The LED backlight technology provides improved brightness and contrast. Their lifespan is drastically improved to over 70,000 hours and the power consumption is reduced by around 30%.




Update Instantly and From Anywhere

No special software installation or dedicated PC is required, simply login to our online your portal and update your screens from anywhere in the world with an internet connection.



Narrow Bezel

The slim border on the Digital Menu Boards allows your menu to take centre stage especially when multiple displays are placed side by side.



Wide Viewing Angle

Thanks to the IPS technology these displays provide fantastic image quality with a remarkable viewing angle of 178° in both landscape and portrait.



Plug and Play Backup

If you lose your internet connection you can still update the screen using a USB stick to keep things simple.













IPS PANEL

EL 24/7 COMMERCIAL GRADE



LANDSCAPE OR PORTRAIT ORIENTATION



INTEGRATED SPEAKERS
























		32 Inch	43 Inch	50 Inch	55 Inch	
	Resolution	1920x1080				
Panel	Display Area (mm)	698.4x392.85	941.2x529.4	1073x604	1209.6x680.4	
	Aspect Ratio		16:9			
	Brightness (cd/m²)		450			
	Colour		16.7M			
	Viewing Angle		178°			
	Contrast Ratio		4000:1			
Audio	Speaker Type		5W, 8Ω (x2)			
AV Inputs	Video		HDMI, VGA			
	Audio		Audio Socket (3.5mm)			
Power	Power Consumption (W)	38	45	55	65	
	Input Voltage		AC110~240V (50Hz~60Hz)			
Mechanical	Unit Size (WxHxD mm)	716x415x45	963.6x557.9x48.1	1096x632x60	1232x710x51	
	Package Size (WxHxD mm)	870x565x170	1067x660x163	1238x760x195	1380x835x195	
	VESA Holes (mm)	400x200		400x400, 400x300, 400x200	400x200	
	Net Weight (kg)	8.6	11.25	23	18	
	Gross Weight (kg)	11.8	15.2	28.9	23.95	
Environmental	Operating Temperature		0 °C to 50 °C			
	Storage Temperature		-30°C to 60°C			
	Operating Humidity		10% to 80%			
	Storage Humidity		5% to 95%			
Computer	Media Formats	Video (MPG,	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
	Media Resolution		1920x1080/1080x1920			
	Internal Memory		6GB			
	СРИ	Quad-Core Cort	Quad-Core Cortex-A17@1.61GHz		Quad-Core Cortex- A17@1.61GHz	
	GPU	Mali-T760 M	Mali-T760 MP4 @600MHz Quad-Core ARM Mali-T764 Mali-T760 MP4 @600MH:			
	RAM		2GB DDR3			
	ROM	8GB	8GB NAND 8GB eMMC			
	USB	USB2.0 I	USB2.0 HOST (x2)		USB2.0 HOST (x2)	
	LAN		10/100M Ethernet			
	Wi-Fi		802.11b/g/n/ac			
	OS	Andro	Android 5.1.1		Android 5.1.1	
	Graphic Engine		OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1		OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1	
Accessories	Included		Scheduling Software, Remote Control, User Manual			
	Optional		Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand			
Warranty	Warranty Period		3 Year Warranty			
	Technical Support		Lifetime			

Errors and omissions excepted







Why Digital Signage?

Key Statistics that Prove Digital Signage

Grab Attention & BOOST Sales!

Digital Displays capture 400% more views than static displays.





8/10 customers have entered a store because of a sign catching their interest.

One retailer noted a 24% increase in footfall after implementing digital signage technologies s





Nearly **7 in 10** customers have purchased a product or service because a sign caught their eye .

80% of brands experienced an increase of up to 33% in additional sales through the use of digital signage





Everyone's a winner

Halo effect from the advertised product 7x sales increase on the family of brands 11x sales increase on the overall category a

Digital Signage recall rate is higher than any form of traditional media with 83% of people recalling at least one ad seen on a digital billboard in the past 30 days





www.invokedigitalsignage.co.uk

800% advertising revenue increase using Digital vs static signage in OOH

1200% revenue increase by switching to interactive or touch screen advertising over static signage 10



Digital Signage reduces perceived wait times at checkout by as much as 35%





'Occupied time feels shorter than unoccupied time' -David Maister - Psychology of queing »



Digital menu boards typically present a 5% sales lift.

Tips to make your signage work



Make it relevant, easy to read & attractive. Use motion where possible, keep it short (around 15 seconds).



Commercial grade for extended use & durability. Components that work when you need them & require minimal maintenance.

Hardware Specifications

Select the right components to deliver the content playback performance your content requires and is suitable for the installation environment.

www.grandviewresearch.com/industry-analysis/digital-signage-market www.arbitron.com/downloads/arbitron_digital_billboard_study.pdf www.visiblebanking.com/infographics-retailbankingbranches-digitalsignage-newdesign-11925/2/ www.smallbusinessbonfire.com/wp-content/uploads/2012/05/fedex_sign_infographic.jpg about.van.fedex.com/newsroom/global-english/fedex-office-survey-standout-signs-contribute-to-sales/ www.digitalsignagetoday.com/news/nielsen-study-dooh-increases-revenue-at-the-point-of-sale-2/

 $www.eclipsedigitalmedia.co.uk/top-benefits-and-roi-of-digital-menu-boards-2014/\\www.digitalsignagetoday.com/blogs/beating-the-elements-with-outdoor-digital-signage-infographic/$ davidmaister.com/articles/the-psychology-of-waiting-lines/



