

A NEW GENERATION OF STONE
CHIP COATED METAL ROOF TILES



Novatik  | **NATURA**

“A ROOF FOR NINE LIVES, GUARANTEED BY THE EXPERTS!”

Novatik
NATURA

STONE

Novatik
NATURA

SLATE

Novatik
NATURA

ROMAN

Novatik
NATURA

WOOD

Novatik
NATURA

CLASSIC

ABOUT NOVATIK



>ABOUT US

NOVATIK SRL is the developer and manufacturer of Novatik METAL roofing systems (interlocking steel roof systems), Novatik NATURA (interlocking steel roof systems, stone chip coated panels), Novatik CLICK (standing seam CLICK), Novatik FALTZ (standing seam FALTZ) and rainwater systems Novatik RONDA and QUADRA.

Novatik constantly develops new profiles that give a unique look to the established roofs, while still retaining all the benefits of a metal roof (enhanced resistance to corrosion, solid, durable, and lightweight). Novatik roofs represent a new option for architects and designers and clearly outline the new trends in the field, bringing an added value, especially to new buildings that aim for modern minimalist style projects. Novatik is the market leader in Romania for the small panel metal tile (unimodular) segment and the only producer of stone chip coated metal roof tiles in Romania. The Novatik brand is present in over 20 countries in Europe, Latin America, and even Africa.

Novatik SRL is also the exclusive representative in Romania of DELTA roof protection membranes (anti-condensation membrane, vapour barriers).

>MISSION

Our mission is to provide innovative, efficient, long lasting and aesthetically pleasing roofing products, together with the highest customer satisfaction. We aim to work closely with our customers, resolve problems and build trust and total confidence in our company and our products.

>VALUES

- Committed to maintaining quality & standards;
- Ethical business practices;
- Open to innovation & product development;
- Forward thinking;
- Trend setters.

>COMPANY STRENGTHS

- Well established company that inspires customer confidence;
- Over 20 years of experience of the premium roofing market in Romania;
- Proven successful supplier of high-quality, often very innovative, roofing products;
- Excellent relations with partners, both suppliers and distributors.

Manufactured by:
NOVATIK SRL

HEAD QUARTERS:
9 Mai street, no. 75, 105 200 Băicoi,
Prahova, România
Tel: +40 244 260 140;
Fax: +40 244 260 145
office@novatik.ro
novatik.ro



2022

October – the company opened the first production line for stone chip coated metal roof tiles in Romania - Novatik NATURA. In the three years since the launch of the Novatik NATURA brand, the company has made significant progress and invested in high-performance production equipment. The new generation of Novatik NATURA profiles benefits from improved anti-corrosion protection. The multiface® protection layer is a high-performance treatment applied to steel, being an almost invisible multi-functional sealant applied to hot-dip galvanized steel strips (ZnMg).

2021

October – the company launches a new profile: Novatik METAL KOLAJ. The KOLAJ profile is defined as the product benefitting from the most recent Novatik innovations, which, under the appearance of a collage of special qualities and characteristics, accounts for a premium design product, setting a new quality standard on the European roof covering market. The Novatik METAL KOLAJ roof comes as a new option for architects and designers, manifestly outlining the new roof trends and bringing a strong addition particularly for the new constructions, targeting the minimalist style of modern projects.

2020

June - Because we want to prioritize our customers need, we are constantly working on expanding our product range and portfolio consolidation. That's why we decided to make an upgrade to our iconic profile: Novatik METAL SLATE. We redesigned our profile and the new version is spectacular. This new improved SLATE can be installed in 2 distinct ways, depending on the architectural style. Also, the company launches a new profile in our stone chip coated metal tiles range: Novatik NATURA STONE. We designed Novatik NATURA STONE profile to recreate the unique image of the old traditional stone roofs. Starting with June 2020 we introduce to Novatik METAL range: SLATE and WOOD High Coat profiles. Also for the METAL range we introduced a new cover, Frost, available for all profiles. Technical information of Frost cover: Steel with protective coating of Zn 275 g/sqm and Polyurethan min. 60 microns with Epoxid min. 7 µm on the back side of the tile, 25 years aesthetic warranty and 40 years technical warranty.

2019

In August, Final Distribution changes its name to NOVATIK S.R.L. as part of our marketing and rebranding strategy. This decision coincides with our 15th anniversary of activity in the roofing market in Romania and 8 years since launching our own brand, NOVATIK. We decide this is the moment to begin a new chapter in our company's history, with the aim of making NOVATIK the strongest brand on the premium roofing market in Romania.

15 years of experience in creating a market and developing a demand for modular, stone chip coated roofing has given us the confidence and knowledge needed to develop and manufacture our own product. In September the company launches Novatik NATURA – our new, stone chip coated, metal roof tiles.

2018

In January, NOVATIK becomes the sponsor of the women's handball team, CSM Bucharest. Performance is the word that best defines CSM Bucharest, the partnership evolving as a natural result of common synergies and values. Determination and ability propelled Final Distribution into the coated, pressed metal roofing business and these attributes enable it to maintain its position as a top performer in this industry.

2017

In February, the company launches Novatik SLATE, a new profile combining the special look of natural slate, but utilising robust, modern and lightweight construction materials. At the end of May, Final Distribution launches another new profile, Novatik WOOD, which preserves the natural beauty of a shingle roof, combined with all the advantages of a metal roof (increased corrosion resistance, strong, durable and lightweight).

2016

Novatik CLICK, the standing seam roof system, launches in March - a popular modern profile that quickly reaches the top of the local sales market. The standing seam roof has a wide area of application, very well suited to modern and contemporary architectural design, especially in Western Europe.

2014

In April, Final Distribution launches a new product, Novatik AVANGARDE, the first post painted, metal tile manufactured in Romania.

2013

In September 2013, the company is awarded "The best exporter of building materials of 2013" by the Business Construct Gala.

2012

In June, a second line opens, beginning the production of Novatik tiles, the first pressed metal tiles in small panels to be manufactured in Romania. In the second half of 2012, first exports begin to Slovenia, France and Spain. The Novatik brand sells not only in Romania, but also in an increasing number of new territories. In September 2012, Final Distribution obtains ISO 9001 Quality Management System certification, thus proving our commitment to quality, to customer satisfaction, and to continuously improving our business.

2011

In February, the first production line opens in Băicoi-Prahova. Final Distribution enters the production field with its own brand of gutters and downpipes - NOVATIK.

2010

In the second half of the year, the company launches the NOVATIK brand and invests in high performance equipment for the production of gutters and downpipes.

2006

Final Distribution becomes the sole distributor of GERARD stone chip coated metal roof tiles and DELTA roof membranes in Romania.

2004

The company, Final Distribution, is established.

A NEW GENERATION OF STONE CHIP COATED METAL ROOF TILES

As trend setters in the marketplace, Novatik NATURA is the result of natural evolution in our company development ... In 2003, we created a new niche in the Romanian roofing market, and our experience in selling pressed steel roofing with stone chip gave us the confidence and knowledge necessary to develop our own stone chip coated metal roof tiles. Throughout this time, we learned and understood what quality means and what our customers' needs are.

In 2019, after 15 years of activity in the roofing market in Romania and 8 years since launching our own brand, NOVATIK, the time was come for us to begin a new chapter in our company's history. Our ambition is to turn NOVATIK into the strongest brand in Romania for premium roofing materials. With the help of one of the most reputable suppliers of equipment and technology in this field, we have developed Novatik NATURA, an exciting new product that will meet the highest standards in the roofing market.



In the three years since the launch of the Novatik NATURA brand, the company has made significant steps and invested in high-performance production equipment. Thus, in October 2022, we opened the first production line for stone chip coated metal tiles from Romania: Novatik NATURA.

Novatik NATURA roofing systems are not simply roofs; they are symbols of longevity, quality and beauty. The Novatik® brand was created from the desire to offer optimum solutions for roofs that meet all aesthetic and technical requirements, even for the most unique and daring projects.

What does Novatik mean? The essence of our brand revolves around the idea of innovation and aspiration. Our name, NOVATIK epitomises all that is new and innovative.

The Novatik NATURA range consists of five distinct profiles: STONE, SLATE, ROMAN, WOOD and CLASSIC.

The variety of profiles and colours demonstrates the total commitment of Novatik SRL to creating aesthetically pleasing and long lasting products that meet the highest requirements of design and functionality. The raw materials we use and our stringent quality control make Novatik NATURA the optimum choice and one that fulfils the needs and trends of roofing markets around the world. With its combination of outstanding performance and low weight, Novatik NATURA provides important:



Whether we are talking about building a new home or the renovation of a home, for many of us, choosing a roof is a decision we will make once in a lifetime. It is important to make the right choice, not just because it is a major item of expenditure, but because it is the roof above all that protects our home and keeps us safe.

The roof we choose must provide the ultimate protection against extreme weather conditions, be very long lasting (to justify our investment) and also retain its aesthetic appeal for many years to come. We believe Novatik NATURA, our new metal roof panels, coated with volcanic rock chips – one of the oldest construction materials of all time – meet all of these essential requirements.

Every Novatik NATURA tile consists of a premium quality steel core, protected against corrosion by a layer of ZnMg or Al-Zn on both sides, over which there is a further protective layer of acrylic resin. A coating of volcanic rock chips, which have been colour treated (up to a temperature of 900°C) to provide uniformity of colour and increased ultraviolet resistance, is then applied to a specially formulated basecoat, which binds the chips in place. Finally, a transparent acrylic coating is added to provide gloss and increased mechanical strength.


The new generation of Novatik NATURA profiles benefits from improved anti-corrosion protection. The multiface® protective layer represents a high-performance treatment applied to steel, with a thickness of 1 to 2 microns, and is an almost invisible (thin organic coating) sealant applied to hot-dip galvanized steel strips (ZnMg). Its remarkable properties give the steel a durable premium sealing, with excellent corrosion resistance and superior adhesion of subsequent finishing layers.

Pressing of the panel is prior to applying the layer of stone chips and results in a controlled and uniform coating that prevents microcracking. Owing to its covering of volcanic rock chips, not only makes Novatik NATURA one of the quietest metal roofs, but it provides one of the safest and most effective solutions against the effects of extreme weather, such as heavy snowfalls and hail. The fastening system, parallel to the roof plane, increases resistance to high winds and the small size of the Novatik NATURA panel minimizes the effects of expansion and contraction caused by wide temperature fluctuations.

Thus, Novatik NATURA offers the market a new roof covering, with the aesthetic appeal of traditional ceramic, shingle wood or slate, but with all the advantages of a metal roof:

- lightweight, but strong;
- extremely durable;
- increased resistance to corrosion;
- easy to install;
- superb visual appearance;
- low maintenance;
- variety of profiles;
- Eco-friendly: recyclable.

Novatik
NATURA



*The new generation of Novatik NATURA profiles benefits from improved anti-corrosion protection and is already available for three of the five profiles: CLASSIC, SLATE, and WOOD.

** The Novatik NATURA ROMAN and STONE profiles are still produced from steel protected against corrosion by AlZn 150 g/m2 alloy.

*** The transition from the old generation of profiles (steel with AlZn 150 g/m2 anti-corrosion protection) to the new generation will be gradual, and in the near future all NATURA profiles will be available from the new generation (steel with ZnMg 250 g/m2 anti-corrosion protection layer).

TRANSPARENT ACRYLIC COATING

TEXTURED FINISH
(VOLCANIC ROCK CHIPS)

BASE LAYER / COAT


MULTIFACE® PRIMER

PROTECTIVE LAYER ZN-MG

STEEL

PROTECTIVE LAYER ZN-MG

MULTIFACE® PRIMER



ADVANTAGES

1. UNIQUE DESIGN AND VERSATILITY

The increasing popularity of steel roofing systems with a stone chip coating is mainly due to the wide range of styles available and the versatile design solutions they offer. For our Novatik NATURA range we have chosen 5 distinct profiles to recreate the original architectural appearance of well known roofing styles: NATURA STONE – recreate the unique image of the old traditional stone roofs, NATURA SLATE - created to give the authentic look of natural slate, NATURA ROMAN – captures the timeless architecture of Mediterranean roofs, NATURA WOOD – all the natural beauty of a wood shingle roof and NATURA CLASSIC - an elegant design that emulates the appearance of ceramic tiles. Each of our Novatik NATURA profiles has its own distinct characteristics and will resonate with those who are seeking a uniquely different roof style.



2. TECHNICAL WARRANTY - 60 YEARS

Throughout the production process Novatik NATURA panels undergo multiple quality control procedures, resulting in one of the most durable and weather resistant interlocking steel roof systems in the market. Thus, we are confident to offer a 60 year technical warranty. Novatik NATURA roofs are designed to withstand the test of time and are recommended for both residential and commercial projects.



3. AESTHETIC WARRANTY - 30 YEARS

Each Novatik NATURA module is finished with basaltic rock, covered with a ceramic layer that goes through a colour stabilization process at temperatures above 900 degrees Celsius, resulting a roof with a durable and ultra-UV-resistant color. All of the colours in the Novatik NATURA range of profiles reflect the natural world and our roofs will maintain their outstanding appearance for many years to come. We offer an aesthetic warranty of 30 years.



4. DURABILITY

Every Novatik NATURA module consists of a premium grade steel core, protected on both sides by a Zinc-Magnesium alloy plus Multiface® (supplementary anti-corrosion protection) or Aluminium-Zinc alloy and finished with a coating of volcanic rock chips, providing an excellent corrosion compared to other steel roof.

The technically advanced construction of Novatik NATURA and its robust interlocking system, ensure that, even in the case of the most severe weather conditions (e.g. extreme temperatures, high precipitation, heavy snowfall), the modules will not be distorted by expansion and contraction and will remain weather tight.





We all seek the perfect place where we can feel comfortable and secure. Often we realize that perfect place is simply ... at home. The Novatik NATURA roof is a long-term investment in quality, sustainability and enduring aesthetic appeal.

5. PROTECTION AND SECURITY AGAINST NATURAL DISASTERS

The construction and design of Novatik NATURA panels ensure your home is well protected from natural extremes, such as storms and hail, and even from fire and earthquakes. When the interlocking modules are correctly installed by fastening with nails to the roof battens, it is almost impossible for strong winds or storms to tear them from the roof. Due to their structure and the materials used in their composition, Novatik NATURA modules are not highly combustible and will not easily ignite in the case of fire.

The lightweight of the modules positively influences the overall behavior of the building, significantly reducing the risk of collapse during an earthquake.



6. LOW NOISE AND SNOW RESISTANCE

The layer of volcanic rock chips covering Novatik NATURA metal tiles acts like an efficient noise barrier, significantly reducing the sound of heavy rain, storms and hail. In addition, the textured finish ensures the adhesion of snow, without the need for snow stoppers. Snow is retained on the roof until it melts naturally, thus eliminating the danger of snow slippage.



7. LIGHTWEIGHT AND EASE OF INSTALLATION

Novatik NATURA metal panels, weight 6 – 7 kg/sqm, much less than traditional roofing materials. Its lightweight makes it the perfect choice for new roofs and also roof renovations. A lightweight roof reduces overall material costs and installation time, as well as reducing disruption caused during renovation work. Novatik NATURA roof systems are recommended for a roof pitch of not less than 12°, depending on the profile (Classic is the only profile that can be used at 12° pitch, the others are all at 16°).



8. ENVIRONMENTALLY FRIENDLY

Recyclable and energy efficient, steel is one of the few building materials that is truly environmentally friendly. When developing Novatik NATURA roofs, we have adhered to the values that are important to us: respect for people and the environment. We plan for the future: we think responsibly!








The consistency in our production process and our commitment to developing new styles for our customer's roofs drives us to implement a brand new profile in our stone chip coated metal tiles range: Novatik NATURA STONE. We designed Novatik NATURA STONE profile to recreate the unique image of the old traditional stone roofs. Our NATURA STONE tiles are produced using premium quality steel, protected with an Aluminium Zinc layer on both sides and covered with natural volcanic stone chips. This protection of the steel we use, provides our product 8 times higher corrosion resistance than other metal tiles. Our Novatik NATURA STONE tiles with their special design, offer a genuine look of the old traditional stone roofs, making your house extraordinary.

COLOURS:





TECHNICAL INFORMATION

TOTAL LENGTH	1310 mm
LENGTH OF COVER	1250 mm
WIDTH OF COVER	370 mm
TILES / SQM	2.15 modules/sqm
ROOF PITCH	Min. 16°
WEIGHT / SQM	aprox. 6.23 kg/sqm
BATTEN SPACING	370 mm
Steel type / Steel thickness	S280GD+AZ150 / 0.40 mm
CORROSION RESISTANCE	Protective Layer AlZn 150 g/sqm
Textured finished	Acrylic resin + Volcanic rock (Basalt) + Protective layer
Total maximum thickness	2.1 mm


NOTE: In the near future, the Novatik NATURA STONE profile will be available in the new NATURA generation of profiles (steel protected by ZnMg 250 g/sqm alloy plus additional multiface® anti-corrosion protection).

MINIMAL ASPECT WITH MAXIMUM
PROTECTION FOR YOUR ROOF





COLOURS:



All the appearance of natural slates, combined with the strength of steel and the weather resistance of a rock chip coating, this minimalist design is an ideal choice for those seeking a more modern look. With its flat profile and neutral colour, NATURA SLATE is suitable for both vertical and pitched roofs, perfectly meeting the needs of contemporary architectural design.


Novatik NATURA SLATE tiles are produced using premium quality steel, protected with ZnMg 250 g/sqm alloy plus additional multiface® anti-corrosion protection on both sides, and covered with natural volcanic stone chips. The multiface® protective layer represents a high-performance treatment applied to steel, with a thickness of 1 to 2 microns, and is an almost invisible (thin organic coating) sealant applied to hot-dip galvanized steel strips (ZnMg). Its remarkable properties give the steel a durable premium sealing, with excellent corrosion resistance and superior adhesion of subsequent finishing layers.



TECHNICAL INFORMATION

TOTAL LENGTH	1280 mm
LENGTH OF COVER	1225mm
WIDTH OF COVER	370 mm
TILES / SQM	2.17 modules/sqm
ROOF PITCH	Min. 16°
WEIGHT / SQM	aprox. 6.23 kg/sqm
BATTEN SPACING	370 mm
Steel type / Steel thickness	DX51 / 0.45 mm
CORROSION RESISTANCE	Protective Layer ZnMg 250 g/sqm + multiface® anti-corrosion protection
Textured finished	Acrylic resin + Volcanic rock (Basalt) + Protective layer
Total maximum thickness	2.1 mm





COLOURS:




With its warm colours, smooth slopes and broad curves, Novatik NATURA ROMAN perfectly captures the ageless appeal of sunbaked Mediterranean roofs, but unlike traditional terracotta tiles our NATURA ROMAN panels are lightweight and immensely strong. Novatik NATURA ROMAN tiles are produced using premium quality steel, protected with ZnMg 250 g/sqm alloy plus additional multiface® anti-corrosion protection on both sides, and covered with natural volcanic stone chips. The multiface® protective layer represents a high-performance treatment applied to steel, with a thickness of 1 to 2 microns, and is an almost invisible (thin organic coating) sealant applied to hot-dip galvanized steel strips (ZnMg). Its remarkable properties give the steel a durable premium sealing, with excellent corrosion resistance and superior adhesion of subsequent finishing layers.




TECHNICAL INFORMATION

TOTAL LENGTH	1320 mm
LENGTH OF COVER	1270 mm
WIDTH OF COVER	370 mm
TILES / SQM	2.15 modules/sqm
ROOF PITCH	Min. 16°
WEIGHT / SQM	aprox 7 kg/sqm
BATTEN SPACING	370 mm
Steel type / Steel thickness	DX51 / 0.45 mm
CORROSION RESISTANCE	Protective Layer ZnMg 250 g/sqm + multiface® anti-corrosion protection
Textured finished	Acrylic resin + Volcanic rock (Basalt) + Protective layer
Total maximum thickness	2.1 mm





COLOURS:



Novatik NATURA WOOD captures the natural beauty of a wood shingle roof. Long lasting, easy and quick to install and low maintenance, the modern materials used in its manufacture overcome the disadvantages of a traditional wood roof. Novatik NATURA WOOD is the ideal choice for those who are seeking a roof with a more rustic appeal.

Novatik NATURA WOOD tiles are produced using premium quality steel, protected with ZnMg 250 g/sqm alloy plus additional multiface® anti-corrosion protection on both sides, and covered with natural volcanic stone chips. The multiface® protective layer represents a high-performance treatment applied to steel, with a thickness of 1 to 2 microns, and is an almost invisible (thin organic coating) sealant applied to hot-dip galvanized steel strips (ZnMg). Its remarkable properties give the steel a durable premium sealing, with excellent corrosion resistance and superior adhesion of subsequent finishing layers.


30
 YEARS
 AESTHETIC
 WARRANTY

60
 YEARS
 TECHNICAL
 WARRANTY

TECHNICAL INFORMATION

TOTAL LENGTH	1375 mm
LENGTH OF COVER	1315 mm
WIDTH OF COVER	370 mm
TILES / SQM	2.09 modules/sqm
ROOF PITCH	Min. 16°
WEIGHT / SQM	aprox. 7.16 kg/sqm
BATTEN SPACING	370 mm
Steel type / Steel thickness	DX51 / 0.45 mm
CORROSION RESISTANCE	Protective Layer ZnMg 250 g/sqm + multiface® anti-corrosion protection
Textured finished	Acrylic resin + Volcanic rock (Basalt) + Protective layer
Total maximum thickness	2.1 mm





COLOURS:



With its curved lines and symmetric profile, Novatik NATURA CLASSIC is versatile and timeless. It is the perfect choice for those seeking an elegant roof style that will always be in fashion.

Novatik NATURA CLASSIC tiles are produced using premium quality steel, protected with ZnMg 250 g/sqm alloy plus additional multiface® anti-corrosion protection on both sides, and covered with natural volcanic stone chips. The multiface® protective layer represents a high-performance treatment applied to steel, with a thickness of 1 to 2 microns, and is an almost invisible (thin organic coating) sealant applied to hot-dip galvanized steel strips (ZnMg). Its remarkable properties give the steel a durable premium sealing, with excellent corrosion resistance and superior adhesion of subsequent finishing layers.




TECHNICAL INFORMATION

TOTAL LENGTH	1340 mm
LENGTH OF COVER	1260 mm
WIDTH OF COVER	370 mm
TILES / SQM	2.15 modules/sqm
ROOF PITCH	Min. 12°
WEIGHT / SQM	6.50 kg/sqm
BATTEN SPACING	370 mm
Steel type / Steel thickness	DX51 / 0.45 mm
CORROSION RESISTANCE	Protective Layer ZnMg 250 g/sqm + multiface® anti-corrosion protection
Textured finished	Acrylic resin + Volcanic rock (Basalt) + Protective layer
Total maximum thickness	2.1 mm


ACCESSORIES

Novatik
NATURA


STONE
SLATE
ROMAN
WOOD
CLASSIC




BARREL TRIM




ANGLE TRIM




RECTANGULAR RIDGE




BARREL THREE ELEMENTS




BARREL END




ANGLE TRIM END



ROMAN RIDGE FLASHING



ANTI-CONDENSATION FLASHING




WALL FLASHING




WALL FLASHING SCRIBED RIGHT




WALL FLASHING SCRIBED LEFT




BOX BARGE




BOX BARGE SCRIBED RIGHT




BOX BARGE SCRIBED LEFT



VALLEY



EAVES FLASHING



FLAT SHEET



VENT



SANITARY VENT



NAILS 1.5 KG / BOX




REPAIR KIT



NAIL SEALING TAPE



ROOFING MEMBRANE 115, 140, 160



PERFORATED MESH TO PREVENT THE ENTRY OF BIRDS AND INSECTS

Novatik offers a complete range of roofing accessories. Installing accessories correctly, ensures the roof is weatherproof and properly ventilated, as well as being more visually appealing.

AVAILABLE COLORS

BROWN EARTH



DARK MOON



RED CLAY



SAND



(*DISPONIBIL
PENTRU PROFILUL
ROMAN)

SAND



(*DISPONIBIL
PENTRU PROFILUL
CLASSIC)

TERRA ROSSA



SILVER MOON



ANTIC JAD



GALAXY BLUE



GRAPHITE GREY





BLACK VOLCANO



ANTIC BLACK



STONE SLATE ROMAN WOOD CLASSIC

BROWN EARTH	—				
DARK MOON					
RED CLAY	—	—	—	—	
SAND	—	—		—	—
SAND	—	—	—	—	
TERRA ROSSA	—	—		—	
SILVER MOON	—		—		
ANTIC JAD	—	—	—	—	
GALAXY BLUE	—	—	—	—	
GRAPHITE GREY					
BLACK VOLCANO	—	—	—		—
ANTIC BLACK	—	—	—		—



Novatik®

Manufactured by: NOVATIK SRL
HEAD QUARTERS: 9 Mai street, no. 75,
105 200 Băicoi, Prahova, România
Tel: +40 244 260 140
Fax: +40 244 260 145
office@novatik.ro
novatik.ro