Water Management Solutions



Klargester BioDisc® BA-BC Domestic Sewage Treatment Plant Range

klargester.co.uk





* Dimensions illustrated here are applicable to the BA and BB models only

Choosing the right sewage treatment plant for your home with Klargester

Klargester provides relevant advice and support throughout the wastewater treatment purchasing process based on our in-depth local knowledge and expertise. We offer comprehensive free site visits, professional installation options (optional extra) and expert aftersales care through our national network of accredited installers and engineers.

l'm a homeowner - what do I need to consider before choosing my treatment plant?

The Klargester BioDisc sewage treatment system is available to suit all types of domestic applications, catering for single and multi-house properties. BioDisc is engineered to treat wastewater to a very high standard and offers affordable lifetime costs compared to other treatment processes.

Why BioDisc[®]?

With strict Environment Agency standards, it's more important than ever to choose a sewage treatment plant that delivers peace of mind with reliable treatment of wastewater.

The Klargester BioDisc is built on the back of 70 years' experience and offers the following benefits:

7 YEAR WARRANTY*

Register your guarantee online at kingspan.co.uk/klargesterguarantee to arrange your service and enjoy an extended seven year guarantee period.** ** For BA and BB BioDisc models only, when registered online - terms and conditions apply Visit: https://www.kingspan.com/gb/en-gb/products/wastewater-management/warranty-terms



Our team will guide you through:

- Size of treatment plant required
- Ground conditions around the plant
- Wastewater discharge options
- Invert level options



How it works



Primary settlement tank Wastewater and sewage flows into the primary settlement tank where the large solids are retained for future removal.



First stage biological treatment The liquor and fine solids then flow into the Biological Treatment Zone 1 where the first stage of treatment occurs.



Second stage biological treatment The liquor is then fed forward at a controlled rate into Biological Treatment Zone 2 for further treatment.



Final settlement tank

The clean liquid passes into the final settlement tank where it can be discharged to ground or water course.



featuring alarm* and digital display to signal that your system alarm optional extras).



Ask us about our SmartServ Pro remote lets you know when your system needs Find out more at helpingyou@kingspan.com



Integrated Pump System also only). Our technical team will guide you through the best options for your site.

Book your free site visit from our expert Klargester team at klargester@kingspan.com or visit klargester.co.uk

Technical Specification

| Unit Reference | BA | BAx | BB | BC |
|-----------------------------------|----------------|----------------|----------------|-----------|
| Population Equivalent (Std Flow) | 6 | 9 | 12 | 18 |
| Maximum Daily BOD (kg) | 0.36 | 0.54 | 0.72 | 1.08 |
| Maximum Daily Flow (m3) | 1.2 | 1.8 | 2.4 | 3.6 |
| Ø/Width (mm) | 1995 | 1995 | 1995 | 2450 |
| Length (mm) | - | - | - | - |
| Inlet Invert depth (mm) | 450/750/1250 | 450/750/1251 | 450/750/1250 | 600/1100 |
| Depth Below Inlet Invert (mm) | 1400 | 1400 | 1400 | 1820 |
| Outlet Invert Depth (mm) | 1315 | 1315 | 1315 | 1735 |
| Overall Height (mm) | 2160/2460/2960 | 2160/2460/2960 | 2160/2460/2960 | 2825/3325 |
| Height to Rim of Cover (mm) | 1945/2245/2745 | 1945/2245/2745 | 1945/2245/2745 | 2485/2985 |
| Empty Weight (kg) | 310/325/380 | 310/325/380 | 335/350/405 | 650/750 |
| Standard Power Supply | 1 phase | 1 phase | 1 phase | 1 phase |
| Motor Rating - 1 Phase (Watts) | 50 | 50 | 50 | 75 |
| Full Load Current 1 Phase (amps) | 0.51 | 0.51 | 0.51 | 1,1 |
| Optional Power Supply | 3 phase | 3 phase | 3 phase | 3 phase |
| Motor Rating - 3 Phase (Watts) | N/A | N/A | N/A | 90 |
| Full Load Current 3 Phase (amps) | N/A | N/A | N/A | 0.38 |
| Sludge Return Pump Rating (watts) | 250 | 250 | 250 | 250 |

Invert level options

Three standard drain invert level options are available from stock to match the site topography and where applicable, minimise the excavation depth. The BA, BB and BA-X models are available with an integral pump to move the effluent from the point of treatment, if site level demands.

Environment Agency regulations

you must comply with the General Binding Rules by ensuring your treatment system can help with expert servicing is maintained properly and does and alarm packages – email not cause pollution. These rules helpingyou@kingspan. state that you must arrange

Protect your investment with our Service and Maintenance Plans

We recommend that you service your BioDisc sewage treatment plant **once a year**. Under Environment Agency regulations, it's now your responsibility to ensure could benefit from a tailored smooth running of your plant.

Our in house Service department offer a range of service packages including Gold, Silver and Bronze

4

| Silent operation | Odour Free | Trusted and reliable performance |
|---------------------|------------|----------------------------------|
| | | |

system, via a trusted service provider. Kingspan Service

to cater for all homeowners' needs.

To find out more about how you service package from Kingspan, call us on +44 (0)28 3026 6799 (NI) or 0818 544 500 (ROI) or email helpingyou@kingspan.com

Contact Details

UK

Kingspan Water & Energy Ltd. College Road North Aston Clinton | Aylesbury Buckinghamshire | HP22 5EW

T: +44 (0) 1296 633 033 F: +44 (0) 1296 633 001 E: klargester@kingspan.com www.klargester.co.uk

Kingspan Water & Energy Ltd.

Service Office Details: 180 Gilford Road Portadown | BT63 5LF

 T: NI: +44 (0)28 3836 4600 ROI: 0818 543 500
E: helpingyou@kingspan.com
www.kingspanservice.com

We take every care to ensure that the information in this document is accurate at the point of publication. Specification may vary (within a small parameter) due to manufacturing process variations or environmental conditions. All images are for illustration process only and should not be taken as binding. The actual product

purposes only and should not be taken as binding. The actual product may vary, and specification/dimensions/colour/other attributes may differ.

To ensure you are viewing the most recent and accurate product information, please visit this link:

https://www.kingspan.com/gb/en-gb/products/water-management/domestic-sewage-treatment-plants/klargester-biodisc-domestic-sewage-treatment-plant

®Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group in the UK, Ireland and other

countries. All rights reserved. Registered in Country No.NI017631. Registered Office: 180 Gilford Road, Portadown, Co. Armagh, BT635LF. VAT GB412 5124 03