

# STANDARD GALLERY RAIL SHELL SPECIFICATION



## The system includes:

- Walls
- Electrics
- Carpet
- Ceiling beams
- Fascia and Nameboard

## WALLS

### Full-Height Side Walling:

The shell scheme white wall structure comprises of 2.5m high extruded aluminium posts and beams which enclose 3mm thick white Foamex panels. Each post has an octagonal cross section and measures 40mm in diameter, whilst connecting beams feature a rectangular cross section of 16mm width and 70mm height.

*It is essential that these dimensions are taken into consideration if building an interior to the shell scheme or ordering internal graphics.* Please contact Showlite for any exact dimensions or calculations required for a specific stand.

- *The graphic panel size is 950mm x 2340mm (Width x Height)*
- *Half panel size is 455mm x 2340mm (Width x Height)*

### Half-Height Back Walling:

Please note that walls parallel to the gallery rail will be half-height for good visibility to visitors below. See the visuals on the following pages for further details.

We would like to remind you that exhibitors may not make use of full height pop-ups or graphics on the wall that looks over the gallery to the ground floor as this will restrict visibility. Please note the frame can only take very light-weight items.

- *The half-height graphic panel size is 1940mm x 740mm (Width x Height)*

The panels are non-loadbearing, but lightweight display material may be attached to them. The preferred method of fixing is Velcro or sticky tabs, or by other means that do not damage the panels in any way. **In the event that damage occurs, Showlite may charge the stand holder for the full panel price.**

## ELECTRICS

All shell scheme stands will be equipped with a basic electrical package as follows including test and inspect upon fitting:

Up to 2.9 m <sup>2</sup>	<b>2 x Spotlights on track</b>
3 - 20 m <sup>2</sup>	<b>2 x Spotlights on track &amp; 1 x 500W socket</b>
20.1 – 26m <sup>2</sup>	<b>4 x Spotlights on track &amp; 1 x 500W socket</b>
26.1 – 36m <sup>2</sup>	<b>6 x Spotlights on track &amp; 1 x 500W socket</b>

## FLOORCOVERING

- ◆ Grey carpet will be laid direct to the hall floor.
- ◆ **No platforms are provided with shell scheme stands.** However, if you are ordering services such as water & waste, mains gas or heavy-duty electrics, the Organisers highly recommend laying a platform direct to the hall floor.

**NB:** No refund will be given to any exhibitor who decides to provide their own floor covering to shell scheme stands.

## CEILING

All shell schemes feature a ceiling grid where lighting may be placed. This is once again non weight bearing but lightweight fixtures may be attached to it.

**The distance from the floor the ceiling grid is 2430mm.**

**NB:** Power to sockets is automatically on a **24-hour supply**, but you will need to let Showlite know what you are running off the sockets/ whether your products rely on 24-hour supply.

If you require your socket/s in a specific location, you must send a diagram/ stand plan to Showlite in advance to indicate.

## FASCIA / NAMEBOARD

The SFFF24 Standard Shell Scheme will have a grey clad fascia (174mm deep) and holds the nameboard. A white Nameboard with black lettering will be fitted to each open side and carry the stand number and exhibiting company name. The stand number will also appear on a white upright fin with the section icon as indicated on the visuals on the second page.


The Nameboard will display the name as it appears on your contract; please let the [organisers](#) know if you require a nameboard change by Friday 9 August 2024. Any changes made after the deadline or onsite may incur a charge of £30.00 + VAT from Showlite. It is helpful for visitors if the company name on the stand is the same as the catalogue entry.

## ADDITIONAL INFORMATION


ORGANISER CONTACT	SHELL SCHEME CONTACT	ELECTRICS CONTACT
<b>Montgomery Group</b> T: +44 (0)20 7886 3023 E: <a href="mailto:ops.sfff@montgomerygroup.com">ops.sfff@montgomerygroup.com</a>	<b>Showlite Ltd</b> T: +44(0)12 6436 5550 E: <a href="mailto:exhibitorsales@showlite.co.uk">exhibitorsales@showlite.co.uk</a> <a href="http://www.showlite.co.uk">www.showlite.co.uk</a>	<b>Showlite</b> Jenni Green T: +44 (0)12 6436 5550 E: <a href="mailto:jgreen@showlite.co.uk">jgreen@showlite.co.uk</a> <a href="http://www.showlite.co.uk">www.showlite.co.uk</a>

# SHOWLITE DIMENSIONS

### PANEL DIMENSIONS




### POST CROSS SECTION



### Beam Cross Section



### HALF HEIGHT PANEL DIMENSIONS




# GALLERY RAIL VISUAL: HALF-HEIGHT WALLING

All Gallery Rail stands overlook the railings to the ground floor, walls parallel to the Gallery Rail will be half-height for good visibility to visitors below.

Exhibitors must not obstruct this visibility by placing displays or banners directly in front of the half-height walling. Most importantly, loose items that could fall and harm must not be placed against the gallery railings e.g., shelving with no back piece.



*\*For Visual purposes only – your stand dimensions may be different\**



*Example of a gallery rail stand with a low back wall.*