


COMPACT








A fantastic and efficient swing door operator that suits the majority of situations. The Compact is power packed and full of functions. It can be programmed to achieve many day to day functions; working with rebated doors as a pair, as well as standard configurations, plus more. The Compact is also programmable with a smart phone over Wi-Fi, a feature that is coming to the rest of the range shortly. Working with the latest plug and play technology this operator is the newest to our family of swing door operators.







OPTIONS



COMPACT SB

Has the same functions as the Compact, but includes battery back up without increasing the size of the operator.



COMPACT F

We have adapted the Proswing S operator to have a fire certificate rating of 30/30 and tested in the UK.



COMPACT M

Suitable for entrances that will not require a manual operation. Motor open, motor close (no spring).

FEATURES

- Heavy Duty
- Digi Logic Selector
- Low Energy/Push & Go mode
- Reduced speed and acceleration users with limited and slow reaction capabilities, according to specific regulations and directives
- Optional opening with remote control
- Compatible with different opening, safety and security devices
- Head Switch, ON/OFF & 3 Position Logic
- Easy and intuitive parameter adjustment with double display on control board
- Works with different models of electric lock/ magnet
- PPC covers or continous cover for pair available

BODY FINISH

Satin Anodised Aluminium with grey end caps

DIMENSIONS

Height: 95mm Length: 587mm Depth: 120mm

NUMBER OF DOOR LEAVES

1 Leaf / 2 Leaves

OPENING DIRECTION

In or Out

LEAF DIMENSIONS

700mm - 1400mm

MAX PAYLOAD

250 KGS

WEIGHT

9 KGS

POWER SUPPLY

13 AMP switched fused spur

POWER USAGE

85 Watts

OPENING ANGLE

Up to 110 degrees

ELECTRIC LOCK POWER OUTPUT

12V or 24V

SPRING TENSION

EN4 – EN6

