


high pressure floors.



BERRY  ALLOC

# Collection overview.



# Technical overview.

	/ original core	/ original comfort	/ grand avenue core	/ grand avenue comfort	/ grand avenue exclusive	/ grand majestic exclusive
<b>Plank length</b>	<b>1207 mm</b>		<b>2410 mm</b>			<b>2410 mm</b>
<b>Plank width</b>	198 mm		241 mm			303 mm
<b>Plank thickness</b>	9 mm	11 mm	10,3 mm	12,3 mm		12,3 mm
<b>Bevels</b>	0 - 2 - 20x40	0 - 2 - 4 - 20x40 shipdeck	4	4	4 pressed	4 pressed
<b>SilentSystem</b>		•		•	•	•
<b>Usage class EN10874</b>	34 - AC 6					
<b>Residential Warranty</b>	Lifetime					
<b>Commercial Warranty</b>	10 years					
<b>Lock system</b>	HighTec		AluLoc Prime			AluLoc Prime
<b>Water resistance</b>	•					
<b>Floor heating compatibility</b>	•					
<b>Abrasion resistance EN13329</b>	AC6					
<b>Impact resistance small ball EN 13329</b>	> 20 N					
<b>Impact resistance big ball EN 13329</b>	> 1600 mm					
<b>Thickness swelling ISO24336</b>	> 8 %					
<b>Fire resistance EN13501-1</b>	Bfl-S1					
<b>Formaldehyde EN717-1</b>	E1: < 0,03					
<b>Slipperiness EN13893</b>	≥ 0,50 (DS)					
<b>Density EN323</b>	NA					
<b>Resistance to staining EN438</b>	rating 5					
<b>Effect of a furniture leg EN16581</b>	No visible damage when tested with foot type 0					
<b>Effect of a castor chair EN425</b>	No damage or visible change in appearance at 25.000 rev. with hard wheels (type H)					
<b>Thermal resistance in combination with Silent System</b>	0,12 m <sup>2</sup> K/W		0,13 m <sup>2</sup> K/W			0,13 m <sup>2</sup> K/W
<b>CE mark</b>	•		•			•
<b>UKCA mark</b>	•		•			•
<b>PEFC*</b>	•		•			•
<b>French VOC emission regulation</b>	A class		A class			A class
<b>Planks/pack</b>	Core:9 Comfort: 8		4			3
<b>m<sup>2</sup>/pack</b>	Core: 2,15 m <sup>2</sup> Comfort: 1,9119 m <sup>2</sup>		2,32322			2,1907
<b>Weight/pack kg**</b>	Core: 17,5 Comfort:16,7		Core: 22,1 Comfort: 23,8			22,3
<b>Packs/pallet</b>	36		39			42
<b>m<sup>2</sup>/pallet</b>	Core: 77,43 m <sup>2</sup> Comfort: 68,83 m <sup>2</sup>		90,61			92,01
<b>Weight/pallet kg**</b>	Core: 650 kg Comfort: 622 kg		Core: 898,6 Comfort: 959			977



(\*) All our wood is sourced from sustainably managed forests (PEFC Certified) that meet the strictest environmental, social, and economic requirements.

(\*\*) The numbers shown in this overview may still be subject to change.

**Features fit for any project:**

**core:** without SilentSystem attached to the plank, available with standard 0, 2 or 4 bevels.

**comfort:** with SilentSystem attached to the plank, available with standard 0, 2 or 4 bevels.

**exclusive:** exclusive decors, with SilentSystem attached to the plank, 4 high-end pressed bevels, only available in the Grand Majestic collection and a selection of decors in the Grand Avenue collection.

Structure	
WS	Wood structure
WSOT	Wood structure oiled touch
OT	Oiled touch
BR	Brushed
LGC	Low gloss concrete
WG	Wood grain
RWG	Rustic wood grain

Harmony Lab	
Colour character	
● yellow	
● purple	
● red	
● green	
● orange	
● blue	

**Plank length**  
**Plank width**  
**Plank thickness**  
**Usage class**  
**SilentSystem**

1207 mm	
198 mm	
9 mm	11 mm
class 34 - AC 6	
	•
/ original core	/ original comfort

**Plank length**  
**Plank width**  
**Plank thickness**  
**Usage class**  
**SilentSystem**

2410 mm		
241 mm		
10,3 mm	12,3 mm	
class 34 - AC 6		
	•	•
/ grand avenue core	/ grand avenue comfort	/ grand avenue exclusive

**/ original.**

Decor	Structure	Bevels
Bergen Oak Shipdeck 2 strip	WSOT	shipdeck
Bianco Oak 3 strip	RWG	0
Blackstone 20x40	LGC	tiles 20x40
Bond Oak	WSOT	2
Botticini Terrazzo	LGC	0
Butterscotch Oak	WSOT	2
Champs Elysees	WSOT	2
Copenhagen Oak	WSOT	2
Dune Oak	WSOT	2
Elegant Natural Oak	WSOT	2
Harmony	WS	0
Hasta La Vista	BR	0
Ibiza Oak	RWG	2
Kjerag	LGC	0
Klint Oak 3 strip	RWG	0
KuDamm	WSOT	2
Light Oak Shipdeck	WSOT	shipdeck
Magnificent Mile	WSOT	2
Marbella Oak	RWG	2
Midland Oak	RWG	4
Natural Oak 2 strip	WSOT	0
Normannia Oak	RWG	4
Oiled Teak Shipdeck 2 strip	OT	shipdeck
Rodeo Drive	WSOT	2
Santorini Oak	RWG	2
Smoked Oak 2 strip	WSOT	0
Sunset Boulevard	WSOT	4
White Oak 2 strip	OT	0
White Oiled Ash 3 strip	OT	0
York Oak	RWG	4
White Oiled Oak Shipdeck 2 strip	WSOT	shipdeck

	62002845
62002844	62002847
62002837	62002130
	62001380
	62002855
62002838	62002122
62002840	62002738
	62002005
	62002121
62002836	62001238
	62002856
62002842	62001404
	62002848
	62002854
62002843	62002846
62002839	62001358
	62001356
	62001361
	62002849
	62002852
62002742	62001391
	62002853
	62001393
62002841	62002737
	62002850
	62001390
	62001354
	62001384
	62001394
	62002851
	62001396

**/ grand avenue.**

Decor	Structure	Bevels
Balder Oak	WG	4 pressed
Broadway	WSOT	4
Champs Elysees	WSOT	4
Champs Elysees PRO	WS	4
Danish Pine	RWG	4 pressed
Eldar Oak	WG	4 pressed
Embla Oak	RWG	4 pressed
Fifth Avenue	RWG	4 pressed
Forest Pine	RWG	4 pressed
Freya Oak	RWG	4 pressed
Golden Lane	RWG	4 pressed
Ibiza Oak	RWG	4 pressed
Idunn Oak	RWG	4 pressed
KuDamm	WSOT	4
La Rambla	WSOT	4
Loki Oak	WG	4 pressed
Magnificent Mile	WSOT	4
Marbella Oak	RWG	4 pressed
Odin Oak	WG	4 pressed
Panderosa Pine	RWG	4 pressed
Park Avenue	RWG	4 pressed
Regent Street	RWG	4 pressed
Rodeo Drive	WSOT	4
Saga Oak	RWG	4 pressed
Santorini Oak	RWG	4 pressed
Sunset Boulevard	WSOT	4
Ventura Boulevard	WSOT	4
Via Giulia	WG	4 pressed
Via Monte	WSOT	4
Via Roma	WG	4 pressed


		62002815
62002862	62002588	
62002694	62002559	
62002861	62002593	
		62002806
		62002813
		62002819
		62002820
		62002807
		62002818
		62002823
		62002809
		62002816
62002696	62002579	
62002860	62002592	
		62002812
62002858	62002595	
		62002810
		62002814
		62002808
		62002822
		62002821
62002695	62002560	
		62002817
		62002811
62002857	62002587	
62002859	62002605	
		62002824
62002697	62002601	
		62002825



**Pick your accessories.**



**60 mm matching skirting**  
Seamlessly bridge the gap between the wall and your floor.  
Installation: nail, glue, or clips.  
2400 x 12 x 60 mm (L x W x H)  
2400 x 14 x 60 mm (L x W x H)



**matching t-profile**  
Matching transition profile between two floors of the same height.  
Adjustable to heights of 9 – 13 mm.  
2400 x 44 mm (L x W)

Find the full accessories overview on our website: [www.berryalloc.com](http://www.berryalloc.com)

**Plank length**  
**Plank width**  
**Plank thickness**  
**Usage class**  
**SilentSystem**

2410 mm
303 mm
12,3 mm
34 - AC 6
•
/ grand majestic exclusive

**/ grand majestic.**

Decor	Structure	Bevels
Danish Pine	RWG	4 pressed
Etna Brown	RWG	4 pressed
Etna Light Brown	RWG	4 pressed
Forest Pine	RWG	4 pressed
Ibiza Oak	RWG	4 pressed
Katla Arctic	RWG	4 pressed
Katla Natural Honey	RWG	4 pressed
Katla Natural	RWG	4 pressed
Katla Nordic	RWG	4 pressed
Santorini Oak	RWG	4 pressed

62002826
62002831
62002830
62002827
62002828
62002835
62002833
62002832
62002834
62002829



**BERRY**  **ALLOC**

**Alloc AS**  
Fiboveien 26  
4580 Lyngdal, Norway  
T 38 34 22 00  
info@berryalloc.com

**berryalloc.com**