



KARTSANA

Life-moving innovation

SILVER+

Effortless transport, safety on every route



SILVER+

Patient comfort and ease of use

KARTSANA's **SILVER+ TG-1200 Electric Stretcher** redefines the standard in non-emergency patient transport, providing a comfortable and safe transfer for those with reduced mobility.

Designed with enhanced load capacity, advanced stability, and an intuitive function keypad, **SILVER+** prioritizes patient comfort and **ease of use** for Healthcare Technicians.



TG-1200

CERTIFIED
10G

Its manual release and 10G certification ensure **confidence and safety** in any situation, establishing **SILVER+** as the superior choice in healthcare and efficient patient transport.



R-1200
Compatible with R-1100.



COMFORTABLE

Comfort in patient transport



Increased stability

SILVER+'s improved stability provides a smoother and safer transfer.



Assisted head and leg support

Shock-assisted head and leg support for patient comfort.



4 robust rotating and lockable wheels

Allow for smooth mobility and swiveling.



ADAPTABLE

Maneuverability and ease of use



Electric stretcher

Easy to use for the Healthcare Technician, allowing the patient to be transfer without any effort.



Improved keyboard

Redesigned keypad functions to offer a more practical and safer control of the stretcher.



Folding handrails

Folding handrails for easier patient transfer of patients.



SAFE

Confidence and safety



Load capacity of 250 Kg.

Maximum load capacity, allowing the safe transfer of patients with different medical and physical needs.



Unlocking pedal

Maximum control by the Healthcare Technician.



Manual release

Ensures that patients are not compromised in the event of motor failure.



Easy loading

Sliding to the outside of the ambulance for easy loading of the stretcher on the rail horizontally.



Lighter


Lighter rail design for easier handling when loading.



3 solid anchorage points


Providing greater safety in the ambulance transfer.

DIMENSIONS AND WEIGHT



TG-1200

H Max. height (mm)	1135
HC Max. adjustable height (mm)	786
H2 Min. height (mm)	350
L Length (mm)	1955
W Width (mm)	566
Load capacity (Kg)	230
Weight (Kg)	73



R-1200

H Height (mm)	208
L Length closed (mm)	1996
L2 Length open (mm)	2090
W Width (mm)	606
A2 Height rail + stretcher (mm)	510
Weight (Kg)	66,5

