4SYS
FORCES FOOTWEAR
2022
COLLECTION



THE ULTIMATE FORCES FOOTWEAR

BEST OF THE BEST

4SYS Footwear has been designed to withstand the toughest conditions. Made by experts in footwear for experts in the field.

4SYS

FORCES FOOTWEAR

ELITE
COLLECTION

2022
COLLECTION

SRT 6.0

WATERPROOF

> Colour: Black
> Product Code: 4S000002-021-001
> Available Sizes: EU39-47/ US7-14/ UK6-13
> Weight: 1080 g/pair in size US9
> Upper Height: 175 mm in size US9

WATERPROOF | BLOOD-BORNE PATHOGEN | LEATHER UPPER | SLIP RESISTANT | BREATHABLE MATERIAL | DIRECT ATTACHED MIDSOLE | SHOCK ABSORPTION | EUROPEAN MADE

TIGER 8.0

SIDE ZIP

> Colour: Black
> Product Code: 4S000001-021-001
> Available Sizes: EU39-47/ US7-14/ UK6-13
> Weight: 1370 g/pair in size US9
> Upper Height: 215 mm in size US9

YKK side zipper for easy access

YKK SIDE ZIPPER

SHOCK ABSORPTION

BREATHABLE MATERIAL

SLIP RESISTANT

EUROPEAN MADE

TIGER 8.0

SIDE ZIP

> Colour: Desert
> Product Code: 4S000001-041-013
> Available Sizes: EU39-47/ US7-14/ UK6-13
> Weight: 1370 g/pair in size US9
> Upper Height: 215 mm in size US9

YKK SIDE ZIPPER

SHOCK ABSORPTION

BREATHABLE MATERIAL

SLIP RESISTANT

EUROPEAN MADE

FAST ATTACK

LOW

> Colour: Black
> Product Code: 4S000003-021-001
> Available Sizes: EU39-47/ US7-14/ UK6-13
> Weight: 740 g/pair in size US9
> Upper Height: 90 mm in size US9

DIRECT ATTACHED MIDSOLE

SHOCK ABSORPTION

BREATHABLE MATERIAL

SLIP RESISTANT

EUROPEAN MADE



LEOPARD 8.0

WATERPROOF

> Colour: Black
> Product Code: 4S000000-021-001
> Available Sizes: EU39-47/ US7-14/ UK6-13
> Weight: 1740 g/pair in size US9
> Upper Height: 215 mm in size US9

WATERPROOF | BLOOD-BORNE PATHOGEN | LEATHER UPPER | SLIP RESISTANT | BREATHABLE MATERIAL | SHOCK ABSORPTION | EUROPEAN MADE

4SYS

FORCES FOOTWEAR

PRO
COLLECTION

2022
COLLECTION

PROTECTOR MET

PUBLIC ORDER BOOT

> Product Code: 4S000005-021-001
> Available Sizes: EU41-48/ US8-15/ UK7-14
> Height: 205 mm in size US9 / Weight: 1850 g/pair in size US9
> Product Certification: BS7971-5:2016 IM /EN ISO 20345: 2011 S3 HI CI WR AN HRO CR SRC (with Integral Metatarsal Protection)
> Extra Features: Structural Seams Strength,Chemical Resistant Upper, Radiant Heat Resistant Upper, Additional Ergonomics, Burning Behaviour

WATERPROOF
PUNCTURE RESISTANT
HRO CERTIFIED
SLIP & OIL RESISTANT
CI
COLD INSULATION
CUT RESISTANT UPPER
COMPOSITE TOE + PLATE
ANTI-STATIC
ANKLE PROTECTION
HI
HEAT INSULATION



PROTECTOR MET

PUBLIC ORDER BOOT WOMENS

> Product Code: 4S000006-021-001
> Available Sizes: EU37-42/ US6-10/ UK4-8
> Height: 195 mm in size W's US7 / Weight: 1500 g/pair in size W's US7
> Product Certification: BS7971-5:2016 IM /EN ISO 20345: 2011 S3 HI CI WR AN HRO CR SRC (with Integral Metatarsal Protection)
> Extra Features: Structural Seams Strength,Chemical Resistant Upper, Radiant Heat Resistant Upper, Additional Ergonomics, Burning Behaviour

WATERPROOF
PUNCTURE RESISTANT
HRO CERTIFIED
SLIP & OIL RESISTANT
COLD INSULATION
CUT RESISTANT UPPER
COMPOSITE TOE + PLATE
ANTI-STATIC
ANKLE PROTECTION
HEAT INSULATION



RADIAL 8.0

LEATHER WATERPROOF

> Colour: Black
> Product Code: 4S000010-021-001
> Available Sizes: EU37-49/ US5-16/ UK4-15
> Weight: 1250 g/pair in size US9
> Upper Height: 190 mm in size US9
> Product Certification: EN ISO 20347:2012 O2 HRO HI CI AN WR SRC

WATERPROOF
BLOOD-BORNE PATHOGEN
LEATHER UPPER
SLIP & OIL RESISTANT
CI
COLD INSULATION
ADJUSTABLE FIT TECHNOLOGY
ANKLE PROTECTION
DIRECT ATTACHED MIDSOLE
ANTI-STATIC
SCANNER SAFE
HI
HEAT INSULATION
SRC
SRC CERTIFIED



RADIAL 8.0

SIDE ZIP WATERPROOF

> Colour: Black
> Product Code: 4S000009-021-001
> Available Sizes: EU37-49/ US5-16/ UK4-15
> Weight: 1250 g/pair in size US9
> Upper Height: 190 mm in size US9
> Product Certification: EN ISO 20347:2012 O2 HRO HI CI AN WR SRC UKCA CE

WATERPROOF
BLOOD-BORNE PATHOGEN
YKK SIDE ZIPPER
SLIP & OIL RESISTANT
COLD INSULATION
ADJUSTABLE FIT TECHNOLOGY
ANKLE PROTECTION
DIRECT ATTACHED MIDSOLE
ANTI-STATIC
SCANNER SAFE
HEAT INSULATION
SRC CERTIFIED



RADIAL 6.0

LEATHER COMPOSITE TOE COMPOSITE PLATE SIDE ZIP WATERPROOF

> Colour: Black
> Product Code: 4S000008-021-001
> Available Sizes: EU37-49/ US5-16/ UK4-15
> Weight: 1400 g/pair in size US9
> Upper Height: 150 mm in size US9
> Product Certification: EN ISO 20345:2011 S3 CI HI HRO AN WR SRC

YKK side zipper for easy access

Padded collar and tongue for comfort

Durable full grain waterproof leather

Sympatex 100% waterproof and breathable membrane with blood-borne pathogen protection, keeps feet warm and dry

sympatex®

Scanner safe, non-metallic hardware

Integrated ankle protection

PU high density direct attached midsole for long lasting support

Lightweight composite toecap and anti-penetration plate

Removable high rebound PU insole and additional open cell 4mm PU insole, allows you to find your optimal fit

4SYS AFT

WATERPROOF
PUNCTURE RESISTANT
LEATHER UPPER
SLIP & OIL RESISTANT
ADJUSTABLE FIT TECHNOLOGY
SRC CERTIFIED
BLOOD-BORNE PATHOGEN
COMPOSITE TOE + PLATE
SHOCK ABSORPTION
ANTI-STATIC
ANKLE PROTECTION
SCANNER SAFE



RADIAL 6.0

WATERPROOF

> Colour: Black
> Product Code: 4S000007-021-001
> Available Sizes: EU37-49/ US5-16/ UK4-15
> Weight: 1150 g/pair in size US9
> Upper Height: 150 mm in size US9
> Product Certification: EN ISO 20347:2012 O2 HRO HI CI AN WR SRC UKCA CE

WATERPROOF
BLOOD-BORNE PATHOGEN
SHOCK ABSORPTION
SLIP & OIL RESISTANT
CI
COLD INSULATION
ADJUSTABLE FIT TECHNOLOGY
ANKLE PROTECTION
DIRECT ATTACHED MIDSOLE
ANTI-STATIC
SCANNER SAFE
HI
HEAT INSULATION
SRC
SRC CERTIFIED





4SYS

FORCES FOOTWEAR

ESSENTIAL
COLLECTION

2022
COLLECTION

URBAN FLEX 8.0

SIDE ZIP

> Colour: Black
> Product Code: 4S000011-021-001
> Available Sizes: EU36-48/ US4-13/ UK3-13
> Weight: 1200 g/pair in size US9
> Upper Height: 200 mm in size US9

YKK SIDE ZIPPER

BREATHABLE MATERIAL

SHOCK ABSORPTION

SLIP & OIL RESISTANT

DIRECT ATTACHED MIDSOLE

EUROPEAN MADE

URBAN FLEX 8.0

SIDE ZIP

> Colour: Desert Tan
> Product Code: 4S000011-041-013
> Available Sizes: EU36-48/ US4-13/ UK3-13
> Weight: 1200 g/pair in size US9
> Upper Height: 200 mm in size US9



YKK SIDE ZIPPER

BREATHABLE MATERIAL

SHOCK ABSORPTION

SLIP & OIL RESISTANT

DIRECT ATTACHED MIDSOLE

EUROPEAN MADE



URBAN FLEX 6.0

SIDE ZIP

> Colour: Black
> Product Code: 4S000015-021-001
> Available Sizes: EU36-48/ US4-13/ UK3-13
> Weight: 1100 g/pair in size US9
> Upper Height: 160 mm in size US9

BREATHABLE MATERIAL | SHOCK ABSORPTION | SLIP & OIL RESISTANT | DIRECT ATTACHED MIDSOLE | EUROPEAN MADE

STRYKER 7.0

> Colour: Black
> Product Code: 4S000012-021-001
> Available Sizes: EU36-48/ US4-13/ UK3-13
> Weight: 1100 g/pair in size US9
> Upper Height: 175 mm in size US9

BREATHABLE MATERIAL | SHOCK ABSORPTION | SLIP & OIL RESISTANT | DIRECT ATTACHED MIDSOLE | EUROPEAN MADE

STRYKER 7.0

> Colour: Desert Tan
> Product Code: 4S000012-041-013
> Available Sizes: EU36-48/ US4-13/ UK3-13
> Weight: 1100 g/pair in size US9
> Upper Height: 175 mm in size US9

BREATHABLE MATERIAL
SHOCK ABSORPTION
SLIP & OIL RESISTANT
DIRECT ATTACHED MIDSOLE
EUROPEAN MADE



TECHNOLOGIES





sympatex®

100% waterproof and windproof membrane. The highly elastic, hard-wearing, pore-less membrane has dynamic climate control and is optimally breathable. Sympatex membranes are 100% recyclable, PTFE-, PFAS-, and PFC- free, and use perfectly safe polyether/ester. Bluesign® approved and Oeko-Tec Standard 100 certified.

Ortholite®

comfort foam insoles

OrthoLite footbeds offer long term cushioning, moisture wicking and breathability, keeping feet dry and cool. Featuring odor control treatment by Aegis. Removeable and washable for extra care. Made of 15% recycled rubber.

Vibram®

Vibram high performance rubber outsoles have been developed as all terrain outsoles. The hardness of the rubber compound will endure various environments. The outsole compound and design ensures maximum grip and slip-resistance applying to global testing standards. Vibram is the world leader in high performance rubber soles, combining quality, innovation and the best components for their specific use.

SOLES BY MICHELIN

Inspired by Michelin's technical expertise in tires, Michelin outsoles are designed for maximum grip. High-Traction, slip and oil resistant outsoles made with 20% recycled material.

4SYS AFT

The adjustable fit technology comes with two footbeds, which allows you to create your perfect fit.

CERTIFICATION **STANDARDS**

4SYS not only reaches but exceeds many safety specifications and requirements PPE - Personal Protective Equipment. We are experts in all areas of product testing to reassure our position as an active leader in the market place. We promise to be a trusted partner in delivering essential equipment.

EUROPEAN FOOTWEAR STANDARDS

SAFETY FOOTWEAR - EN ISO 20345 (SB). Toe protection tested with 200 J impact and 15 kN compression force.
OCCUPATIONAL FOOTWEAR - EN ISO 20347 (OB). No toe protection against mechanical hazards provided.

CATEGORIES

S1 Footwear made from leather and other materials + closed seat region + SB + A + E + FO
S2 S1 + WRU
S3 S2 + P + cleated outsoles

UPPER CERTIFICATION TERMS

AN Ankle protection
WRU Water resistant upper leather
WR Water resistant footwear
FO Fuel and Oil-resistant outsole
E Energy absorption of the seat region shall be no less than 20 Joules

ANTI-STATIC

A Electrical resistance between foot and ground of between 0.1 and 1000 Mega Ohms

SLIP RESISTANCE

SRA Slip resistance on ceramic tile floor with NaLS
SRB Slip resistance on steel floor with glycerol
SRC Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerol

OUTSOLE CERTIFICATION TERMS

CI Insulation against cold
HI Insulation against heat
HRO Heat resistant outsole compound tested at 300 °C

PENETRATION RESISTANCE

P Penetration resistance outsole penetration force at least 1100 Newton

UKCA FOOTWEAR STANDARDS

UKCA stands for ‘United Kingdom Conformity Assessed’. It is the UK’s version of the European CE mark and is to be used for those products placed on the UK market that were previously covered by the CE mark. This includes EU PPE legislation written into law following the departure from the EU. UKCA certification entered UK legislation on 1st January 2021. It officially starts from the last day of December 2022, after that, only UKCA-marked products can be placed on the UK market.

BS7971-5:2016

Protective clothing and equipment for use in violent situations and in training footwear.

IM Integral metatarsal protectors shall meet the transmitted force requirements specified in Blunt trauma protector standard with impact energy of 15 J

INTERNATIONAL BRANDS GROUP

Amsterdamsestraatweg 15, 1411 AW Naarden, The Netherlands

Email: business@internationalbg.com Tel: +31-(0)20-2259-080

2022 4SYS® and the 4SYS® logo are registered trademarks
of AMG International, part of International Brands Group BV