



Panasonic DOCKING STATIONS

FOR YOUR TOUHPAD, TOUHPBOOK, AND HANDHELD TABLET

RUGGED. RELIABLE. RESPONSIVE.™





TOUGHBOOK® N1

ITEM NUMBERS:

7160-0901-00 Cradle, No Electronics
7160-0900-00 Cradle, Powered

- Access to port and computer buttons when docked
- AMPs, NEC, and keyhole slot mounting patterns
- Power-in port with cable restraint
- Accommodates magnetic card reader, hand strap, and extended battery
- Push button lock with key
- Front bracket and side channels for docking
- Powered charging option
- 3-Year Limited Warranty

CERTIFICATES & TESTING:

Panasonic Toughbook Certified, MIL-STD 810G Shock/Vibration, SAE J1455 Crash Test, RoHS, FCC, CE, E-Mark, Cycle Tested - Lock & Docking Mechanism
*See website for more certifications on each docking station



TOUGHBOOK® G1 SLIM

ITEM NUMBERS:

7160-0595-00 Dock, No RF
7160-0595-02 Dock, Dual RF
7160-0759-00 Cradle, No Electronics
7160-0595-20 Dock, Lite Port, No RF
7160-0595-22 Dock, Lite Port, Dual RF
7170-0969-00 KIT, Lite Port, No RF, LIND Auto Power Adapter
7170-0969-02 KIT, Lite Port, Dual RF, LIND Auto Power Adapter
7170-0931-00 KIT, Dock No RF, LIND Auto Power Adapter
7170-0931-02 KIT, Dock Dual RF, LIND Auto Power Adapter

- Compatible with the Panasonic Toughpad FZ-G1 tablet computer with small bumper guards
- Panasonic certified electronics
- Docking Station is designed to perfectly fit the G1 tablet without extra accessories, thus preserving existing cabin space
- Access to all tablet control buttons and ports while tablet is docked
- Easy to use one-handed docking and release
- Upward-facing I/O ports; integrated cable strain relief and cable management system
- Keyed lock for theft deterrence
- VESA 75mm mounting pattern
- Rounded edges to enhance personal safety
- Gamber-Johnson rugged construction and reliability
- Composite design for reduced weight and durability
- 3-Year Limited Warranty



TOUGHBOOK® G2

ITEM NUMBERS:

7160-0490-00 Cradle, No Electronics
VESA 75mm
7160-0487-00 Dock, No RF, VESA 75mm
7160-0487-02 Dock, Dual RF, VESA 75mm
7160-0487-20 Dock, Lite Port, No RF, VESA 75mm
7160-0487-22 Dock, Lite Port, Dual RF, VESA 75mm
7170-0930-00 KIT, No RF, VESA 75mm, LIND Auto Power Adapter
7170-0930-02 KIT, Dual RF, VESA 75mm, LIND Auto Power Adapter
7170-0968-00 KIT, Lite Port, No RF, VESA 75mm, LIND Auto Power Adapter
7160-0489-00 Cradle, No Electronics, GJ Hole Pattern
7160-0486-00 Dock, No RF, GJ Hole Pattern
7160-0486-02 Dock, Dual RF, GJ Hole Pattern

- Accommodates extended battery, smart card reader, rear hand strap and bumper guards
- Alignment tabs prevent damage to the docking connector when docking the computer
- Docking station can be mounted either vertically or horizontally
- Top-facing I/O ports: HDMI, VGA, Ethernet, USB 3.0 (2), Serial, power supply input
- No RF and Dual RF options
- VESA 75mm mounting patterns
- 3-Year Limited Warranty



TOUGHBOOK® L1/S1

ITEM NUMBERS:

7160-1314-04 Cradle, No Electronics
Thick Model
7160-1314-00 Dock, No RF, Thick Model
7160-1314-02 Dock, Dual RF, Thick Model
7160-1314-14 Cradle, No Electronics, Thin Model
7160-1314-10 Dock, No RF, Thin Model
7160-1314-12 Dock, Dual RF, Thin Model

- Accommodates the rotating hand strap, large battery, and bar code reader (thick model only)
- Easy to use one-handed operation for docking and release
- Access to all tablet control buttons and ports while tablet is docked
- Optional keyed lock for theft deterrence
- Rear-facing I/O ports; (1) USB 2.0
- Integrated cable restraint and cable management system
- VESA 75mm and AMPs mounting patterns
- 3-Year Limited Warranty



RUGGED. RELIABLE. RESPONSIVE.



TOUGHPAD® FZ-M1

ITEM NUMBERS:

7160-0543-00 Cradle, No Electronics
7160-0531-03 Dock, No RF, Full Port Replication
7160-0531-04 Dock, Dual RF, Full Port Replication
7160-0531-00 Dock, No RF, Lite Port Replication
7160-0531-02 Dock, Dual RF, Lite Port Replication

- Accommodates mag strip reader or handstrap
- Downward-facing I/O ports: HDMI, VGA, Ethernet, USB 3.0 (2), Serial, power supply input
- Lite port replication without HDMI and VGA
- Cable strain relief, cable management system
- No RF and dual RF options
- Push and Turn lock with key for theft deterrence
- VESA 75mm or Gamber-Johnson mounting patterns
- 3-Year Limited Warranty

CERTIFICATES & TESTING:

Panasonic Toughbook Certified, MIL-STD 810G Shock/Vibration, SAE J1455 Crash Test, RoHS, FCC, CE, E-Mark, Cycle Tested - Lock & Docking Mechanism
*See website for more certifications on each docking station



TOUGHBOOK® 33

ITEM NUMBERS:

7160-0909-00 Dock, No RF
7160-0909-02 Dock, Dual RF
7160-0909-06 Dock, Lite Port, No RF
7160-0909-07 Dock, Lite Port, Dual RF
7170-0972-00 KIT, Lite Port, No RF, LIND Auto Power Adapter
7170-0972-02 KIT, Lite Port, Dual RF, LIND Auto Power Adapter
7160-0910-00 Cradle, No Electronics
7170-0683-00 KIT: Dock, No RF, LIND Power Adapter
7170-0683-02 KIT: Dock Dual RF, LIND Power Adapter

- Compatible only with the Panasonic Toughbook 33 with premium keyboard option
- Special docking connector pin protection – surrounds each docking pin, helps to prevent accidental pin damage
- Floating docking connector with alignment tabs – perfectly align the computer with the docking station for a reliable docking connection
- Rear-facing I/O ports: HDMI, VGA, Ethernet(2), USB 3.0 (2), USB 2.0 (2), Serial, antenna switch, power supply input
- Two front-facing USB ports
- Cable restraint system
- Keyed lock for theft deterrence. When engaged, neither the tablet nor the laptop can be removed from the docking station
- Internal Panasonic circuit board for device compatibility
- No RF or Dual RF option
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



TOUGHBOOK® 33

ITEM NUMBERS:

7160-0908-00 Cradle, No Electronics
7160-0907-00 Dock, No RF, Full Port Replication
7160-0907-02 Dock, Dual RF, Full Port Replication
7160-0907-06 Dock, No RF, Lite Port Replication
7160-0907-07 Dock, Dual RF, Lite Port Replication
7170-0684-00 KIT: Dock, No RF, Full Port Replication, LIND Power Adapter
7170-0684-02 KIT: Dock, Dual RF, Full Port Replication, LIND Power Adapter
7170-0685-00 KIT: Dock, No RF, Lite Port Replication, LIND Power Adapter
7170-0685-02 KIT: Dock, Dual RF, Lite Port Replication, LIND Power Adapter

- Accommodates either the tablet's hand strap or an additional battery pack
- Floating docking connector for reliable docking connection
- Bottom-facing I/O ports: HDMI, VGA, Ethernet(2), USB 2.0 (4) 2 front-facing, USB 3.0 (2), Serial, antenna switch, power supply input
- Lite port replication without HDMI and VGA
- No RF or Dual RF options
- Keyed lock for theft deterrence
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



TRIMLINE™ TOUGHBOOK® 33

ITEM NUMBERS:

7300-0195-00 Cradle, No Electronics
7300-0196-20 Dock, No RF, Full Port Replication
7300-0196-22 Dock, Dual RF, Full Port Replication
7300-0196-00 Dock, No RF, Lite Port Replication
7300-0196-02 Dock, Dual RF, Lite Port Replication

- Space saving and ergonomic design improves safety and comfort
- CNC machined aluminum construction for rugged reliability
- Easy, one handed operation
- Top mounted USB ports for compatibility with "Clamshell" mounts
- Compatible with Panasonic Toughbook 33 tablets without external accessories
- VESA 75mm hole pattern
- Internal Panasonic circuit board for device compatibility
- Floating, protected docking connector for reliable docking connection
- Flex lock (keyed alike) feature for theft deterrence
- Optional cradle version (no ports) available
- Available with power indicator light when purchased as kit with PSU
- Limited Lifetime Warranty on structural components, 3-Year Limited Warranty on electronics



Contact your Sales Representative for more information on how to build your ideal mounting solution >



TOUGHBOOK® 20

ITEM NUMBERS:

7160-1265-11 Cradle, No Electronics
 7160-1265-00 Dock, No RF
 7160-1265-02 Dock, Dual RF
 7160-1265-20 Dock, Lite Port, No RF
 7160-1265-22 Dock, Lite Port, Dual RF
 7170-0681-00 KIT: Dock, No RF, LIND Power Adapter
 7160-0681-02 KIT: Dock, Dual RF, LIND Power Adapter
 7170-0970-00 KIT, Lite Port, No RF, LIND Auto Power Adapter
 7170-0972-02 KIT, Lite Port, Dual RF, LIND Auto Power Adapter

- Spring-loaded cover protects docking connector when computer is not docked. Retracts automatically during docking.
- Spring-loaded docking connectors ensure your computer stays connected even in the toughest terrain
- Position in either laptop or tablet orientation
- Rear-facing I/O ports, HDMI, VGA, Ethernet, USB 3.0 (2), Serial, antenna switch, power supply input
- Integrated cable strain relief and management system
- Dual RF option
- Keyed lock for theft deterrence
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



TOUGHBOOK® A3

ITEM NUMBERS:

7160-1417-00 Cradle, No Electronics
 7160-1416-00 Dock, No RF
 7160-1416-02 Dock, Dual RF
 7170-0833-00 KIT, Cradle with LIND Auto Power Adapter
 7160-0832-00 KIT, Dock, No RF with LIND Auto Power Adapter

- Compatible with the Panasonic Toughbook A3 tablet computer
- Panasonic Certified electronics
- Accommodates the A3 tablet hand strap with the extended battery
- Easy to use one-handed operation for docking and release
- Access to all tablet control buttons and ports while tablet is docked
- Downward-facing I/O ports; integrated cable strain relief and cable management system
- NO RF or Dual RF options, also kits including power adapters
- Keyed lock for theft deterrence
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



TOUGHBOOK® 54/55

ITEM NUMBERS:

7160-0578-00 Cradle, No Electronics
 7160-0577-00 Dock, No RF
 7160-0577-02 Dock, Dual RF
 7160-0577-20 Dock, Lite Port, No RF
 7160-0577-22 Dock, Lite Port, Dual RF
 7170-0251 KIT: Dock, Dual RF, LIND Power Adapter
 7170-0250 KIT: Dock, No RF, LIND Power Adapter
 7170-0971-00 KIT, Lite Port, No RF, LIND Auto Power Adapter
 7170-0971-02 KIT, Lite Port, Dual RF, LIND Auto Power Adapter

- Spring-loaded docking connector to ensure connectivity in the roughest terrain
- Front safety bracket and rear corners ensure proper alignment and docking connectivity
- Spring-loaded plate protects RF connector from damage when computer is not in the docking station. Plate draws back into the docking station when the computer is docked.
- Accommodates the Toughbook 54/55 Performance model and models with insertable SmartCard (bottom), 2nd LAN, 4th USB (2.0), rugged Fischer USB, VGA and Serial Special access area for smart card reader options
- Rear-facing I/O ports: HDMI, VGA, Ethernet, USB 3.0 (2), Serial, antenna switch, power supply input
- Integrated cable strain relief system, and convenient cable management system
- No RF and Dual RF options
- Push button latch with keyed lock for theft deterrence
- VESA 75mm mounting pattern
- 3-Year Limited Warranty