



# Getac DOCKING STATIONS

FOR YOUR LAPTOP, TABLET & HANDHELD DEVICES



RUGGED. RELIABLE. RESPONSIVE.™



### F110 G6

#### ITEM NUMBERS:

7160-1584-00 Dock, No RF  
 7160-1584-03 Dock, Tri RF  
 7160-1642-00 Cradle, No Electronics  
 7160-1642-03 Cradle Tri RF No electronics  
 7170-0901-10 KIT: Cradle, No RF, No electronics, Getac Auto Power Adapter  
 7170-0901-13 KIT: Cradle, Tri RF No electronics, Getac Auto Power Adapter  
 7170-0902-10 KIT: Dock, No RF, Getac Auto Power Adapter  
 7170-0902-13 KIT: Dock, Tri RF, Getac Auto Power Adapter

- Compatible with G6 F110 tablet and all previous versions
- One-hand docking and release for efficient use all day long Downward-facing I/O ports; cable strain relief and cable management system
- Accommodates mag strip reader and hand strap without shoulder strap attachment (sold separately)
- Floating POGO pin style docking connector for reliable connectivity even in extreme environments
- Access to all tablet control buttons and ports while the tablet is docked
- Keyed lock for theft deterrence
- Composite/aluminum design for reduced weight and durability
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



### T800

#### ITEM NUMBERS:

7160-0583-00 Cradle, No Electronics  
 7160-0583-03 Cradle, Tri RF  
 7160-0565-00 Dock, No RF  
 7160-0565-03 Dock, Tri RF  
 7170-0244 KIT: Dock, No RF, LIND Power Adapter  
 7170-0245 KIT: Dock, Tri RF, LIND Power Adapter

- Designed for the Getac T800 8.1 inch rugged tablet computer
- Push and Turn lock with key for theft deterrence
  - Insert computer then push down and turn lock to close and dock computer
- Access to all computer function buttons and ports while tablet is docked
- POGO pin style docking connector for easy docking activation
- Downward-facing I/O ports; cable strain relief system for easy cable management
- Accommodates SnapBack SmartCard & RFID reader and X-Hand Strap (sold separately)
- Alignment pins guide the computer for easy docking and connectivity
- Composite/aluminum design for reduced weight and durability
- VESA 75mm and Gamber-Johnson mounting patterns
- 3-Year Limited Warranty



### ZX70

#### ITEM NUMBERS:

7160-1135-01 Cradle, Powered Charging  
 7160-1135-00 Cradle, No Electronics  
 7170-0686-01 KIT: Cradle, Powered Charging, Getac 12V Power Adapter (Cig)  
 7170-0686-02 KIT: Cradle, Powered Charging, Getac 12V Power Adapter (Bare Wire)  
 7170-0686-11 KIT: Cradle, Powered Charging, LIND 12-32V Isolated Power Adapter  
 7170-0686-21 KIT: Cradle, Powered Charging, LIND 20-60V Isolated Power Adapter

- Designed for the Getac ZX70 tablet computer and backwards compatible with the Z710 tablet
- Easy to use one-handed operation:
  - Insert bottom of computer into the cradle, push top of computer against latch button until latch engages
  - To remove, push up on latch-button with thumb to disengage and pull computer out of the cradle
- Accommodates rotating hand strap (sold separately)
- POGO connector for reliable charging
- Power cable strain relief
- Access to all tablet control buttons and USB port while tablet is cradled
- Optional lock (keyed alike) for theft deterrence
- Rounded edges to enhance personal safety
- Extremely light-weight composite/aluminum design
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



### K120

#### ITEM NUMBERS:

7160-1085-00 Cradle, No Electronics  
 7160-1085-03 Cradle, Tri RF  
 7160-1084-00 Dock, No RF  
 7160-1084-03 Dock, Tri RF  
 7170-0694-00 KIT: Dock, No RF, Getac Power Adapter  
 7170-0694-03 KIT: Dock, Tri RF, Getac Power Adapter

- Designed for the Getac K120 12-inch fully rugged tablet
- Easy to use one-handed operation:
  - Insert bottom of computer into the docking station, push top of computer against latch button until latch engages
  - To remove, push up on latch-button with thumb to disengage and pull computer out of the docking station
- Accommodates tablet's rotating hand strap (sold separately)
- Upward-facing I/O ports; integrated cable strain relief and cable management system
- Access to all tablet control buttons and ports while tablet is docked
- Steel guide pins for proper alignment during docking
- Optional keyed lock for theft deterrence
- Rounded edges to enhance personal safety
- Gamber-Johnson rugged construction and reliability
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



### A140

#### ITEM NUMBERS:

7160-1247-00 Cradle, No Electronics  
 7160-1247-03 Cradle, Tri RF  
 7160-1246-00 Dock, No RF  
 7160-1246-03 Dock, Tri RF  
 7170-0695-00 KIT: Dock, No RF, Getac Power Adapter  
 7170-0695-03 KIT: Dock, Tri RF, Getac Power Adapter

- Designed for the Getac A140 14-inch fully rugged tablet computer
- Easy to use one-handed operation:
  - Insert bottom of computer into the dock, push top of computer against latch button until latch engages
  - To remove, push up on latch-button with thumb to disengage and pull computer out of the dock
- Accommodates tablet's built-in rubber hand strap, stylus, and optional multi-function hard handle (sold separately)
- Upward-facing I/O ports; integrated cable strain relief and cable management system
- Access to all tablet control buttons, ports, smart card reader and front camera while tablet is docked
- Steel guide pins for proper alignment during docking
- Optional keyed lock for theft deterrence
- Gamber-Johnson rugged construction and reliability
- Rounded edges to enhance personal safety
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



### K120

#### ITEM NUMBERS:

7160-1083-00 Cradle, No Electronics  
 7160-1083-03 Cradle, Tri RF  
 7160-1082-00 Dock, No RF  
 7160-1082-03 Dock, Tri RF  
 7170-0693-00 KIT: Dock, No RF, Getac Power Adapter  
 7170-0693-03 KIT: Dock, Tri RF, Getac Power Adapter

- Compatible with the Getac K120 computer with keyboard
- Docking Station design accommodates MSR and rotating hand strap (sold separately)
- Rear corner release button, easily remove the computer with the push of a button
- Access to all computer control buttons and ports while the computer is docked
- Forward-facing I/O ports; integrated cable strain relief and cable management system
- Floating docking connector for reliable connectivity in the most rugged environments
- Optional lock (keyed alike) for theft deterrence. When the computer is closed and screen is latched, the lock will secure the keyboard and computer
- Rounded edges to enhance personal safety
- Gamber-Johnson rugged construction and reliability
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



### ZX10

#### ITEM NUMBERS:

7160-1676-00 Cradle, No RF  
 7160-1676-03 Cradle, Tri RF  
 7160-1675-00 Dock, No RF  
 7160-1675-03 Dock, Tri RF  
 7170-0964-00 KIT: Cradle No RF, Getac Auto Power Adapter  
 7170-0964-03 KIT: Cradle, Tri RF, Getac Auto Power Adapter  
 7170-0962-00 KIT: Dock No RF, Getac Auto Power Adapter  
 7170-0962-03 KIT: Dock Tri RF, Getac Auto Power Adapter

- Compatible with Getac ZX10 tablet computer
- Docking station accommodates the tablet's card reader, extended battery, hand strap, stylus, barcode reader, and hard carry handle
- Access to all tablet control buttons and ports while the tablet is docked
- Docking connector gasket provides additional water resistance and protection
- Downward-facing powered dual USB ports (1.5A ea); integrated cable restraint system
- Floating docking connector for reliable connectivity in rugged environments
- One-hand docking and release for efficient use all day long
- Keyed lock for theft deterrence
- Gamber-Johnson rugged construction and reliability
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



### S410

#### ITEM NUMBERS:

7160-0791-00 Cradle, No RF  
 7160-0791-03 Cradle, Tri RF  
 7160-0790-00 Dock, No RF  
 7160-0790-03 Dock, Tri RF  
 7170-0538 KIT: Cradle, No RF, Getac Power Adapter  
 7170-0539 KIT: Cradle, No RF, Getac Power Adapter  
 7170-0536 KIT: Dock, No RF, Getac Power Adapter  
 7170-0537 KIT: Dock, Tri RF, Getac Power Adapter

- Small footprint designed to maximize available space
- Plate draws back into docking station when the computer is docked
- Rear-facing I/O ports, integrated cable strain relief system, and convenient cable management system
- Rear hooks and guide pins ensure proper alignment and docking connectivity
- Spring-loaded docking connector to ensure connectivity in the roughest terrain
- Screen support included
- Composite/aluminum design for reduced weight and durability
- VESA 75mm mounting pattern
- 3-Year Limited Warranty

#### CERTIFICATES & TESTING:

MIL-STD 810G Shock/Vibration, SAE J1455 Crash Test, RoHS, FCC, CE, EMark, Cycle Tested - Lock & Docking Mechanism  
 \*See website for more certifications on each docking station





## UX10

### ITEM NUMBERS:

7160-1815-00 Cradle, No Electronics  
7160-1815-03 Cradle, Tri RF  
7160-1813-00 Dock, No RF  
7160-1813-03 Dock, Tri RF  
7170-0997 KIT: Cradle, No Electronics, Getac Power Adapter  
7170-0998 KIT: Cradle, Tri RF, Getac Power Adapter  
7170-0995 KIT: Dock, No RF, Getac Power Adapter  
7170-0996 KIT: Dock, Tri RF, Getac Power Adapter

- Compatible with the Getac UX10 tablet computer
- Docking station design accommodates rotating hand strap, extended battery, hard handle, RFID reader, and smartcard reader (sold separately)
- Easy to use one-handed operation:
  - Insert bottom of computer into the docking station, push top of computer against latch button until latch engages
  - To remove, push up on latch-button with thumb to disengage and pull computer out of the docking station
- Floating POGO docking connector for reliable docking activation
- Docking tabs align tablet during insertion
- Optional keyed lock for theft deterrence
- Downward-facing I/O ports; integrated cable strain relief and cable management system
- Rounded edges to enhance personal safety
- Gamber-Johnson rugged construction and reliability
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



## B360

### ITEM NUMBERS:

7160-1432-00 Cradle, No RF  
7170-0795-00 Cradle, No RF, Getac Power Adapter  
7160-1432-03 Cradle, Tri RF - SMA  
7170-0795-03 Cradle, Tri RF - SMA, Getac Power Adapter  
7160-1431-00 Dock, No RF  
7160-1431-03 Dock, Tri RF - SMA  
7170-0789-00 Dock, No RF, Getac Power Adapter  
7170-0789-03 Dock, Tri RF - SMA, Getac Power Adapter

- Compatible with Getac's B360 and B360 Pro rugged computers
- Front corner release latch, easily remove the computer by activating the latch
- Access to all computer control buttons and ports while the computer is docked
- Screen support for additional stability (included)
- Keyed lock for theft deterrence
- VESA 75mm mounting pattern
- Rounded edges to enhance personal safety
- 3-year limited warranty



## V110

### ITEM NUMBERS:

7160-0568-00 Cradle, No Electronics  
7160-0568-03 Cradle, Tri RF - SMA  
7160-0515-00 Dock, No RF  
7160-0515-03 Dock, Tri RF - SMA  
7170-0242 KIT: Dock, No RF, LIND 90W Auto Power Supply  
7170-0243 KIT: Dock, Tri RF - SMA, LIND 90W Auto Power Supply

- Compatible with Getac V110 convertible computer
- Getac electronics
- Can be used in tablet or laptop position
- Push button latch with keyed lock for theft deterrence:
  - Push the latch to release the docking connector
  - Insert computer and push latch closed to dock computer
- Front-facing I/O ports, integrated cable strain relief system
- POGO pin style docking connector for easy docking activation
- Front safety bracket helps align computer for proper docking connectivity
- Built-in stylus holder
- Screen support included
- VESA 75mm mounting pattern
- 3-Year Limited Warranty



## NOTEPAD™ TOUCH UNIVERSAL TABLET CRADLE

### ITEM NUMBERS:

7160-1299-00 NotePad Touch  
7160-1299-10 NotePad Touch XL

- Patented "slam latch" technology for easy one-handed operation
- Optional keyed lock for theft deterrence
- Height, width, and depth adjustable to accommodate almost any size tablet computer
- Two cradle sizes available:
  - NotePad Touch XL can be adjusted to fit tablets with the following dimensions:
    - Length: 10.0 - 13.0 in / 25.4 - 33.0 cm
    - Height: 7.0 - 9.7 in / 17.7 - 24.6 cm
    - Depth: 0.28 - 1.12 in / 0.71 - 2.8 cm
  - NotePad Touch can be adjusted to fit tablets with the following dimensions:
    - Length: 7.8 - 10.9 in / 19.8 - 27.6 cm
    - Height: 4.5 - 7.3 in / 11.4 - 18.5 cm
    - Depth: 0.28 - 1.12 in / 0.71 - 2.8 cm
- Composite/aluminum design for reduced weight and extended durability
- VESA 75mm and AMPS mounting patterns
- Limited Lifetime Warranty