

DECEMBENT DOCKING STATIONS FOR YOUR LAPTOP & TABLET



RUGGED. RELIABLE. RESPONSIVE.™





DELL LATITUDE 7230 RUGGED EXTREME TABLET VEHICLE DOCKING STATION

ITEM NUMBERS:

- 7160-1772-00 Lite Port, No RF
- 7160-1772-04 Lite Port, Quad RF
- 7160-1773-00 Cradle, No RF
- 7160-1773-04 Cradle, Quad RF
- 7160-1772-10 Full Port, No RF 7160-1772-14 Full Port, Quad RF
- 7160-1811-00 Tablet and Keyboard Cradle, No RF
- 7170-0991-00 Lite Port, No RF with LIND Auto Power Adapter
- 7170-0991-04 Lite Port, Quad RF with LIND Power Adapter
- 7170-0991-10 Full Port, No RF with LIND Power Adapter
- 7170-0991-14 Full Port, Quad RF with LIND Power Adapter
- 7170-0992-00 Cradle, No RF with LIND Power Adapter
- 7170-0992-04 Cradle, Quad RF with LIND Power Adapter
- 7170-1002 Tablet and Keyboard Cradle, No RF with LIND Auto Power Adapter
- · Compatible with the Dell tablet model 7230
- · Accommodates the tablet's hand strap or magnet mount attachment
- · Access to all tablet control buttons and ports while the tablet is docked
- Downward-facing I/O ports: integrated cable strain relief and cable management system
- · Spring loaded pogo connector for reliable connectivity in the most rugged environments
- · Optional HDMI to connect an second display
- · Optional QUAD RF pass through for additional connectivity
- · Docking connector gasket provides additional water protection
- · One-handed docking and release for efficient use all day long
- · Keyed lock for theft deterrence
- · Gamber-Johnson rugged construction and reliability
- · Composite design for reduced weight and durability
- · VESA 75 mounting pattern with 1/4-20 mounting studs for easy mounting with Gamber-Johnson mounts and motion attachments
- · 3-Year Limited Warranty, Extended Warranty Program available

CERTIFICATES & TESTING:

- MIL-STD-810H Operational and Non-Operational Vibration/Shock Testing
- · Environmental: Humidity, Thermal Shock, High/Low Temperature Storage/ Operational
- · Cycle Test: 30,000 cycles, Latch, Lock, and Docking Connector
- · Electrostatic Discharge: ISO 10605
- Shock Crash Hazard: Test SAE J1455
- EMC Testing: EN 55032, EN50498
- · RoHS, FCC, CE, UKCA



DELL LATITUDE 7230 RUGGED EXTREME TABLET VEHICLE DOCK by PMT

ITEM NUMBERS:

AS7.D921.100 NO RF AS7.D921.102 QUAD RF AS7.D921.104 Cradle NO RF AS7.D921.105 Cradle QUAD RF

- · Compatible with Dell tablet model 7230
- Top-facing I/O ports: USB 3.1 Type-A (2), Ethernet, USB Type-C, Serial RS232
- · Integrated cable restraint / cable management system
- Optional Quad RF Pass-Through (SMA)
- Extreme compact size preserves cabin space and ensures user safety
- · CNC machined aluminum construction · Auto-latch mechanism ensures tablet is
- latched when docked
- · Simple, one-handed operation
- · Flexible non-capture locking mechanism allows use with or without a kev
- · Allows easy access to the tablet's built-in stylus
- · Available in no-electronics cradle version
- · Tablet cooling fan ventilation slots
- 3-Year Limited Warranty

CERTIFICATES & TESTING: • MIL-STD-810-H

- Vibration & Shock per MIL-STD-810-H · Cycle - Latch/Unlatch 30,000 cycles
- · Shock-Crash Test Simulates 30mph
- crash test
- Environmental Humidity / Thermal Shock / Low Temp Storage / High Temp Storage
- FCC, CE, UKCA, RoHS
- EMC Testing EN 50498 / CISPR 32 Class B / ICES-0003



DELL LATITUDE 12-14 RUGGED LAPTOP **DOCKING STATION**

ITEM NUMBERS:

- 7160-0882-00 NO RF
- 7160-0882-03 TRI RF
- 7160-0883-00 NO RF Cradle
- 7160-0883-03 TRI RF Cradle
- 7170-0551-00 KIT: NO RF Dock w LIND Power Adapter
- 7170-0551-03 KIT: TRI RF Dock w LIND **Power Adapter**
- Compatible with Dell models 5404/5414/5420/5424, 7404/7414/7424, 7204/7214, 5430/7330
- VGA, HDMI, USB 3.0 (3), Ethernet, RS232 Serial (2), Power Input
- Convenient user access to front-facing USB 2.0 and MIC/AUX ports
- · Integrated cable restraint / cable management system
- Access to all computer control buttons when the computer is docked
- Guide hooks ensure proper alignment during docking
- · Floating connector design ensures reliable operation
- · Keyed lock for theft deterrence
- · Optional RF for WiFi, GPS, and cellular
- · Features OEM Dell electronics
- VESA 75mm mounting pattern
- · Available in a kit bundled with LIND 90W auto power adapter
- · Available in (no electronics) cradle version
- · Steel and composite design, rugged construction for long-term durability
- 3-Year Limited Warranty
- · Available Retrofit kit (7110-1385) to update older

CERTIFICATES & TESTING:

- ROHS, FCC, CE
- MIL-STD 810G Shock/Vibration
- SAE J1455 Crash Test · Cycle Tested - Locking and Docking
- Mechanism Environmental Tested – High/Low Temperature, Humidity



RUGGED. RELIABLE. RESPONSIVE.™





DELL LATITUDE 12 RUGGED TABLET DOCKING STATION

ITEM NUMBERS:

- 7160-0840-00 NO RF
- 7160-0840-02 DUAL RF
- 7160-0881-00 NO RF Cradle 7170-0552-00 KIT: NO RF Dock w LIND
- Power Adapter 7170-0552-02 KIT: DUAL RF Dock w LIND
- Power Adapter
- Compatible with Dell tablet models 7202/7212/7220
- VGA, USB 3.0 (2), Ethernet, RS232 Serial, Display, Power Input, frontfacing USB 2.0 and mic/AUX ports
- Integrated cable restraint / cable management system
- Access to all computer control buttons
 when the computer is docked
- Docking station accommodates the tablet stylus, card reader/scanner, and extended I/O module
- Easy one hand docking and release
- Keyed lock for theft deterrence
- Optional RF for WiFi and cellular
- Features OEM Dell electronics
- VESA 75mm mounting pattern
- Available in a kit bundled with LIND power adapter
- Available in (no electronics) cradle version
- Steel and composite design, rugged construction for long-term durability
- 3-Year Limited Warranty

CERTIFICATES & TESTING: • ROHS, FCC, CE

- MIL-STD 810G Shock/Vibration
- SAE J1455 Crash Test
- Cycle Tested Locking and Docking Mechanism
- Environmental Tested High/Low Temperature, Humidity



NOTEPAD™ TOUCH UNIVERSAL TABLET CRADLE

ITEM NUMBERS:

7160-1299-00 NotePad Touch 7160-1299-10 NotePad Touch XL

- Patented "slam latch" technology for easy one-handed operation
- Optional keyed lock for theft deterrence
 Height, Width, and depth adjustable to accommodate almost any size tablet
- Two cradle sizes available:
- NotePad Touch can be adjusted to fit tablets with the following dimensions:
- Length: 10.0 13.0 in /
 - 25.4 33.0 cm • Height: 7.0 - 9.7 in / 17.7 - 24.6 cm
- Depth: 0.28 1.12 in / 0.71 2.8 cm NotePad Touch XL can be adjusted to
- fit tablets with the following dimensions: • Length: 7.8 in - 10.9 in /
 - 19.8 27.6 cm
 - Height: 4.5 in 7.3 in / 11.4 - 18.5 cm
- Depth: 0.28 in 1.12 in / 0.71 - 2.8 cm
- Composite/aluminum design for reduced weight and extended durability
- VESA 75 and AMPS mounting patterns
- Limited Lifetime Warranty

CERTIFICATES & TESTING: • MIL-STD 810G Shock

SAE J1455 Crash Test

NOTEPAD™ V UNIVERSAL CRADLE

ITEM NUMBERS:

7160-0250 Standard Clips 7160-0250-01 Tall Computer Clips 7160-0250-02 Zero Edge Clips

- 7160-0250-02 Zero Edge onps
- 7160-0402 Notepad V-LT
- 7160-0402-01 Notepad V-LT with Zero Edge Clips
- 7160-0402-02 Notepad V-LT with Tall Computer Clips
- 7160-0402-03 Notepad V-LT with Cam Back Clips
- Slim form design provides low mounting capability
 - Special "flanged" side clip, provides superior strength, adjustable "one-sizefits-all"- fits most computers
 - T-molded polycarbonate covers hold clips in place during installation
 - Reversible front and back supports adjust to accommodate varying depths of computers
 - Gusseted rear support brace for added restraint
 - 90-degree wing turn closure latch with built-in heavy duty key lock (keyed alike)
 - Fast initial size adjustment and quick computer insertion and removal
 - Molded polycarbonate end caps ensure that the computer is level when in the cradle
 - Sliding bottom mounting bar allows for multiple positions for offset capabilities when used with the Motion Attachment
 - Available with CAM back clips for use with laptop computers that are shorter in depth and wider in width
 - Available Notepad V-LT models for smaller laptops and tablets
 - Can be used with optional accessories (Screen Support, LED Light and Microphone Clip)
 - Limited Lifetime Warranty

CERTIFICATES & TESTING:

SAE J1455 Crash Test



DELL LATITUDE 12 -14 RUGGED LAPTOP VEHICLE DOCK by PMT

ITEM NUMBERS:

AS7.D900.100 Advanced NO RF AS7.D900.103 Advanced TRI RF AS7.D900.104 No Electronics Cradle AS7.D901.100 Rear Port Advanced NO RF AS7.D901.103 Rear Port Advanced TRI RF

- Compatible with Dell models 5404/5414/5420/5424,
- 7404/7414/7424, 7204/7214, 5430/7330
- Advanced port replication includes: VGA, HDMI, Serial RS232 (x2), Ethernet, USB 3.0 (x3)
- Convenient user access to side-facing status light indicator, USB 2.0 and speaker/mic ports
- Integrated cable restraint / cable management system
- Optional RF for WiFi, GPS, and cellular Extreme compact size preserves cabin
- space and ensures user safetyCNC machined aluminum construction
- Auto-latching feature for operator safety
- Floating connector design ensures reliable operation
- Convenient, front-located push-torelease latch
- Flexible non-capture locking mechanism allows use with or without a key
- Features OEM Dell electronics
- Available in no-electronics cradle versions
- Available in rear facing port versions
 3-Year Limited Warranty

CERTIFICATES & TESTING:

- ROHS, FCC, CE
- MIL-STD 810G Shock/Vibration
- SAE J1455 Crash Test
- Cycle Tested Locking and Docking Mechanism
- Environmental Tested High/Low Temperature, Humidity

GAMBER



DELL LATITUDE 12 RUGGED TABLET - VEHICLE DOCK by PMT

ITEM NUMBERS: AS7.D920.100 NO RF AS7.D920.102 DUAL RF AS7.D920.104 No Electronics Cradle

- · Compatible with Dell tablet models 7202/7212/7220 • Top-facing I/O ports: VGA, Display, USB 3.0 (3),
- Ethernet, speaker/mic · Easy access to front-mounted key lock, USB 2.0 and audío port
- · Integrated cable restraint / cable management system
- · Optional RF for WiFi and cellular
- · Extreme compact size preserves cabin space and ensures user safety
- · CNC machined aluminum construction
- · Features OEM Dell electronics
- · Auto-latch mechanism ensures tablet is latched when docked
- · Compatible with tablets containing the kickstand and extended I/O modules
- · Flexible non-capture locking mechanism allows use with or without a key
- · Allows easy access to the tablet's built-in stylus
- · Available in no-electronics cradle version
- 3-Year Limited Warranty

CERTIFICATES & TESTING: · ROHS CF

- MIL-STD 810G Shock/Vibration
- · SAE J1455 Crash Test
- Environmental Tested High/Low Temperature, Humidity



DELL LATITUDE 12 7230 RUGGED TABLET VEHICLE DOCK by PMT

ITEM NUMBERS:

AS7.D921.100 NO RF AS7.D921.102 QUAD RF AS7.D921.104 CRADLE NO RF AS7.D921.105 CRADLE QUAD RF

- · Compatible with Dell tablet model 7230
- Top-facing I/O ports: Serial, USB 3.0 (2), Ethernet, USB-C
- · CNC aluminum construction offers rugged durability
- · Ergonomic design for safety and usability
- · Universal VESA 75 mounting pattern
- Ultra slim, low profile design for minimal intrusion of operator space to maximize comfort and safety · Floating docking connector for reliable connectivity
- · Access to all tablet control buttons and ports while the tablet is docked
- · Key lockable for added theft deterrence
- · Upward facing ports with integrated cable management
- · One handed operation

CERTIFICATES & TESTING:

- MIL-STD-810-H
- Vibration & Shock per MIL-STD-810-H
- Cycle Latch/Unlatch 30,000 cycles
- · Shock-Crash Test Simulates 30mph crash test · Environmental - Humidity / Thermal Shock / Low Temp Storage / High Temp Storage
- · FCC, CE, UKCA, RoHS
- · EMC Testing EN 50498 / CISPR 32 Class B / ICES-0003



RETROFIT HOOK KIT FOR DELL LATITUDE RUGGED LAPTOP DOCKING STATION

ITEM NUMBER: 7110-1385

- · A simple solution to quickly upgrade your fleet while saving installation time
- Compatible with Gamber-Johnson Dell Latitiude 12-14 Rugged Laptop Docking Stations, models 7160-0882-XX and 7160-0883-XX
- · Designed to modify previous versions (Rev "A"-"N") of Dell Latitude docking stations to accommodate the Dell Latitude 14 Rugged (Model 5430) and 14 Rugged Extreme (Model 7330) computers
- The hooks in this kit replace existing hooks on the docking station, once installed, the docking station will only accommodate the new 5430 and 7330 computer models
- · This solution is ideal for fleets that utilize Rev "A"-"N" docking stations and are upgrading computers to the Dell Latitude 5430 or 7330 models.



DELL LATITUDE RUGGED LAPTOP DOCKING STATION SCREEN SUPPORT

ITEM NUMBER: 7110-1213

- · Black powdercoat finish for maximum corrosion resistance.
- · Padding on support keeps your computer safe from scratches.
- · Can be mounted on either the left or right side of the computer.
- · Heavy gauge steel construction for long-term durability.
- · Easy to install
- · Limited lifetime warranty



5001 Joerns Drive, Stevens Point, WI 54481, U.S.A. 800.487.9220 | sales@gamberjohnson.com