# SunFibre

Wearable Active Lighting Technology 2021







## **OUR COMPANY**

## "SCIENCE FOR LIFE"

SCILIF is a combination of these two key words that fundamentally express what we do: applying new technologies to make life safer.

The company was founded in 2014 for the purpose of developing **SunFibre Wearable Active Lighting Technology for personal safety.** The core concept was invented in collaboration with the Technical University in Liberec and further developed by SCILIF into a comprehensive system protected by **several patents**, and sold under the brand name SunFibre.

SunFibre Wearable Active Lighting Technology is a **unique optic fibre lighting system** that increases visibility in darkness or lowlight conditions. Unlike retroreflective safety elements, SCILIF SunFibre emits light through optic fibres encased in a textile coating, ensuring active protection. Side-emitting optic fibres provide visibility in all directions up to a distance of 3 kilometres. The properties of the textile coated optic fibre allow easy sewing into textile products and guaranteed **mechanical durability and washability.** The system is easy to operate and recharge.

The Technology is now **distributed in five continents** and used by leading manufacturers worldwide.

We at **SCILIF** are totally committed to providing our customers, but also our customers' customers, **absolutely the best available technology in Wearable Active Lighting.** We look forward to learning how we can support your brand and help protect your customers.

## **OUR FOUR COMMITMENTS...**

#### SAFETY

We are absolutely committed to improving practical safety wherever we can.

360 degree active lighting can and will make the difference and could quite literally save your life.

Our commitment to safety, however, does not stop with just active lighting. It extends to how easy the product is to use, how reliable it is, and we work with our customers to ensure the best implementation possible to ensure the highest level of safety for the wearer.

#### **QUALITY AND DURABILITY**

We place a very high value on product quality and durability. Our products are designed to be as rugged and durable as the products they are integrated into. These are not short-lived fashion accessories, they are designed to serve well and as long as customers expect when they buy professional brands.

Our production facilities are located in Europe, and we conduct our own tests, alongside a wide range of European testing organizations to confirm both quality and durability. The fact that leading global brands have tested and chosen SCILIF SunFibre products speaks to our commitment.

#### **TECHNICAL LEADERSHIP**

At SCILIF we are 100% committed to maintaining technological leadership: not just tomorrow, but for the long run. Internally, we are working on several new patent filings that will take our SCILIF SunFibre technology to new levels as well as extending SCILIF SunFibre application areas so more customers can benefit from the safety features.

Also, we are working on a number of special application areas with tactical units and selected industrial clients that will lead to solutions with broader applicability.

Should you have a special requirement or would like us to work with you on developing a special bespoke application, please feel free to contact us.

#### **SUSTAINABILITY**

Sustainability is more than just a buzzword for us. The following are characteristics that demonstrate our commitment to minimizing our impact on our earth.

#### **HIGH QUALITY**

First and foremost, we design our products to last at least as long as the products they are integrated into. This means product life-spans are maximized, as is customer value from your product. Unlike most technology suppliers, we offer an unlimited repair service to customers and their customers. If something breaks for whatever reason, it is likely we will be able to fix it – from our control units all the way through to replacing light fibres.

#### **BATTERY REPLACEMENT**

In the rare event that product usage has exceeded the battery cycle rating, we offer a service to replace the battery and thus extend product usability.

#### REFURBISHING

We offer all our customers and their customers the option of sending us back used SCILIF SunFibre components. Wherever possible, we recycle and/or repurpose parts for pro-bono projects or customers that specifically want re-purposed products.


#### **ZERO-WASTE PRODUCT**

We produce exactly to customer specifications, which means practically no waste on our side and zero waste at customer production site.

#### REPAIRS

#### **GREEN STRATEGY**


We produce in compliance with RoHS and OEKO-TEX-Standard 100 norms in all stages, which ensures safe and healthy products. The light emitted by our products is environmentally friendly and does not disturb most animals, etc. The current produced by the battery is regulated by a microprocessor to control how much power the battery releases. This saves energy, prevents overheating and prolongs the lifespan of the battery.



SCILIF SunFibre Wearable Active Lighting Technology

#### PIPING

This is the easiest and most secure way to fasten SunFibre to a product. The optical fibre is protected within textile piping that is easily sewn into any seam.




#### TUBING

This method allows the user to detach the SunFibre system from rubber clips sewn into the seam of the textile product while retaining the full benefits of having the optic fibre protected by an external textile sheath.

#### NAKED

perforated netting material.



Here we supply only the naked optic fibre and manufacturing inserts this into a prepared "tunnel" in the product, typically made of



# TACTICAL

The TACTICAL SCILIF SunFibre set was developed for the army and special squad units to protect the users in direct life-threatening situations or in a wide range of support functions. Both basic and special functions of the TACTICAL set are designed to operate in harsh climatic conditions, such as during continuous rain, mists, snowstorms or in the desert. Users decide whether they want to be seen or not and in which spectrum or at what distance, as they need. Special attention was paid to quick control of the unit, long-lasting batteries, good haptics and fast recharging.

#### **KEY CHARACTERISTICS**



Exellent resistance to water and dust

Variable modes of operation

### **OTHER FEATURES AND BENEFITS**

- → Up to 3 km visibility in all directions (360°) → Homogenous lighting along the entire length of the optic fibres → Almost invisible and easy integration into product (our patented solution) → Suitable for application with glue underneath

- → Easy haptic control
- → Special IP68 connectors
- → Fast recharging (Li-Ion battery) and battery level control


#### **ADDITIONAL OPTIONS**

- → IR mode
- → Special colours of textile coating (khaki etc.)
- → Ability to program signal mode for communication within the unit
- → Optional integrated recharge cable

#### **TYPICAL APPLICATIONS**









High mechanical durability

50 h

Operation time up to 50 hours









IP68

IP44

RoHS



# **PPE UNIFORMS**

This PPE UNIFORMS SCILIF SunFibre set is specifically designed for civil services and other integrated rescue systems which frequently find themselves in life-threatening situations with poor visibility. SCILIF SunFibre increases the visibility of the user, as well as enables easy identification of individual members of the rescue team and their gear.

### **KEY CHARACTERISTICS**



Up to 3 km visibility in all directions (360°) Variable modes of operation

#### **OTHER FEATURES AND BENEFITS**

- → Highly visible textile coating colours meeting the requirements of the EN20471 regulation
- → Homogenous lighting along the entire length of the optic fibres even in long lengths
- → Almost invisible and easy integration into product (our patented solution)
- → Suitable for application with glue underneath
- → Up to 34 hours of operation on a single charge
- → Fast recharging (Li-Ion battery) and battery level control

### **ADDITIONAL OPTIONS**

- → Retroreflective thread in the textile coating
- → FR textile coating of the optic fibres
- → Accelerometric Power Control 1600/2300 mAh

### **TYPICAL APPLICATIONS**



RECOMMENDED: 2-sided, 2 or 3 mm diameter of optic fibre in textile PIPING + Plastic Cable / L-Jack / Power Control STANDARD 2300 mAh

SCILIF



Mechanical durability and bendability

High washability









# **PPE WORKWEAR**

This PPE WORKWEAR SCILIF SunFibre set is specifically intended for workers operating in conditions where the law requires adherence to the Personal Protective Equipment (PPE) regulations, whether this is due to lower visibility, harsh climatic conditions or other environmental considerations. SCILIF SunFibre significantly increases visibility of textile products produced in accordance to the EN20471 regulation, providing the user with maximum protection.

### **KEY CHARACTERISTICS**



Up to 3 km visibility in all directions (360°) Easy haptic control in gloves. **SEW-IN BUTTON** modes: one intensity of continuous light + one flashing mode

#### **OTHER FEATURES AND BENEFITS**

- → Mechanical durability and bendability of the optic fibre
- → Almost invisible and easy integration into product (our patented solution)
- → Suitable for application with glue underneath
- → Battery level control

#### **ADDITIONAL OPTIONS**

- → Retroreflective thread in the textile coating
- → FR textile coating of the optic fibres


### **TYPICAL APPLICATIONS**





RoHS

IP68



OEKO-TEX®

RECOMMENDED: 1-sided, 2 or 3 mm diameter of optic fibre in textile PIPING + Textile Flat Cable / Flat USB-A Plug (washable) + SEW-IN BUTTON / Power Bank MINI 2500 mAh/DUOPORT 5000 mAh





High washability

Operation time up to 60 hours

→ Highly visible textile coating colours meeting the requirements of the EN20471 regulation

→ Homogenous lighting along the entire length of the optic fibres even in long lengths









# SPORT/FASHION

The SPORT/FASHION SCILIF SunFibre set is designed for application in products intended for fast motion, such as motorcyclists or skiers. Typically the user is moving fast or is among other people moving fast, and in every case wants to be seen to be safe, ideally from far away. Active lighting is practically the only option to effectively increase visibility and safety on ski slopes where passive light reflection does not function.

#### **KEY CHARACTERISTICS**





Up to 3 km visibility in all directions (360°)

Cost effective solution

#### **OTHER FEATURES AND BENEFITS**

- → Homogenous lighting along the entire length of the optic fibres even in long lengths
- → High washability of the SunFibre system upon the removal of Power Control
- → Mechanical durability and bendability of the optic fibre
- → Almost invisible and easy integration into product (our patented solution)
- → Suitable for application with glue underneath
- → Battery level control

#### **ADDITIONAL OPTIONS**

→ SEW-IN BUTTON for easy haptic control

### **TYPICAL APPLICATIONS**





OEKO-TEX

RECOMMENDED: 2-sided, 2 or 3 mm diameter of optic fibre in textile PIPING + Textile Flat Cable / Flat USB-A Plug / Power Bank MINI 2500 mAh / Power Bank DUOPORT 5000 mAh

0



60 h

Wide selection of colours

Operation time up to 60 hours









# SPORT ULTRALIGHT

This SPORT ULTRALIGHT SCILIF SunFibre set was developed with the ultra-performance athlete in mind, so we created an ultralight product without compromising functionality, performance, and most importantly visibility. This solution is ideal for both urban and rural sports, even in harsh weather conditions especially where visibility is key such as cross-country running or skiing, and similar.

### **KEY CHARACTERISTICS**





Up to 3 km visibility in all directions (360°) Ultralight Solution

#### **OTHER FEATURES AND BENEFITS**

- → Homogenous lighting along the entire length of the optic fibres even in long lengths
- → High washability of the SunFibre system upon the removal of Power Control
- → Mechanical durability and bendability of the optic fibre
- → Almost invisible and easy integration into product (our patented solution)
- → Suitable for application with glue underneath
- → Battery level control

#### **ADDITIONAL OPTIONS**

→ Accelerometric Power Control 1600/2300 mAh

### **TYPICAL APPLICATIONS**



IP44 RoHS OEKO-TEX®

IP68





Almost invisibly and easily integrated

High washability









SCILIF

SCILIF

## BASIC

This BASIC SCILIF SunFibre set is our lowest-cost solution for integration into a wide range of price-sensitive products, especially for products that do not require frequent washing. Despite their advantageous price, the same visibility is maintained as in other SCILIF SunFibre sets. Users can power the unit from any standard power bank they may have available and additional control functions can be added by integrating the SunFibre SIMPLE Button. This solution is suitable for children's backpacks, child buggies, sporting equipment and similar.

#### **KEY CHARACTERISTICS**



Up to 3 km visibility in all directions (360°)

(3 km)

#### **OTHER FEATURES AND BENEFITS**

- $\rightarrow$  Homogenous lighting along the entire length of the optic fibres even in long lengths
- → Easy integration into textile products (patented solution)
- → Suitable for application with glue underneath
- → Very low-power consumption
- $\rightarrow$  Easy charging and operation using a SUNFIBRE Power Bank
- → Battery level control

### **ADDITIONAL OPTIONS**

- → CLICK & GO optionable clip-on rubber system replace the function of textile removed at any time
- → FLOATING BUTTON for easy haptic control

### **TYPICAL APPLICATIONS**







IP68

RECOMMENDED: 1-sided, 3 mm diameter of optic fibre in textile TUBING + CLIP-ON RUBBER SYSTEM or PIPING + Plastic Cable / USB-A Plug / Power Bank MINI 2500 mAh

.

1 2270

30 h

and bendability

Cost effective solution Mechanical durability Operation time up to 30 hours

piping and 3 mm TUBING set may be attached with textile product and fully







The NAUTICAL SCILIF SunFibre set was especially designed for offshore applications. It is waterproof, shockproof, and is designed to keep going through the roughest conditions. Special functions include an automatic flashing alarm mode if the user falls into water, thus improving rescue efforts. This NAUTICAL SCILIF SunFibre set can be integrated into lightweight vests, all-weather outer shell, or directly into life jackets. Both water-sport enthusiasts and professionals will appreciate this set.

#### **KEY CHARACTERISTICS**



IP68

Up to 3 km visibility in all directions (360°)

High resistance against water

#### **OTHER FEATURES AND BENEFITS**

- > Homogenous lighting along the entire length of the optic fibres even in long lengths
- → High mechanical durability and bendability of the optic fibre
- → Easy integration into textile products (patented solution)
- → Suitable for application with glue underneath
- → Easy haptic control
- → Fast recharging (Li-Ion battery) and battery level control

#### **ADDITIONAL OPTIONS**

- → Automatic light signalling when immersed in salty water
- → Option to program signalling mode for long-distance communication

#### **TYPICAL APPLICATIONS**





RECOMMENDED: 1-sided, 3 mm diameter of optic fibre in textile PIPING + Plastic Cable / Heavy Duty Screw Jack / Power Control HEAVY DUTY 3500 mAh

IP68

RoHS

OEKO-TEX®

Variable modes of operation

50 h

Operation time up to 50 hours







## **PRODUCT TECHNOLOGY**

#### **PATENTED TECHNOLOGY**

Our SCILIF SunFibre Technology is protected by two patents. Patent EP2917391 is our invention of a sideemitting light guide incorporated into textile piping which can be easily attached to any fabric. This gives the final product a clean and professional look, provides for additional protection of the light guide, and maximizes colour choices for maximum design flexibility. Patent EP3073192 protects our unique optical LED configuration that powers our light guide, which maximizes the combination of high light power, high energy efficiency, low heat generation, and long battery life.

#### CERTIFICATES

IP44

- The **CE** identification proves that the product is compliant with legislative EU and environmental protection. Obtaining the CE identification is necessary to introduce the product to markets within the European Economic Community territory.
- The **RoHS** identification ensures that the electric and electronic devices do not contain certain dangerous substances and that thus certified products are safe for health.
- The **IP68** identification certifies the highest IP68 level of coverage, as Scilif Sunfibre products are water resistant to a depth of 2.5 m for up to 2 hours, including salt water. The electronic devices identified by the international certification are also resistant against penetration by a particles such as dust, sand or other dirt.
  - The **IP44** certification denotes resistance to dust particles down to 1 mm in size and resistance to water splashed from any direction.

STANDARD 100 by OEKO-TEX® is one of the world's best-known labels for textiles tested for harmful substances. All of our textile coatings has been tested for harmful substances and that the article therefore is harmless for human health.

#### **TESTING PROCEDURES**

We know that our customers will use active lighting in the most demanding and life-protecting ways. As regulations for protection of health, safety such, we place a very high value on product quality, durability and reliability. Products go through a range of technical tests during development and are then submitted for independent testing to certification authorities. Finally, our products have gone through very robust testing with leading brands and are certified by certain tactical forces. Our Technical Guide has a complete overview of Testing Procedures that we recommend in selecting Active Lighting components in general.

#### **GUARANTEE**

Generally, our key components come with a standard 2-year warranty, though by design our SCILIF SunFibre Technology is made to last at least the average life expectancy of typical applications. Should you require a longer product warranty that matches your product warranty, then we are able to work with you to achieve this. See Technical Specifications for detailed information. Overall, we guarantee top workmanship, high-quality colour fastness, and use only brand-name battery suppliers.

#### SERVICES AND SUPPORT

The SCILIF Sales Team has deep technical knowledge and is available to provide assistance to you at every step of your produce development and manufacturing journey. Our goal is to support you in deploying our SCILIF SunFibre Technology into your product to build your competitive advantage and customer satisfaction. Specifically, we can offer the following:

#### **REPAIR SERVICES**

In case a product is damaged and assuming that our SCILIF SunFibre Technology has been integrated into the product using our guidelines, then we are able to repair and/or replace components, including the light guide itself without taking out the textile piping.

#### WARRANTY CLAIM EVALUATION

In case you have a claim that requires independent review, we will provide you with a formal opinion on whether our SCILIF SunFibre Technology was properly used and probable causes of failure/damage.

The standard warranty is 2 years, 600 charging cycles for the battery.

#### **CUSTOM APPLICATION PRODUCT** DEVELOPMENT

We have already worked with a wide range of leading brands in developing customized or proprietary solutions. The technology presented in this catalogue is only our standard commercial offering and we work with various manufacturers of tactical equipment on a wide range of classified projects that integrate our technology and electronics into complete personal safety systems.

#### **DESIGN SUPPORT**

Should you wish, we are able to support you in how best to integrate our SCILIF SunFibre Technology from a design perspective to maximize safety and ensure that customer comfort and SunFibre product life is also maximized.

#### **INSTALLATION REVIEW**

We are able to provide advice on how to best integrate SCILIF SunFibre Technology into your manufacturing process to maximize effeciency and quality.

# **TECHNICAL SPECIFICATIONS**

#### POWER SOURCES

	Torres H	2 200 100		<u>Anna</u>		
Product name/ Battery capacity:	Power Control STANDARD 1600 mAh	Power Control STANDARD 2300 mAh	Power Control MINI 1000 mAh	Power Control HEAVY DUTY 3500 mAh	Power Bank MINI 2500 mAh	Power Bank DUOPORT 5000 mAh
Description:	Fully integrated and ultra-compact power and control unit for widest range of professional applications, fully programmable firmware.		Super lightweight integrated power and control unit.	Extreme heavy duty integrated power and control unit.	Ultra-compact portable power bank, fireproof high-impact plastic (ABS), multiple smart protection systems.	
Continuous working time	23 hours (1-sided)	34 hours (1-sided)	16 hours (1-sided)	50 hours (1-sided)	30 hours (1-sided)	60 hours (1-sided)
(lower intensity):	12 hours (2-sided)	18 hours (2-sided)	8 hours (2-sided)	26 hours (2-sided)	15 hours (2-sided)	30 hours (2-sided)
Colour:	Black/Green	Black/Red	Black/Grey	Silver /Blue White Camouflage Green Camouflage Sand	Black	Black
Modes of operation:	2x different intensity of light 1x flashing				On/Off = 1x intensity of light (+1x flashing mode*)	
Modes Programmable to Customer Needs (extra cost):		YE	* YES			
Special sensors:	Motion detection (option)		N/A	Motion detection (option), Salt water immersion (for Nautical)	N/A	
Indication:	Button activation	+ Battery level + (	+ Mode Selection	Battery Level + Charging Indicator + On/Off		
Dimensions (mm):	74 x 32 x 18	74 x 32 x 18	52 x 32 x 13	90 x 37 x 20	102 x 62 x 10	143 x 74 x 10
Weight:	52 g	55 g	24g	110g	69g +/- 10g	130g +/- 10g
Battery type/ capacity:	Li-Ion 1600 mAh	Li-Ion 2300 mAh	Li-Ion 1000 mAh	Li-Ion 3500 mAh	Li-Pol 2500 mAh	Li-Pol 5000 mAh
Average charging time (80%):	2.0 hours	2.5 hours	1.5 hours	4.0 hours	Fast charge	Fast charge
Voltage:	<5V			<5V	3.7V	3.7V
Charging connector type:	Micro USB-B			IP68 screw- in custom connector	USB-B	
Certificates:	CE, RoHS, IP44 (if connector is plugged in, and USB is covered)			CE, RoHS, IP68	CE, RoHS, TUV	
Safety functions:	• over charging • battery draining • over heating during the operation and charging					
Operating temperature range:	-15°C/+40°C			-25°C/+45°C	+8°C/+35°C	+8°C/+35°C

ACCESSORIES

	R	۲	<b>S</b>	ø j	1	e sciui
Product name:	SEW-IN BUTTON	FLOATING BUTTON	TRAVEL CHARGING ADAPTER	USB-A/B CHARGING CABLE	HEAVY DUTY CHARGING CABLE	RUBBER CLIP
Description:	Control Button for integration into fabric surface with integrated electronics to substitute power bank.	Our "Floating" button for loose integration into pocket or can be fixed on fabric surface. Connected to light source by cable.	Wall charger with USB-A output, compatible with all SunFibre Power Supplies.	Charging Cable to connect Travel Adapter to SunFibre Power Controls & Power Banks.	Special screw- in Charging Cable to connect Travel Adapter to SunFibre Heavy Duty Power Control (Tactical, Nautical).	Rubber sew-in clips to allow complete detachment of SunFibre lighting solution from backpack or garment.
Colour:	Black (any selected colour)	Black	Black	Black	Black	Black (any selected colour)
Material:	Silicon	Plastic	Plastic ABS/TPE	Plastic/Metal	Plastic/Metal	TPU
Dimensions (mm):	32 x 32 (button), 50 x 50 (including sewing edges)	36 x 6	110 x 160 x 30	Length = 1m	Length = 1m	18 x 17
Weight:	18g	10g	25g	20g	18g	1g
Modes of operation:	1: Flashing (3Hz) 2: Bright 3: Eco	1: Flashing (3Hz) 2: Bright 3: Eco	N/A	N/A	N/A	N/A
Certificates:	CE, RoHS, IP68		CE, RoHS	CE, RoHS	CE, RoHS	N/A
Operation temperature range:	-15°C/+40°C					
Options:		Modes of operation fully customizable over MOQ 10 000 pcs.				


N/A = Not Applicable

N/A = Not Applicable

\* = Function available if combined with Control Button

# **COLOUR CARD**

### 3 mm PIPING - standard colours (round color = recommended LED diodes)



\* SunFibre BASIC colours: 1108, 2127, 3157, 5474, 3405, 1257 (available with concerning)

3 mm TUBING - standard colours

#### \* 1108 hi-vis yellow 0003 white 1108 hi-vis yellow 0003 white CW AR BL GR CW GR CW CW \* 2127 hi-vis orange 8692 silver grey 2127 hi-vis orange 5474 neon green CW AR BL GR AR CW CW CW 3157 hi-vis red 4906 blue 3157 hi-vis red 3405 pink CW AR CW BL CW CW

2 mm PIPING - standard colours

Note: Other special colours available for bigger volumes. MOQ is 1000 m/colour for PIPING and 500 m/colour for TUBING options. 30

51

# IN 50+ COUNTRIES WORLDWIDE

#### **CONTACT:**

Marketa Kralova Head of Business Development kralova@scilif.com +420 775 722 761 scilif.com






## **MICHAEL RIDLER** Director

Ramp Global Technology Ltd 21 Freelands Road Cobham, Surrey KT11 2NA Tel: + (49) 6183 807594 Fax: + (49) 6183 807599 Mob: + (44) 7831 259501 Email: Mike@ramp-globaltec.co.uk

ALL ABOUT INNOVATION









Ramp Global Technology 8 Cherry Arbor, Cressage Shropshire SY5 6DL Mob:+ (44) 7749 491511 Email: Nick@ramp-globaltec.co.uk

ALL ABOUT INNOVATION