



Designed for better tiling

---

Tel: 023 92 455050 Email: [sales@tileeasy.com](mailto:sales@tileeasy.com)

[www.tileeasy.com](http://www.tileeasy.com)

Tileeasy Ltd, Unit 14, Dakota Business Park, Downley Road, Havant, PO9 2NJ

**Tileeasy, a brand you can trust to deliver**



NATIONWIDE COVERAGE



COMPETITIVE PRICING



NEXT DAY DELIVERY





**Tileeasy™**

Designed for better tiling

---

## OUR BEST EVER RANGE

# ISSUE 6 - Packed with new Products



TILE LIFTING SYSTEM



# Expanding our best ever range

## TILE VIBRATOR



# Welcome to the latest issue of our Tiling Essentials Catalogue!



We have over 3000 product lines in stock and ready for next day delivery.

We're excited to introduce a range of new innovations in our latest issue, designed to make tiling even more efficient and seamless. Our latest update includes a brand-new selection of Lifting Products, carefully developed to improve handling and installation with ease.

We've also updated our packaging to make key product information simpler and easier to read, ensuring you can find the details you need at a glance. Plus, we've added QR codes that link directly to our website, giving you instant access to more in-depth product information.

With our commitment to outstanding customer service, we continue to offer FREE next working day delivery on all orders that meet our FREE carriage minimum.

Explore the latest solutions from Tileeasy and take your tiling projects to the next level!



We are ISO 9001 registered which means we are a quality provider of goods and services.

Additionally, we are proud members of the Tile Association.

# Contents

## Tile Measuring Tools

10-11

Spirit Levels, Line Marker, Tape Measure, Profile Gauge, China Markers

## Tile Shaping & Grinding

32-37

Bull Nose Tools, Blades, Diamond Hand Pads, Diamond Tile File, Grinding Wheels, Mills, Pads, Rub Stone, Shaping Cones, Tile Files, Tile Trimmer

## Tile Lifting Tools

50-51

Tile Beater, Tile Lifting System, Tile Transport Trolley, Tile Vibrator & Lifting Tool, Retractable Work Table, Vacuum Suction Cup

## Tile Spacers & Membranes

66-76

Tile Levelling Spacers, Tile Spacers, Tile Wedges, Uncoupling Membrane, Uncoupling Membrane Roller, Waterproof Membrane, Corners, Tape

## Tile Cleaning & Care

86-95

Care Products, Mixing Bucket, Sealing Roller, Scourers, Shoe Protectors, Sponges, Rubber Gloves, Washboy & Pads

## Plastic Trims & Seals

102-117

Bath Seals, Round Edge Trim, Square Edge Trim, Tile-Vinyl Trim, Work Top Trim, Corner Pieces

## POS & Display

158-161

Dump Bins, Modular Merchandising System,

## Sales Representatives

163

Sales coverage

## Tile Cutting Tools

14-29

Cutters, Diamond Blades, Mitre Block, Nippers, Saws, Scribes, Suction Cup, Trim Cutter, Utility Knife

## Tile Drilling Tools

40-47

Drill Bits, Cooling Guides, Impact Drill, Safety Equipment, Dust Extractor

## Tile Fixing Tools

54-63

Easyfix Mesh, Electric Mixers, Mixer Paddles, Knee Pads, Rubber Mallet, Spiked Roller, Spiked Shoes, Spreaders, Tile Magnets, Tile Jacks, Trowels

## Tile Grouting Tools

80-83

Grout Floats, Spreaders, Finishers, Floor Squeegee, Smoothers, Caulking Gun, Silicone Smoother Kit

## Tile Removal Tools

98-99

Grout Rake, Grout Remover, Floor Scraper, Floor Tile Remover, Sealant Remover, Suction Cup, Tile Remover, Rubble Sacks

## Metal Trims & Bars

120-153

Box Trim, Carpet-Tile Trim, Expansion Joints, LED Trims, Listello Bars, Formable Tile Trim, Pencil Bars, Protective Edging, Round Edge Trim, Square Edge Trim, Shower Board Trims, Stair Edging, Corner Pieces

## Coverage & Index

165-174

Sales Coverage, Terms & Conditions, Index

# Tile Measuring Tools

Spirit Level 600mm .....	10
Spirit Level 1200mm .....	10
Spirit Level 1800mm .....	10
Line Marker .....	10
Tape Measure .....	11
Profile Gauge .....	11
China Markers .....	11





*Spirit Level 600*

## Spirit Levels



PRODUCT CODES: TSL600/TSL1200/TSL1800

PK QTY: 1

Professional spirit levels. Perfect for all types of tiling work.

1 x 45° Vial	✓
1 x 90° Vial	✓
1 x 180° Vial	✓
Magnetic Base	✓
Shockproof End Caps	✓
0.5mm/m Accuracy	✓
Length	600/1200/1800mm



## Line Marker



Chalk Refill 225g



Vertical Line

Create quick and easy straight lines for wall measurements prior to tiling.

A handy little tool which leaves chalked lines when pulled taut and plucked against the desired area. Chalk refill sold separately.

PRODUCT CODE: LM PK QTY: 1

Metal Case	✓
Folding Metal Handle	✓
Chalk Line	✓
Length	30m

CHALK REFILL

CLR

## Tape Measure



## Profile Gauge



Making template

Transferring shape

Perfect for all your general measuring requirements whilst tiling.

Our tape measure incorporates 3 handy stop and release locks for whatever position is required.

PRODUCT CODE: TAME	PK QTY: 1
3 Rivet Tip	✓
Magnetic Hook	✓
1 x Horizontal Blade Lock	✓
1 x Adjustable Blade Lock	✓
1 x Quick Hold Blade Button	✓
Tape Length	5m

Marking out difficult shapes prior to cutting tiles can be a tricky process.

With our Profile Gauge you can easily transfer shapes to your tiles. Perfect for situations such as around pipe work.

PRODUCT CODE: PG	PK QTY: 1
Plastic Construction	✓
Integral Measuring Rule	✓
Guide Width	127mm

## China Marker

For marking out positions or measurements on to tiles.  
A two piece pack in two water resistant colours.



PRODUCT CODE: CM PK QTY: 5

Water Resistant	✓
2 x Pencils Per Pack	✓
Pencil Length	175mm

# Tile Cutting Tools

Flat Bed Cutters .....	14 - 15
Ishii Tile Cutting Machines .....	16 - 20
Electric Tile Cutter 450 .....	21
Electric Tile Cutter 650 .....	21
Electric Tile Cutter Blade .....	21
Ishii Tile Nippers .....	22
Ishii Tile Suction Cup .....	22
Tile Nippers .....	23 - 24
Scribes .....	24
Saws .....	25
Saw Blades .....	26 - 27
Mitre Block .....	27
Utility Knife .....	27
Trim Cutters .....	27
Cutting Blades & Wheels .....	28 - 29
Diamond Blades .....	28 - 29





*Premium Diamond Turbo Blade 300mm*

## Budget Tile Cutters

For cutting through small ceramic wall and floor tiles, our budget tile cutters are a must have for any DIY enthusiast. Carbide wheel included.



- Ceramic Tiles
- Measurement Guide
- Metal Base
- Tungsten Carbide Wheel



BTC500



Replaceable carbide wheel

PRODUCT CODE	BED SIZE	CUTTING THICKNESS	PACK QTY
BTC	300mm	10mm	1
BTC400	400mm	10mm	1
REPLACEMENT WHEEL			BW

## Big Jake 600 & 1000mm

**BIG JAKE**



Designed to take on more rigorous work the JTC600 and JTC1000 will perform favourably on ceramic wall and floor tiles and some porcelain. Carbide wheel included.

**BIG JAKE XL**



PRODUCT CODE: JTC/JTCXL	PK QTY: 1
Ceramic & Porcelain Tiles	✓
Adjustable Measurement Guide	✓
Bearing Handle Carriage	✓
Metal Base	✓
Tungsten Carbide Scoring Wheel	✓
Max Cutting Thickness	14mm
Cutting Beds	600/1000mm
REPLACEMENT WHEEL	
SW/SW2	



Adjustable guide



Replaceable carbide wheel

Big Jake: 600mm - Replacement Wheel: SW

Big Jake XL: 1000mm - Replacement Wheel: SW2

## Big Jake 1200mm

**BIG JAKE  
XXL**

The JTC1200 has been developed to help tackle larger format tiles. With a cutting bed of 1200mm, it will perform well on ceramic wall and floor tiles and some porcelain.

PRODUCT CODE: JTC1200	PK QTY: 1
Ceramic & Porcelain Tiles	✓
Adjustable Measurement Guide	✓
Bearing Handle Carriage	✓
Metal Base	✓
Side Arm Extensions	✓
Tungsten Carbide Scoring Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	1200mm
REPLACEMENT WHEEL	SW3

**NEW - Cutting & Grinding Blade 50mm****NEW  
PRODUCT****Find out more - page 32**

Exclusive to Tileeasy is our range of tile cutting machines. Japanese made, under the trusted brand name of Ishii, they are designed especially to cut porcelain and other hard materials.

Our offer consists of 5 different sizes of tile cutter

- **Ishii 350 (350mm bed)**
- **Ishii 525 (525mm bed)**
- **Ishii 625 (625mm bed)**
- **Ishii 620 Professional (620mm bed)**
- **Ishii 1040 Premium (1040mm bed)**
- **Ishii 1240 Premium (1240mm bed)**




The Ishii IPC620 is ideal for popular-sized tiles such as 600x300mm and 600x600mm. The top section of the base is spring loaded to ensure quality and precision.

The Ishii IPC1040 and IPC1240 are premium products, with cutting beds of 1040mm and 1240mm long. The base is split into six individual spring loaded sections. The single bar provides exceptional precision. They also both come with a handy canvas carry case, for easy transportation.

## Ishii 350 Tile Cutting Machine



Cutting guide



Cutting Ceramics


A robust cutter suitable for smaller tiling projects.  
Titanium wheel included.

PRODUCT CODE: IPC350	PK QTY: 1
Ceramic & Stone	✓
Measurement Guide	✓
Metal Base	✓
Titanium Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	350mm
REPLACEMENT WHEEL	IW2

## Ishii 525 Tile Cutting Machine



Cutting guide



Cutting Ceramics

A robust cutter suitable for smaller tiling projects. The IPC525 tile cutting machine increases the bed size of the IPC350. Titanium wheel included.

PRODUCT CODE: IPC525	PK QTY: 1
Ceramic & Stone	✓
Measuring Guide	✓
Metal Base	✓
Titanium Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	525mm
REPLACEMENT WHEEL	IW2

## Ishii 625 Tile Cutting Machine



Close up of features





Cutting Ceramics

Similar to the IPC350 and IPC525. Suitable for larger tiles, with the added feature of a bearing carriage. Titanium wheel included

PRODUCT CODE: IPC625	PK QTY: 1
Ceramic & Stone	✓
Adjustable Measuring Guide	✓
Metal Base	✓
Titanium Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	625mm
REPLACEMENT WHEEL	IW2

## Ishii Professional 620



Ball bearing carriage



Cutting guide



22mm titanium coated wheel

A superior quality cutting machine. Suitable in particular for the professional tiler. This high quality Japanese designed cutter is precision made to give years of reliable service. Titanium wheel included.




Fabric carry case

PRODUCT CODE: IPC620	PK QTY: 1
Ceramic, Porcelain & Quarry Tiles	✓
22mm Titanium Coated Wheel	✓
Twin Bar Rail	✓
Aluminium Alloy Base	✓
Ball Bearing Sliding	✓
Aluminium Soft Grip Handle	✓
Aluminium Alloy Side Extension	✓
Max Cutting Thickness	16mm
Cutting Bed	620mm
Measuring Gauge	300mm

REPLACEMENT WHEEL

IW

## Ishii Premium 1040



Quick release



Cutting guide



22mm titanium coated wheel

PRODUCT CODE: IPC1040	PK QTY: 1
Ceramic, Porcelain & Quarry Tiles	✓
22mm Titanium Coated Wheel	✓
H Shaped Rail	✓
Aluminium Extruded Base	✓
Bearing Sliding	✓
Aluminium Soft Grip Handle	✓
Spring Steel Side Extension	✓
Max Cutting Thickness	16mm
Cutting Bed	1040mm
Measuring Gauge	500mm
REPLACEMENT WHEEL	
IW	

The IPC1040 is made to the same exacting high standards of the IPC620 but capable of cutting larger tiles.




Fabric carry case

## Ishii Premium 1240



Flip-up guide



Cutting guide



22mm titanium coated wheel

PRODUCT CODE: IPC1240	PK QTY: 1
Ceramic, Porcelain & Quarry Tiles	✓
22mm Titanium Coated Wheel	✓
H Shaped Rail	✓
Aluminium Extruded Base	✓
Bearing Sliding	✓
Aluminium Soft Grip Handle	✓
Spring Steel Side Extension	✓
Max Cutting Thickness	16mm
Cutting Bed	1240mm
Measuring Gauge	500mm
<b>REPLACEMENT WHEEL</b>	<b>IW</b>

The IPC1240 is made to the same exacting high standards of the IPC1040 but capable of cutting larger tiles.



Fabric carry case

### Electric Tile Cutter 450



Flip-up guide



Cutting guide

The EC450 is a DIY product suitable for smaller tiling jobs. Capable of cutting through ceramic and some porcelain tiles.

PRODUCT CODE: EC450	PK QTY: 1
Diamond Sintered Wheel	✓
Height Adjustable Splash Guard	✓
Lockable Cutting Guide	✓
Flip-up Guide Plate (45° Mitres)	✓
Integral Carry Handle	✓
Wattage	450
Table Extension	65mm
Table Size	335 x 315mm
REPLACEMENT WHEEL	EC450W

### Electric Tile Cutter 650



Integral Handle



Metal Top

The EC650 is a higher performance DIY product suitable for smaller tiling jobs. Capable of cutting through ceramic and some porcelain tiles.

PRODUCT CODE: EC650	PK QTY: 1
Diamond Sintered Wheel	✓
Height Adjustable Splash Guard	✓
Lockable Cutting Guide	✓
Flip-up Guide Plate (45° Mitres)	✓
Integral Carry Handle	✓
Wattage	650
Table Size	345 x 345mm
REPLACEMENT WHEEL	EC650W

### Electric Diamond Cutter Blade

For quick smooth cutting of hard tiles, such as porcelain, granite and marble. For use with EC450/EC650



Product Code: EC450W/EC650W

- Diamond Sintered Wheel
- Diamond Cutting Rim: 6mm
- Bore Hole Size: 22.2mm
- Wheel Size: 110/180 x 2mm

## Ishii Tile Nipper



Cutting guide



Replaceable titanium wheel

The Ishii premium tile nippers are a must have for any professional. Expertly crafted, you can immediately feel the quality from the first nibble.

PRODUCT CODE: ITN	PK QTY: 1
2 x Tungsten Carbide Straight Blades	✓
2 x Tungsten Carbide Curved Blades	✓
2 x Tungsten Carbide Scoring Wheels	✓
Cuts Ceramic & Glass Tiles	✓
Tile Thickness Adjustment Setting	✓
Adjustable Depth Stopper	✓
Soft Grip Handles	✓
1 x Hex Wrench (changing blades)	✓
<b>REPLACEMENT CARBIDE WHEELS</b>	
<b>ITNW</b>	
<b>REPLACEMENT CARBIDE BLADES</b>	
<b>ITNB</b>	

## Ishii Professional Tile Nipper

Professional tile nippers for nibbling narrow strips and shapes from ceramic tiles.



PRODUCT CODE: IPTN	PK QTY: 1
Tungsten Carbide Straight Blades	✓
Dropped Forged Construction	✓
Soft Grip Handle	✓
Max Cutting Thickness	12mm

## Ishii Double Suction Cup

Professional grade double suction cups for handling misplaced or cracked tiles.



PRODUCT CODE: IDSC	PK QTY: 1
High Grade Rubber	✓
Aluminium Die Cast Body	✓
Max Lifting Weight	70kgs
Cup Diameter	2 x 120mm

### Quarry Tile Nippers

For nibbling narrow strips and shapes.



PRODUCT CODE: QTN	PK QTY: 1
Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	255mm

### Heavy Duty Tile Nippers

For nibbling narrow strips and shapes.



PRODUCT CODE: HDN2	PK QTY: 1
Tungsten Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	195mm

### Cut & Snap

A dual purpose tool for cutting and breaking small wall tiles.



PRODUCT CODE: CS4	PK QTY: 5
Carbide Wheel	✓
Metal Alloy Construction	✓
Plastic Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	210mm

### Parrot Beak Nippers

For nibbling intricate shapes from mosaic tiles.



PRODUCT CODE: PBN	PK QTY: 1
Tungsten Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	8mm
Tool Size	195mm

### Mosaic Tile Nippers

For nibbling intricate shapes from mosaic tiles.



PRODUCT CODE: MN1	PK QTY: 1
Tungsten Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	210mm

### Wheel Mosaic Nippers

For cutting through the smallest of mosaic tiles.



PRODUCT CODE: WMN	PK QTY: 1
Double Titanium Wheels	✓
Dropped Forged	✓
Soft Grip Handle	✓
Max Cutting Thickness	12mm
Tool Size	195mm

### Tile Scribe

For scoring tiles prior to breaking.



PRODUCT CODE: HDS2	PK QTY: 10
Tungsten Carbide Tipped	✓
Plastic Handle	✓
Tool Size	140mm

### Metal Scribe

For scoring tiles prior to breaking. Use the opposite end to snap the tile in the scribed position.



PRODUCT CODE: MS1	PK QTY: 10
Tungsten Carbide Tipped	✓
Metal Construction	✓
Protective Cap	✓
Tool Size	120mm

### 6" Tile Saw Budget

A light weight tile saw for cutting slots, angles and curves into ceramic tiles.



PRODUCT CODE: SFS6	PK QTY: 5
Tungsten Carbide Blade	✓
Soft Grip Handle	✓
Blade Size	113mm
<b>REPLACEMENT BLADE</b>	<b>SB6</b>

### 6" Tile Saw Standard

For cutting slots, angles and curves into ceramic tiles, made more comfortable with a soft grip handle.



PRODUCT CODE: FS6	PK QTY: 5
Tungsten Carbide Blade	✓
Soft Grip Handle	✓
Blade Size	113mm
<b>REPLACEMENT BLADE</b>	<b>SB6</b>

### NEW - TILE MAGNET KIT



Find out more - page 63

### 12" Tile Saw With Drill

For cutting slots, angles and curves into ceramic tiles, with the added feature of a tile drill.



PRODUCT CODE: CS12	PK QTY: 5
Tungsten Carbide Blade	✓
Integral Tile Drill	✓
Plastic Handle	✓
Blade Size	260mm
<b>REPLACEMENT BLADE</b>	<b>SB12</b>

## Carbide Blades

Replacement tungsten carbide blades for budget and standard tile saws.



PRODUCT CODE	SIZE	PACK QTY
SB6	6" (113mm)	10
SB10	10" (213mm)	10
SB12	12" (260mm)	10
USED IN CONJUNCTION WITH		FS6/SFS6/CS12

## 6" Carbide Blade With Pins


Replacement blade for 6 inch tile saw with unique pin attachment.



PRODUCT CODE: SBP6	PK QTY: 10
Tungsten Carbide Blade	✓
Pin attachment	✓
Blade Size	113mm

## Hacksaw and Jigsaw Blades

Replacement hacksaw and jigsaw blades for Bosch and Black & Decker power saws. Designed for cutting most ceramic and porcelain tiles. Featuring tungsten coated and diamond electroplated blades, and available on their own or as a mix.



PRODUCT CODE	TYPE	FINISH	SIZE	PACK QTY	OUTER PACK QTY
12HB	Hacksaw	Tungsten	12" (300mm)	1	5
JSB	Black & Decker	Tungsten	55mm	2	5
BJSB	Bosch	Tungsten	50mm	2	5
JSBM	Mix	Tungsten	50/55mm	2	5
DJBBD	Black & Decker	Diamond	60mm	1	1
DJBB	Bosch	Diamond	60mm	1	1

## Diamond Rod Saw Blade

Replacement diamond blade for the 6 inch tile saw budget and standard. Designed for cutting most ceramic and some porcelain tiles.



PRODUCT CODE: DSB6	PK QTY: 1
Diamond Electro Plated Blade	✓
Blade Size	113mm
<b>USED IN CONJUNCTION WITH</b>	<b>FS6/SFS6</b>

## Mitre Block

To assist with the cutting of accurate mitres in most PVC and metal tile trims.



PRODUCT CODE: MBL	PK QTY: 1
Metal Construction	✓
3 x Mitre Angles	✓
Tool Size	115mm x 105mm

## Utility Knife

For general cutting requirements, such as slicing through mosaic mesh.



PRODUCT CODE: UKN	PK QTY: 5
Aluminium Body	✓
Retractable Blade	✓
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>RBUKN</b>

## Budget Trim Cutter

For cutting precise mitres in plastic tile trims.



PRODUCT CODE: BTRC	PK QTY: 1
7 x Preset Mitre Angles	✓
Replaceable Utility Blade	✓
Soft Grip Handles	✓
Blade Size	63mm
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>RBUKN</b>

# Diamond Multi Blade

For cutting most ferrous and non-ferrous metals, PVC, ceramic and wood. Ideal for cutting all types of metal and plastic tile trims. To be used with an angle grinder.



PRODUCT CODE: DMB	PK QTY: 1
Wet & Dry Cutting	✓
Continuous Diamond Cutting Rim	✓
Blade Thickness	1.4mm
Blade Diameter	115mm
Bore Hole Size	22.2mm
Maximum RPM	12200

# Turbo Blades

Our selection of turbo blades are designed for quick smooth cutting of hard tiles, such as porcelain, granite and marble. All our turbo blades create high quality cuts and can be used for wet and dry cutting. To be used with an angle grinder.

PRODUCT CODE	RIM	DRY	WET	BLADE SIZE	BORE HOLE SIZE	MAX RPM	PACK QTY
DTB	10mm	✓	✓	115 x 1.5mm	22.2 or 16mm		1
STDTB	10mm	✓	✓	115 x 1.5mm	22.2 or 16mm		1
PDTB300	10mm	✓	✓	300 x 1.5mm	25.4 or 20mm	5100	1



Diamond Turbo Blade



Premium Diamond Turbo Blade



Premium Diamond Turbo Blade 300



## Professional Wet and Dry Turbo Blades

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.

- Wet Cutting
- Dry Cutting
- Reinforced Steel Core



PRODUCT CODE	BLADE SIZE	BORE HOLE SIZE	CUTTING RIM	PACK QTY
PWD150	150mm	22.2 or 16mm	10mm	1
PWD180	180mm	25.4 or 22.23mm	10mm	1
PWD200	200mm	25.4 or 22.23mm	10mm	1

## Professional Wet Continuous Blades

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.

- Wet cutting



PRODUCT CODE	BLADE SIZE	BORE HOLE SIZE	CUTTING RIM	PACK QTY
PW150	150mm	22.2 or 16mm	10mm	1
PW180	180mm	25.4 or 22.23mm	10mm	1
PW200	200mm	25.4 or 22.23mm	10mm	1

## Diamond Glass Blade

For cutting glass tiles and mosaics (For wet cutting only).




PRODUCT CODE: DGB	PK QTY: 1
Wet Cutting	✓
Diamond Cutting Rim	6mm
Bore Hole Size	22.2mm
Wheel Size	110 x 1.3mm

# Tile Shaping & Grinding Tools

Cutting & Grinding Blade 50mm .....	32
Mini Turbo Grinding Wheel .....	32
Diamond Grinding Pad .....	33
Diamond Polishing Pad .....	33
Grinding/Polishing Pad Adapter .....	32
Ultra Thin Cutting & Grinding Blade .....	33
Bull Nose Grinding Wheel .....	34
Bull Nose Shaping Tool .....	34
Diamond Flap Discs .....	34
Cutting & Grinding Blade .....	35
Diamond Grinding Mills .....	35
Grinding & Shaping Cones .....	35
Files .....	36 - 37
Tile Trimmer .....	36
Rub Stone .....	36
Diamond Hand Pads .....	37
Diamond Tile File .....	37





*20mm Bull Nose Shaping Tool*

## Cutting & Grinding Blade 50mm

For fast and intricate cutting/grinding of tiles and other building materials, particularly ideal in areas with limited space. To be used with angle grinder.



PRODUCT CODE: CGB50	PK QTY: 1
Diamond Sintered Wheel	✓
M14 Fitting	✓
Dual Sided Diamond Blade	✓
Wet & Dry Cutting	✓
Wheel Thickness	2mm
Wheel Size	50mm

## Mini Turbo Grinding Wheel

For easy removal of hardened adhesive and screed. Particularly useful in tight areas. To be used with angle grinder.



PRODUCT CODE: MTGW	PK QTY: 1
Diamond Sintered Wheel	✓
M14 Fitting	✓
Wheel Size	50mm

## Grinding/Polishing Pad Adapter

To be used in conjunction with diamond grinding and polishing pads (sold separately). To be used with an angle grinder.



PRODUCT CODE: GPPA	PK QTY: 1
Flexible Rubber Pad	✓
Velcro Back Attachment	✓
M14 Fitting	✓
Adapter Size	100mm

## Diamond Grinding Pad

For grinding, bevelling and shaping porcelain, natural stone and glass tiles. To be used with an angle grinder.



PRODUCT CODE: DGP100 PK QTY: 1

100# Grit Grinding Pad	✓
Velcro Back	✓
Maximum RPM	3000
Pad Size	100mm

USED IN CONJUNCTION WITH GPPA

## Diamond Polishing Pad

For polishing cut edges of porcelain, natural stone and glass tiles. To be used with an angle grinder.



PRODUCT CODE: DPP100 PK QTY: 1

100# Grit Polishing Pad	✓
Velcro Back	✓
Maximum RPM	3000
Pad Size	100mm

USED IN CONJUNCTION WITH GPPA

## Ultra Thin Cutting & Grinding Blade

1.5mm cutting and grinding blade, ideal for making clean and precise cuts or shaping/smoothing tile edges. Suitable for porcelain, ceramic, glass and stone.



PRODUCT CODE: UTCGB PK QTY: 1

Wet & Dry Cutting	✓
150# Grit	✓
Grit Depth	30mm
Diamond Brazed	115mm
Bore Hole Size	22.23mm
Maximum RPM	13000

## Bull Nose Shaping Tool

For creating a round bull nose edged finish on 20mm porcelain and stone tiles. Incorporates bearing rotation to assist with a smooth straight edge.



PRODUCT CODE: BNST20	PK QTY: 1
Diamond Vacuum Brazed	✓
Bearing Rotation	✓
Wet & Dry Use	✓
M14 Fitting	✓
Tool Size	20mm
<b>Max RPM</b>	<b>9500</b>

## Bull Nose Grinding Wheel

For creating a 20mm bevelled edge to tiled steps and marble countertops.



PRODUCT CODE: BNGW20	PK QTY: 1
Medium Grit	✓
Diamond Brazed	✓
M14 Fitting	✓
Wet & Dry Use	✓
Tool Size	20mm
Bore Hole Size	22.23mm
<b>Max RPM</b>	<b>9500</b>

## Diamond Flap Discs

For grinding and smoothing wall and floor tiles. Available in 2 diamond grits, 60# and 200#.



PRODUCT CODE: DFD60/DFD200	PK QTY: 1
60# Grit	✓
200# Grit	✓
M14 Fitting	✓
Disc Size	115mm
<b>Max RPM</b>	<b>8000</b>

## Diamond Grinding Mills

For grinding and shaping existing holes and cuts, ideal for removing chipping. For use on porcelain, ceramic, granite and marble.



PRODUCT CODE: DGM10/DGM20	PK QTY: 1
Diamond Vacuum Brazed	✓
M14 Fitting	✓
Drill Hole Size DGM10	10mm
Drill Hole Size DGM20	20mm
<b>Max RPM</b>	<b>9500</b>

## Grinding & Shaping Cones

For grinding and shaping existing holes and cuts, ideal for removing chipping. For use on porcelain, ceramic, granite and marble.



PRODUCT CODE: GSC35/GSC48	PK QTY: 1
Diamond Vacuum Brazed	✓
M14 Fitting	✓
Drill Hole Size GSC35	2-35mm
Drill Hole Size GSC48	20-48mm
<b>Max RPM</b>	<b>9500</b>

## Cutting & Grinding Blade

Multi-purpose blade for cutting, grinding and bevelling of porcelain, granite, marble, and other hard tiles, (not suitable for cutting 20mm porcelain). To be used with angle grinder.



PRODUCT CODE: CGB115	PK QTY: 1
Double Sided	✓
80# Grit	✓
Vacuum Diamond Brazed	✓
M14 Fitting	✓
Blade Diameter	115mm
<b>Max RPM</b>	<b>12000</b>

### Heavy Duty Hand File

For smoothing rough tile edges.



### Flat Rasp and File

Featuring coarse and fine grit on either side, for smoothing rough tile edges.



PRODUCT CODE: HDHF	PK QTY: 5
Carbide Coated	✓
Flat Side	✓
Round Side	✓
Plastic Handle	✓
Tool Size	230mm

PRODUCT CODE: FRF	PK QTY: 5
1 x Coarse Grit Side	✓
1 x Fine Grit Side	✓
PVC Handle	✓
Tool Size	330mm

### Rub Stone

A solid grit block designed to shape and smooth cut tiles.



### Tile Trimmer

Designed to shape and smooth cut tile edges.



PRODUCT CODE: RUS	PK QTY: 1
Coarse Grit All Sides	✓
Size	200 x 50 x 25mm

PRODUCT CODE: TTR	PK QTY: 5
Tungsten Carbide Coated	✓
2 x Mesh Per Pack	✓
Mesh Size	180 x 60mm

### Diamond Tile File

For smoothing cut edges of tiles made from tough materials such as glass and porcelain.



PRODUCT CODE: DTF	PK QTY: 1
Diamond Electro Plated Blade	✓
Flat Side	✓
Round Side	✓
Wooden Handle	✓
Blade Size	150mm
Tool Size	250mm

### Premium Diamond Hand Pad



Diamond grit mesh

Premium pad, for smoothing cut edges of tiles made from tough materials such as glass and porcelain.

PRODUCT CODE: DHP	PK QTY: 1
1 x 200 Grade Diamond	✓
1 x Grit Mesh Side	✓
Soft Foam Pad	✓
Pad Size	90 x 55 x 25mm

### Diamond Hand Pads



Diamond Grit

For smoothing cut edges of tiles made from tough materials such as glass and porcelain.

PRODUCT CODE:DHP100/200/400	PK QTY: 1
1 x 100 Grade Diamond	✓
1 x 200 Grade Diamond	✓
1 x 400 Grade Diamond	✓
Soft Foam Pad	✓
Pad Size	90 x 55 x 25mm

# Tile Drilling Tools

Diamond Drill Bits .....	40
Glass/Tile Drill Bits .....	41
Triangular Drill Bit .....	41
Multi Purpose Drill Bits .....	41
Dry Drill Bits .....	42
Dry Angle Drill Bits .....	42
Chuck Adaptor .....	42
Cooling Wax .....	43
Cooling Guides/ Drill Guides .....	43 - 44
Water Cooling Drill Guides .....	45
Safety Equipment .....	46
Impact Drill .....	46
Suction Drilling Dust Extractor .....	47





*Suction Drilling Dust Extractor*

## Diamond Drill Bits

Diamond drill bits are available in a wide variety of sizes and offer an economical method of drilling a hole in the hardest of tiles. However, in order to produce a good result and ensure long life of the drill bit, it is important to observe the recommended drill speed and only use in conjunction with our relevant cooling system.

All our diamond drill bits have diamond rims and are electroplated. 4-12mm bits incorporate discharge holes, to enable easy removal of waste.



PRODUCT CODE	SIZE	PACK QTY
DDB4	4mm	1
DDB6	6mm	1
DDB8	8mm	1
DDB10	10mm	1
DDB12	12mm	1
DDB18	18mm	1
DDB25	25mm	1
DDB35	35mm	1
DDB45	45mm	1
DDB50	50mm	1
DDB115	115mm	1
DDS	5,6,7,8,10mm	1

## Glass/Tile Drill Bits

Our arrow head drill bits feature a tungsten carbide tip.  
Ideal for drilling holes in ceramic and glass tiles.



PRODUCT CODE	SIZE	PACK QTY
DB6MM	6mm	5
DB8MM	8mm	5
DB10MM	10mm	5

## Triangular Drill Bit

For drilling large holes in ceramic tiles .



PRODUCT CODE: TDB	PK QTY: 1
Two Sided Tungsten	✓
Carbide Edge Multi Size	✓
Drilling Drill Hole Size Tool	✓
Size	2-73mm
	110mm



MPC6 In use

## Multi Purpose Cross Drill Bits

Designed to create neat precise holes in tiles. Precision crossed head tip, preventing slippage on smooth surfaces.

NEW  
PRODUCTS



PRODUCT CODES: MPC6/MPC8/MPC10	PK QTY: 1
Precision Crossed Head Tip	✓
Fluted Shank	✓
Reduced Slippage	✓
Bit Sizes	6/8/10mm

# Dry Drill Bits

A very convenient way of drilling even the hardest of tiles, such as porcelain, granite etc, as with this drill bit there is no need for water, just ensure that the correct drill speed is used (2000 - 3000 RPM). Available in two type of fittings, standard and M14, all our dry drill bits have a brazed diamond rim and sizes 18mm and below benefit from a wax filled core.



PRODUCT CODE	FITTING	SIZE	PACK QTY
DRY6A	M14	6mm	1
DRY8A	M14	8mm	1
DRY10A	M14	10mm	1
DRY18A	M14	18mm	1
DRY25A	M14	25mm	1
DRY35A	M14	35mm	1
DRY45A	M14	45mm	1
DRY65A	M14	65mm	1
DRY75A	M14	75mm	1
M14CA	M14		1

PRODUCT CODE	FITTING	SIZE	PACK QTY
DRY6	Standard	6mm	1
DRY8	Standard	8mm	1
DRY10	Standard	10mm	1
DRY12	Standard	12mm	1
DRY18	Standard	18mm	1
DRY25	Standard	25mm	1
DRY35	Standard	35mm	1



M14CA - M14 Adapter

## Universal Guide & Cooling System

The universal guide and cooling system is capable of guiding drill bits from 6mm to 50mm. The suction cup ensures that the guide is firmly held in position throughout drilling, whilst the water cooling system maintains the correct drill bit temperature.



Suction cup &amp; guide

1.1 ltr bottle

PRODUCT CODE: UGCS	PK QTY: 1
Universal Guide	✓
Suction Cup	✓
1.1 Ltr Cooling System	✓
Adjustable Guide	✓
Bottle Size	1.1 Ltr
<b>USED IN CONJUNCTION WITH</b>	<b>DIAMOND DRILL BITS</b>

## Small Guide & Cooling System

Similar features to the UGCS, with limitation between 4 and 12mm drill size.



7 x drill hole guide

0.5 ltr bottle

PRODUCT CODE: SGCS	PK QTY: 1
Drill Guide	✓
Suction Cup	✓
0.5 Ltr Cooling System	✓
Drill Holes	4,5,6,7,8,10,12mm
Bottle Size	0.5 Ltr
<b>USED IN CONJUNCTION WITH</b>	<b>DIAMOND DRILL BITS</b>

## Cooling Wax

For cooling and lubricating Diamond Tile Drill Bits and Diamond Hole Cutters.



PRODUCT CODE: CWAX	PK QTY: 1
For Dry Drilling	✓
Increases Life of Drill Bit	✓
Suitable for Diameters of	6-35mm
<b>USED IN CONJUNCTION WITH</b>	<b>DRY/DRYA</b>

## Disposable Drill Guides

Our disposable drill guides make light work of locating your drill position. Featuring a self adhesive backing, and an added water cooling feed, allowing for a neater finish to your drill holes.



PRODUCT CODE: DDG6/ DDG8/ DDG10	SIZE	PK QTY: 10
DDG6	6mm	10
DDG8	8mm	10
DDG10	10mm	10

USED IN CONJUNCTION WITH

UGCS/SGCS

## Circular Tile Cutter

For drilling large holes in ceramic tiles.



PRODUCT CODE: TCC	PK QTY: 1
Any Variable Speed Drill	✓
Tungsten Carbide Blade	✓
Safety Guide	✓
Drill Hole Size	20-94mm

## Pro Drill Guide

For locating drill position when drilling wall and floor tiles.



PRODUCT CODE: PDG	PK QTY: 1
Wall and Floor Tiles	✓
Stainless Steel Guide Plate	✓
Foam Pad	✓
Universal Drill Guide	4 - 120mm
Individual Drill Holes	4,6,8,10,12mm

USED IN CONJUNCTION WITH

DRY DRILL  
BITS

# Water Cooling Drill Guide

Radically improve the process of drilling into hard tiles with our innovative Water Cooling Drill Guide.

Designed in-house, this clever product prevents the drill bit from overheating whilst allowing accurate drilling into floor and wall tiles of hard construction.

Ideal for both the DIY enthusiast and the professional. This system features a precise water cooling guide in four drill sizes with fixing pads and reservoir. The guide can be purchased individually with the choice of 6mm, 8mm, 10mm or 12mm drill sizes. The guide can also be purchased as a kit inclusive of all four drill bits.

This unique product ensures the water feed hole delivers the right flow and speed of water to keep the drill bit at a cool and safe temperature. The Drill Guide can also be purchased individually along with additional fixing pads.



Drill guide



Reservoir



Adhesive pads

PRODUCT CODE	GUIDE SIZE	DRILL BIT	PADS	PACK QTY
WCDG	6,8,10,12mm	-	5	1
WCDG6	6,8,10,12mm	6mm	5	1
WCDG8	6,8,10,12mm	8mm	5	1
WCDG10	6,8,10,12mm	10mm	5	1
WCDG12	6,8,10,12mm	12mm	5	1
WCDGS	6,8,10,12mm	6,8,10,12mm	10	1
AP10	-	-	10	5



## Safety Spectacles

For protecting your eyes when cutting and breaking tiles.



## Safety Goggles

For protecting your eyes when cutting and breaking tiles.



### PRODUCT CODE: SSPE

### PK QTY: 5

Adjustable Arm Length	✓
Comfortable & Light Weight	✓
Size	150 x 55mm

### PRODUCT CODE: SGO

### PK QTY: 5

Soft Flexible PVC Frame	✓
Size	185 x 75mm

## Corded Impact Drill

For general tile drilling requirements such as, pipe work, cabinet fixing etc.



## Dust Masks (10 Pack)

A lightweight mask for protection against dust inhalation when cutting or fixing tiles.



### PRODUCT CODE: CID

### PK QTY: 1

2 x Level Gear Speeds	✓
Impact Functions	✓
Variable Speed	✓
Aluminium Gear Box & Handle	✓
7 x Drill Bit Set	✓
Plastic Carry Case	✓
Power	230 - 710w

### PRODUCT CODE: DM10

### PK QTY: 5

Soft Flexible Nose Piece	✓
Facial Adjustment	✓

## Suction Drilling Dust Extractor



Designed to reduce dust created at source. Ideal for when drilling into wall and floor tiles.




PRODUCT CODE: SDDE	PK QTY: 1
Rubber Seal	✓
Universal Vacuum Connection	✓
Max Drill Bit Size	70mm
Max Vacuum Hose Size	35mm



# Tile Lifting Tools

Retractable Work Table .....	50
Tile Beater .....	50
Tile Lifting System .....	50
Tile Transport Trolley .....	51
Tile Vibrator .....	51
Vacuum Suction Cup .....	51





*Tile Vibrator & Lifting Tool*

## Retractable Work Table

Multi sized retractable work table. Useful when working with large format tiles.



PRODUCT CODE: RWT PK QTY: 1

2 x Mobility Wheels	✓
Light Weight Aluminium	✓
1 x Fabric Carry Case	✓
Max Size Range	2300 x 1190mm
Height	750mm
Collapsed Size	390 x 230mm
Max Load Bearing	1000kgs

PRODUCT CODE: TBE	PK QTY: 1
Wide Anti Bounce Surface Area	✓
Rubber Coated Metal Plate	✓
Soft Grip Rubber Handle	✓
Tool Size	355 x 146mm
Weight	2.2kgs

## Tile Beater

To assist with the removal of air bubbles when installing large format tiles.



## Tile Lifting System

For lifting and positioning large format tiles.



PRODUCT CODE: TLSY PK QTY: 1

2 x Sets of Long and Short Bars	✓
6 x Vacuum Suction Cups	✓
2 x Anti Slip Handles	✓
1 x Fabric Carry Case	✓
Max Extended Size	3400 x 1600mm
Suction Cup Diameter	200mm
Vertical Suction Bearing	200kgs

## Tile Transport Trolley

For transporting large format tiles. Can be used in conjunction with Tile Lifting System.



PRODUCT CODE: TTT	PK QTY: 1
Strong Aluminium Construction	✓
4 x Universal Wheels	✓
Safety Brake Function	✓
Dimensions	1105 x 410 x 160mm
Max Load Capacity	200kgs

PRODUCT CODE: TVB PK QTY: 1

Rechargeable Lithium Battery	✓
2 Hours Charge Time	✓
Battery Life Indicator	✓
Quick Pump & Release Handle	✓
6 x Speed Variations	✓
Plastic Carry Case	✓
Vibration Frequency	4000 - 8000 RPM
Cup Diameter	123mm
Max Lifting Weight	50kgs

Spare battery available. Product Code: TVSB

## Vacuum Suction Cup

To aid the lifting of large/heavy tiles, glass panels and other materials.



## Tile Vibrator

To assist with the bedding and positioning of tiles.



PRODUCT CODE: VSC PK QTY: 1

Auto Air Pump	✓
Pressure Gauge	✓
USB Rechargeable Battery	✓
Automatically Repressurises	✓
Smooth & Lightly Textured Surfaces	✓
Plastic Carry Case	✓
LED Battery Light Indicator	✓
Suction Cup Cover	✓
Cup Diameter	200mm
Max Lifting Weight	190kgs

# Tile Fixing Tools

Adhesive Trowels .....	54
Left Handed Adhesive Trowels .....	54
Stainless Steel Adhesive Trowels .....	55
DIY Trowels .....	55
Plastic Trowel .....	56
Thin Bed/Solid Bed Trowel .....	56
Bucket Scoop .....	56
Small Hand Trowels .....	57
Adhesive Spreaders .....	58 - 59
Adhesive Mixers .....	59
Rubber Mallet .....	60
Knee Pads .....	60
Spiked Roller .....	61
Spiked Shoes .....	61
Electric Mixers .....	61
Easyfix Mosaic Mesh .....	62
Tile Jack .....	62
Tile Magnet Kit .....	63





10mm Notched Trowel

## Adhesive Trowels

Tileeasy standard adhesive trowels come in a number of sizes, to cater for all manner of tiling projects. Each come with a carbon steel blade and smooth wooden handle. Whether laying a large format floor tile or a feature wall of mosaics, we have the right trowel for the job.



PRODUCT CODE	NOTCH SIZE	NOTCH	BLADE SIZE	PACK QTY
2MMNT	2mm	Square	280 x 115mm	1
3MMNT	3mm	V	280 x 115mm	1
4MMNT	4mm	Square	280 x 115mm	1
5MMNT	5mm	Round	280 x 115mm	1
6MMNT	6mm	Square	280 x 115mm	1
8MMNT	8mm	Square	280 x 115mm	1
10MMNT	10mm	Square	280 x 115mm	1
12MMNT	12mm	Square	280 x 115mm	1
RNT	20mm	Round	280 x 115mm	1

## Left Handed Trowels

PRODUCT CODE	SIZE	NOTCH	BLADE SIZE	PACK QTY
LH6	6mm	Square	280 x 115mm	1
LH8	8mm	Square	280 x 115mm	1
LH10	10mm	Square	280 x 115mm	1

With smooth wooden handles, our left handed adhesive trowels are available in 6, 8 and 10mm notch.



## Stainless Steel Trowels

Tileeasy stainless steel trowels are available from 6-20mm and in two blade sizes. Our standard 280 x 115mm base and the larger 400 x 115mm. Giving the fixer more flexibility across tiling projects. Each trowel incorporates a stainless steel blade and a soft grip handle for added comfort.



PRODUCT CODE	SIZE	NOTCH SIZE	BLADE SIZE	PACK QTY
SS6	6mm	Square	280 x 115mm	1
SS8	10mm	Square	280 x 115mm	1
SS10	12mm	Square	280 x 115mm	1
SSL6	6mm	Square	400 x 115mm	1
SSL10	10mm	Square	400 x 115mm	1
SSL12	12mm	Square	400 x 115mm	1
SSLRNT	20mm	Round	400 x 115mm	1

## DIY Adhesive Trowels

PRODUCT CODE	SIZE	NOTCH	BLADE SIZE	PACK QTY
DNT6	6mm	Square	230 x 100mm	1
DNT8	8mm	Square	230 x 100mm	1
DNT10	10mm	Square	230 x 100mm	1

An economy version of our standard adhesive trowel.

With a slightly smaller blade and a closed plastic handle. Great for fixing both wall and floor tiles.



## Plastic Trowel

A multi notched trowel for applying adhesive when fixing wall/floor tiles. Particularly useful where underfloor heating has been used.



### PRODUCT CODE: PT

### PK QTY: 1

All Plastic Construction



Closed Handle



Round Notch Size

18mm

V Notch Size

5mm

Blade Size

277 x 115mm

## Thin Bed/Solid Bed Trowel

For applying a solid coverage of adhesive when fixing wall tiles. Recommended for glass tiles.



## Bucket Scoop

For clean removal of grout/adhesive from mixing buckets



### PRODUCT CODE: BUSC

### PK QTY: 1

Contoured & Stainless Steel Blade



Soft Grip Handle



Size

165mm

### Bucket Trowel

Suitable for mixing/removing adhesive and grout from bucket.



**PRODUCT CODE: BTR** **PK QTY: 1**

Carbon Steel Blade	✓
Soft Grip Handle	✓
Blade Size	180mm

**PRODUCT CODE: GT**

**PK QTY: 1**

High Carbon Steel Blade	✓
Soft Grip Handle	✓
Blade Size	178 x 98mm

### Gauging Trowel

For applying a solid coverage of adhesive when fixing wall tiles. Recommended for glass tiles.



### Notched Margin Trowel

For applying adhesive when fixing tiles in small and difficult areas.



**PRODUCT CODE: NMT**

**PK QTY: 1**

High Carbon Steel Blade	✓
Soft Grip Handle	✓
Notch Size	6mm
Blade Size	125 x 50mm

### Small Margin Trowel

For applying adhesive when fixing tiles in small and difficult areas.



**PRODUCT CODE: SMT**


**PK QTY: 1**

High Carbon Steel Blade	✓
Soft Grip Handle	✓
Blade Size	125 x 50mm

## Adhesive Spreaders

Tileeasy adhesive spreaders are available in different forms, to cater for small DIY projects. Designed for the application of adhesive when fixing small wall tiles. Notch sizes ranging from 6-10mm.

### DIY Adhesive Spreader



Tileeasy DIY adhesive spreaders are available in 6,8 and 10mm square notch.

Each have a 170mm steel blade and wooden handle. Perfect for small tiling projects.

PRODUCT CODE	SIZE	NOTCH	BLADE SIZE	PACK QTY
DIY6	6mm	Square	170mm	10
DIY8	8mm	Square	170mm	10
DIY10	10mm	Square	170mm	10

### Combination Spreader

A DIY spreader for applying adhesive and grout.



### All Purpose Adhesive Spreader

A DIY spreader with multiple notch sizes for the application of adhesive.




### PRODUCT CODE: ASP4 PK QTY: 10

Square Notched	✓
V Notched	✓
Interchangeable Guard	✓
Square Notch Size	7mm
V Notch Size	5mm
Tool Size	190 x 75mm

## Small Adhesive Spreader

For applying adhesive when fixing wall tiles.



PRODUCT CODE: ASP3	PK QTY: 50
All Plastic Construction	✓
Notched	✓
Display Box (50 pcs)	✓
Notch Size	6mm
Blade Size	125mm

## Plastic Mixer

For mixing light materials such as paint.



PRODUCT CODE: PM	PK QTY: 1
Hexagonal Steel Handle	✓
Plastic Hanger	✓
Tool Size	350 x 60mm
USED IN CONJUNCTION WITH	CID (PAGE 46)

## Grout & Adhesive Mixer 400mm

For mixing materials such as tile adhesive and grout.



PRODUCT CODE: PM400	PK QTY: 1
Hexagonal Steel Handle	✓
Plastic Hanger	✓
Tool Size	400 x 80mm
USED IN CONJUNCTION WITH	CID (PAGE 46)

## Grout & Adhesive Mixer 600mm

For mixing materials such as tile adhesive and grout.



PRODUCT CODE: PM600	PK QTY: 1
Hexagonal Steel Handle	✓
Plastic Hanger	✓
Tool Size	600 x 100mm
USED IN CONJUNCTION WITH	CID (PAGE 46)

## Rubber Mallet

For tapping wall and floor tiles level during fixing.



PRODUCT CODE: MAL	PK QTY: 1
Wooden Handle	✓
Rubber Head Size	16 oz
Tool Size	315mm

## Gel Knee Pads

For protection when kneeling during floor and wall tiling, with the addition of gel for comfort.



PRODUCT CODE: KNG	PK QTY: 1
Gel Pad Inserts	✓
Elasticated Velcro Straps	✓
Adjustable Clip Strap	✓
Textured Anti Slip Kneeling Surface	✓
Size	One Size

## Knee Pads

For protection when kneeling during floor and wall tiling.



PRODUCT CODE: KPG	PK QTY: 1
Light Weight Foam Pads	✓
Adjustable Plastic Straps	✓
Size	One Size

## Knee Pads

For protection when kneeling during floor and wall tiling.



PRODUCT CODE: KPB	PK QTY: 1
Light Weight Foam Pads	✓
Adjustable Plastic Straps	✓
Moulded Knee Profile	✓
Size	One Size

## Spiked Roller

For the removal of air bubbles when laying levelling compound.



PRODUCT CODE: SPR	PK QTY: 1
Aluminium Handle Holder	✓
Plastic Spikes	✓
Suitable With Underfloor Heating	✓
Plastic Splash Guard	✓
Roller Width	500mm
Spike Length	31mm
<b>SPIKED ROLLER HANDLE (1190MM)</b>	<b>SPRH</b>

## Spiked Shoes

For attaching to footwear to enable the user to walk over newly laid levelling compound, removing air bubbles.



PRODUCT CODE: SPSH	PK QTY: 1
Adjustable Straps	✓
13 x Metal Spikes (per shoe)	✓
Shoe Size	302 x 135mm
Spike Length	19mm

## Electric Mixers & Spare Paddle



High volume adhesive and grout mixers, suitable for domestic and site work. Two power options 110v and 240v, both with 2 speed settings, speed control, safety lock and soft grip handles. Spare paddle available with M14 fixing.



110v Plug



240v Plug

PRODUCT CODE	POWER	PADDLE SIZE	PACK QTY
EM110	110/1200w	605mm	1
EM240	240/1200w	605mm	1
EMP	-	605mm	1

## Easyfix Mosaic Mesh

### Struggling with your mosaic sheets?

The nature of mosaic sheets is that they are floppy and difficult to tile evenly. When applying our Easyfix mosaic mesh to the back of any mosaic sheet, it will instantly make your mosaics rigid and easy to handle, both saving time and resulting in an even finish.



Available in a single sheet or box quantity

PRODUCT CODE: MESH1 (1PC)	PK QTY: 1
Plastic Construction	✓
Makes Mosaic Sheets Rigid	✓
Packs Out Mosaic Sheet	✓
Strong Adhesive Backing	✓
Hexagonal Design	✓
Sheet Size	300 x 300mm
PRODUCT CODE: MESH50 (1BOX)	PK QTY: 60

### How to use:

- Place mosaic sheet face down on a flat surface. Peel off backing paper from mosaic Easyfix.
- As mosaic sheets vary slightly in size, match the Easyfix mesh carefully to two sides of your mosaic sheet and press firmly into position, ensuring a perfect match.
- If necessary trim off any excess mesh on the remaining two sides using Tileeasy utility knife (Code: UKN).

## Tile Jack



Designed to support the first tiles at the required height and level, when wall tiling. They can be used as single supports or in conjunction with either a wooden batten or spirit level for longer runs.

PRODUCT CODE: TJ	PK QTY: 1
Steel Construction	✓
Height Adjustment	1-10cm
Maximum Bearing Weight	100 kg



## Tile Magnet Kit



Designed to create access panels in tiled walls. Allowing easy means of entry to control panels, pipes, motors, valves etc that are hidden behind walls.

PRODUCT CODE: TKM	PK QTY: 1
For Hidden Pipes,Valves etc	✓
4 x Magnetic Plate	✓
4 x Metal Plate	✓
Max Weight Kit	3 kg




Tile Magnet Kit being used for an access panel

8 x Piece set

# Tile Spacers & Membrane

Loose Tile Spacers .....	66 - 67
Spacer Pegs .....	67
Tile Wedges .....	67
Bucket Spacers .....	68
Trade Easyseal Spacer Bags .....	68
Levelling Spacers .....	69 - 72
Pedestal System .....	73
Membranes .....	74 - 76





*2mm T Spacers*

## Loose Tile Spacers

Our loose spacers are available in a variety of sizes and package quantities from 1mm through to 8mm. They are easy to use and provide consistent tile spacing. Made from high-grade polystyrene allowing for easy breaking of the legs when tiling up to an edge. Also available from Tileeasy are spacer pegs, tile wedges, T and Y spacers.



## Size Guide




1mm



2mm



3mm




4mm



5mm



8mm



PEG



Wedge



T2mm



T10mm



Y2mm



Y3mm

PRODUCT CODE	Spacer Size	Pack Quantity	Outer Pack
<b>Tile Spacers 1mm</b>			
LS500/1mm	1 mm	500	10
LSB500/1mm	1 mm	500	100
<b>Tile Spacers 2mm</b>			
LS100/2mm	2 mm	100	10
LSB100/2mm	2 mm	100	100
LS250/2mm	2 mm	250	10
LSB250/2mm	2 mm	250	100
LS500/2mm	2 mm	500	10
LSB500/2mm	2 mm	500	100
LS1000/2mm	2 mm	1000	10
<b>Tile Spacers 3mm</b>			
LS100/3mm	3 mm	100	10
LSB100/3mm	3 mm	100	100
LS250/3mm	3 mm	250	10
LSB250/3mm	3 mm	250	100
LS500/3mm	3 mm	500	10
LSB500/3mm	3 mm	500	100
<b>Tile Spacers 4mm</b>			
LS100/4mm	4 mm	100	10
LSB100/4mm	4 mm	100	50
LS250/4mm	4 mm	250	10
LSB250/4mm	4 mm	250	50
LS500/4mm	4 mm	500	10
<b>Tile Spacers 5mm</b>			
LS100/5mm	5 mm	100	10
LSB100/5mm	5 mm	100	50
LS250/5mm	5 mm	250	10
LSB250/5mm	5 mm	250	50
LS500/5mm	5 mm	500	10
<b>Tile Spacers 8mm</b>			
LS100/8mm	8 mm	100	5
<b>Extra Long Legged Tile Spacers</b>			
LSSL500/2mm	2 mm	500	10
LSSL500/3mm	3 mm	500	10
<b>Tile Spacers Pegs</b>			
PEG500	2 mm	500	10
PEG1000	2 mm	1000	10
<b>Tile Wedges</b>			
TW	0.5 - 5 mm	250	10
<b>Tile T-Spacers</b>			
TS250/2mm	2 mm	250	10
TSB250/2mm	2 mm	250	100
TS100/10mm	10 mm	100	5
<b>Tile Y-Spacers</b>			
YS250/2mm	2 mm	250	10
YS250/3mm	3 mm	250	10

## Tile Spacers Buckets

Tile spacer buckets are available in sizes of small, medium and large and spacer sizes of 2,3,4 and 5mm. These are particularly useful when working on large areas. Our Tileeasy trade spacer bags feature a handy resealable design.





PRODUCT CODE	Spacer Size	Bucket Quantity	Bucket Size
<b>Tile Spacer Buckets 2mm</b>			
BS2mm	2 mm	1000	1.0 Litre
BM2mm	2 mm	2000	2.0 Litre
BL2mm	2 mm	6000	5.0 Litre
<b>Tile Spacer Buckets 3mm</b>			
BS3mm	3 mm	900	1.0 Litre
BM3mm	3 mm	1800	2.0 Litre
BL3mm	3 mm	4000	5.0 Litre
<b>Tile Spacer Buckets 4mm</b>			
BS4mm	4 mm	650	1.0 Litre
BM4mm	4 mm	1200	2.0 Litre
BL4mm	4 mm	3500	5.0 Litre
<b>Tile Spacer Buckets 5mm</b>			
BM5mm	5 mm	700	2.0 Litre
BL5mm	5 mm	1800	5.0 Litre
<b>Trade Tile Spacer Bags</b>			
TB2	2 mm	3000	3.0 Litre
TB3	3 mm	2500	3.0 Litre

S,M,L denotes Small/Medium/Large

## Levelling Bases & Wedges

To be used for both floor and wall, our levelling bases and wedges will help you achieve a level tiled surface. The levelling bases are available in 1,2 and 3mm grout joint size, for use with tile thickness from 3 - 12mm. Also now available are XL bases, for use with tile thickness from 13 - 20mm. The tile levelling wedges and levelling pliers are sold separately.



Tile Levelling Bases & Wedges - TWLB100/2mm & TWL

PRODUCT CODE	Depth	Spacer Size	Quantity	Outer Pack
<b>Tile Levelling Bases</b>				
TWLB100/1mm	3-12 mm	1 mm	100	1
TWLB500/1mm	3-12mm	1 mm	500	1
TWLB100/2mm	3-12 mm	2 mm	100	1
TWLB500/2mm	3-12 mm	2 mm	500	1
TWLB100/3mm	3-12 mm	3 mm	100	1
TWLB500/3mm	3-12 mm	3 mm	500	1
TWLBXL100/2mm	13-20 mm	2 mm	100	1
TWLBXL100/3mm	13-20 mm	3 mm	100	1
<b>Tile Levelling Wedges</b>				
TWL			100	1
TWL500			500	1
<b>Tile Levelling Pliers</b>				
TWLP			1	1
<b>Tile Wedge Levelling Kit</b>				
TWLK2 (100 wedges,100 2mm bases, 1x Pliers)	3-12mm	2 mm		1

## Levelling Bases & Wedges Bulk Boxes & Kit

New to Tileeasy are our bulk boxes of levelling bases and wedges. Now available in handy quantities of 500 pieces. Making those large jobs even easier.



Tile Wedge Levelling Bulk Box and Bases 1,2 and 3mm



Tile Wedge Levelling Kit  

- 2mm bases
- Wedges
- Levelling Pliers

## T-Bar Levelling Kit

Quick and easy levelling system for both walls and floors, designed to assist in achieving a flat tiled surface. Reusable 2 part levellers, with simple spin action and wrench to adjust the level.



T-Bar Levellers and Wrench - TBLK



PRODUCT CODE	Depth	Spacer Size	Quantity	Outer Pack
<b>T-Bar Levelling Kit (50)</b>				
TBLK (50 two part levellers & wrench)	2-17mm	2-6mm	50	1

# Levelling Spacers & Caps

Reusable Tile Levelling Caps. This ingenious tiling tool is available in 50 and 100 piece buckets .The reusable Tile Levelling Caps can be used with specialised linear, T and cross spacers which are available in 2mm and 3mm size option, sold separately.



Tile levelling separator tool



PRODUCT CODE	Depth	Spacer Size	Quantity	Outer Pack
<b>Tile Levelling Spacer Cross Joint</b>				
TLC100/2mm	2-23 mm	2 mm	100	1
TLC100/3mm	2-23 mm	3 mm	100	1
<b>Tile Levelling Spacer Linear Joint</b>				
TLL100/2mm	2-23 mm	2 mm	100	1
TLL100/3mm	2-23 mm	3 mm	100	1
<b>Tile Levelling Spacer T Joint</b>				
TLT100/2mm	2-23 mm	2 mm	100	1
TLT100/3mm	2-23 mm	3 mm	100	1
<b>Tile Levelling Spacer Caps</b>				
TLCA50			50	1
TLCA100			100	1
<b>Tile Levelling Separator Tool</b>				
TLT			1	1

# Twister Levelling System




Introducing the Tileeasy Twister Levelling System, a professional-grade solution designed to achieve perfectly level tiled floors with ease.

This innovative system consists of three key components: a Twister Levelling Cap, which provides a secure and effortless tightening mechanism; a Base Spacer, available in 1mm, 2mm, and 3mm sizes to suit different grout joint preferences; and a Scratch Protector, ensuring a damage-free finish on tile surfaces. By eliminating tile lippage and enhancing installation accuracy, the Twister Levelling System is an essential tool for both professional tilers and DIY enthusiasts, delivering flawless results every time.

## Twister installation

PRODUCT CODE	Depth	Spacer Size	Quantity	Outer Pack
<b>Twister Base</b>				
TWIB1	2-23mm	1mm	200	1
TWIB2	2-23mm	2mm	200	1
TWIB3	2-23mm	3mm	200	1
<b>Twister Caps</b>				
TWIC			100	1
<b>Twister Scratch Protector</b>				
TWISP			200	1



## Pedestal System



Pedestal installation

The Tileeasy Pedestal System is a versatile and robust solution for elevating paving and decking areas with precision and stability.

Featuring a self-levelling unit, it effortlessly accommodates height adjustments from 55mm to 90mm, with the option to extend further using 30mm or 80mm extension pieces. Designed for ease of installation, the system ensures a secure and level surface, with a 3mm grout joint. Making it ideal for terraces, balconies, and rooftop spaces. To achieve a clean and professional finish, the top, base, and wall clips allow for seamless integration of fascias and skirts, neatly concealing exposed edges.

Built for durability and flexibility and with a max distributed weight of 1000kg, the Tileeasy Pedestal System is the perfect choice for modern, raised flooring solutions.

PRODUCT CODE	Product Desc	Height	Quantity	Outer Pack
<b>Pedestal System</b>				
PEDS	Pedestal Main System	55-90mm	1	1
<b>Pedestal Clips</b>				
PEDB	Pedestal Base Clip		1	1
PEDT	Pedestal Top Clip		1	1
PEDW	Pedestal Wall Clip		1	1
<b>Pedestal Extension</b>				
PEDEX30	Pedestal Extension	30mm	1	1
PEDEX80	Pedestal Extension	80mm	1	1
<b>Pedestal Clip Key</b>				
PEDK	Pedestal Clip Key		1	1



Pedestal Clips Assembly



Pedestal Wall Clip



Pedestal Top &amp; Base Clip




Pedestal Main System



Clip Key

# Uncoupling Membrane




Uncoupling Membrane floor installation



Tileeasy Membrane is a 2-part anti-fracture matting which is suitable for underlaying on floors prior to tiling porcelain, ceramic, and natural stone tiles, which can be used internally or externally.

**Anti-fracture** – Prevents transmission of minor cracks and stresses from the substrate to the tiled surface (not to be applied over structural cracking).

**Waterproof** – Protects substrate from water ingress, so ideal for bathrooms/wet-rooms in conjunction with sealing tapes & corner joints.



Installation Breakdown

PRODUCT CODE: UM/UM5	PK QTY: 1
Absorbs Movement	✓
Helps Prevent Cracking	✓
Waterproof	✓
For Floor Tile Installations	✓
Square Pocket Design	✓
Roll Width	1m
Roll Thickness	3.5mm
Roll Size	5/30m



5 & 30m<sup>2</sup> Rolls

## Waterproof Membrane





Waterproof Membrane floor installation



Tileeasy waterproof membrane is an easy to install waterproofing and anti-fracture membrane, which is specifically designed to be used in wet and damp areas such as bathrooms and wet rooms.

The membranes non-woven characteristic allows for the required adhesive bond between substrate and membrane and then between membrane and tile covering, creating a thin flexible waterproof layer.

PRODUCT CODE: WM	PK QTY: 1
Absorbs Movement	✓
Helps Prevent Cracking	✓
Waterproof	✓
For Bathroom & Wetrooms	✓
Anti Fracture	✓
Roll Size	5m



## Membranes

PRODUCT CODE	SIZE	WIDTH	QUANTITY	OUTER PACK
<b>Uncoupling Membrane</b>				
UM	30m	1m	1	1
UM5	5m	1m	1	1
UMR (Roller)			1	1
<b>Waterproof Membrane</b>				
WM	10m	1m	100	1
<b>Waterproof Membrane Corner Pieces External</b>				
WMCE			1	1
<b>Waterproof Membrane Corner Pieces Internal</b>				
WMCI			1	1
<b>Waterproof Membrane Tape</b>				
WMT	10 m	12 cm	1	1
WMSAT (self adhesive)	10 m	12 cm	1	1



Uncoupling Membrane Roller



Uncoupling Membrane Stand



# MATT BRONZE

**NEW  
PRODUCT**



**TILEASY** A small icon of a white tile with a grey grout line.

**IN STOCK AND AVAILABLE NOW**

Matt Bronze Square Edge Tile Trim - Available in 8,10 & 12mm

**Find out more** - page 120 - 121

# Tile Grouting Tools & Finishing

Grout Floats .....	80 - 81
Grout Spreaders .....	81
Grout Finishers .....	82
Silicone Smoothers .....	82
Caulking Gun .....	82
Silicone Sealant Kit .....	83
Floor Squeegee .....	83





*American Grout Float*

### American Grout Float

Traditional rubber handled grout float, suitable for grout application.



PRODUCT CODE: AGF1	PK QTY: 1
Aluminium Base Plate	✓
Rubber Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Tool Size	245 x 102mm

### Angled Grout Float

Rubber handled pointing float, ideal for awkward areas.



PRODUCT CODE: AGF2	PK QTY: 1
Aluminium Base Plate	✓
Rubber Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Angled End For Corner Access	✓
Tool Size	270 x 81mm

### Large Grout Float

For the application of grout in larger areas.



PRODUCT CODE: LGF	PK QTY: 1
Aluminium Base Plate	✓
Closed Wooden Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Tool Size	300 x 102mm

### DIY Grout Float

For the application of grout when tiling.



PRODUCT CODE: DF	PK QTY: 1
Aluminium Base Plate	✓
Plastic Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Tool Size	230 x 100mm

## Corner Grout Float

Suitable for grouting small and awkward areas.



PRODUCT CODE: CF	PK QTY: 1
Carbon Steel Blade	✓
Soft Grip Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Pad Size	135 x 165mm

## Wooden Grouter

For grout application.



PRODUCT CODE: TG8	PK QTY: 5
Flexible Rubber Blade	✓
Wooden Handle	✓
Blade Size	200mm

## DIY Grouter

For grout application.



PRODUCT CODE: TG7	PK QTY: 10
Flexible Rubber Blade	✓
Plastic Handle	✓
Blade Size	180mm

## Large Grouter

For grout application in larger areas.



PRODUCT CODE: TG12	PK QTY: 5
Flexible Rubber Blade	✓
Plastic Handle	✓
Blade Size	300mm

## Grout Finisher With Flat Blade

For a smooth grout finish following tile installation.



PRODUCT CODE: GF	PK QTY: 10
Plastic Blade	✓
Round Handle Tip	✓
Blade Size	38mm

## Grout & Sealant Smoother


For a smooth grout and sealant finish following tile installation.



PRODUCT CODE: GSS	PK QTY: 10
Plastic Blade	✓
Soft Rubber Tip	✓
Blade Size	38mm

## Caulking Gun

For dispensing silicone sealant or adhesive cartridges.



PRODUCT CODE: GUN	PK QTY: 1
Metal Construction	✓
Cartridge Size	310ml

## NEW - Twister Levelling System



### Silicone Sealant Kit



Designed for achieving a smooth finish when applying silicone and caulk sealant to baths, basins etc.

PRODUCT CODE: SSK	PK QTY: 1
4 PC Set	✓
Flexible Rubber Construction	✓
Multiple Shapes & Depths	0-20mm Joints



### Floor Squeegee




For the application of grout and removal of grout residue when laying floor tiles.

PRODUCT CODE: FSQ	PK QTY: 1
Flexible EVA Foam Blade	✓
Wooden Handle	1200 x 22mm
Length	420mm



# Tile Cleaning Tools & Tile Care

Washboys & Pads .....	86 - 89
Sponges .....	89 - 90
Sealing Roller .....	90
Mixing Bucket .....	90
Grout & Adhesive Scourers .....	91
Tiling Gloves .....	92
Safety Gloves .....	92
Shoe Protectors .....	92
Tile Care Products .....	94 - 95





*Professional Hydro Sponge*

## 23 Litre Washboy Set



Wheel castors



Plastic grid



Rollers

PRODUCT CODE: WB23	PK QTY: 1
1 x 23 Ltr Washboy Bucket	✓
1 x Segmented Sponge	✓
1 x Pointing Float	✓
1 x Plastic Grid	✓
4 x Detachable Wheel Castors	✓
Twin Rollers	✓

Make light work of cleaning large tiled areas.

For the professional tiler, washboys are the speedy way to remove excess wall and floor grout from tile installations.



Segmented sponge &amp; pointing float included

## Hydro Float

Plastic handle with hydro sponge, for use with WB23.

For cleaning grout residue from wall and floor tiles. The segmented sponge allows for collection of residue over uneven tile surfaces.



PRODUCT CODE: WB5	PK QTY: 1
Segmented Sponge	✓
Pad Size	290 x 150 x 35mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>

## Pointing Float

Plastic handle with soft foam rubber pad, for use with WB23.

To prepare plastered surfaces for fixing tiles.



PRODUCT CODE: WB7	PK QTY: 1
Soft Foam Rubber Pad	✓
Pad Size	280 x 140mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>

## Washboy Handle

Multi purpose handle for use with interchangeable pads.

To accompany the WB23 for various cleaning situations.



PRODUCT CODE: WB11	PK QTY: 1
Plastic Construction	✓
Velcro Back	✓
Tool Size	300 x 150mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>

## NEW - Tileeasy Dump Bins



**Find out more - page 162**

## Epoxy Pointing Float

Plastic handle with firm rubber pad, for applying epoxy grout to walls and floors.



PRODUCT CODE: WB9	PK QTY: 1
Firm Rubber Pad	✓
45° Bevel On All Sides	✓
Pad Size	250 x 130mm

## Grinding Mesh

Attaches simply to the WB11 via its velcro backing.  
For smoothing edges of cut tiles.



PRODUCT CODE: WB21/22	PK QTY: 1
Velcro Back	✓
WB21 Mesh Grain	100
WB22 Mesh Grain	180
Pad Size	280 x 93mm
USED IN CONJUNCTION WITH	WB11

## Washboy Spare Rollers

Replacement twin rollers for Washboy 23ltr.



PRODUCT CODE: WB24	PK QTY: 1
Plastic Construction	✓
2 x Rollers (per pack)	✓
Roller Size	240mm
USED IN CONJUNCTION WITH	WB23

## Sponge Pad

Attaches simply to the WB11 via its velcro backing.  
For cleaning grout residue from wall and floor tiles. The segmented sponge allows for collection of residue over uneven tile surfaces.



PRODUCT CODE: WB12	PK QTY: 1
Segmented	✓
Velcro Back	✓
Pad Size	300 x 150 x 35mm
USED IN CONJUNCTION WITH	WB11

### Hydro Sponge Pad

Attaches simply to the WB11 via its velcro backing.

A high quality hydro sponge for cleaning grout residue from wall and floor tiles. The segmented sponge allows for collection of residue over uneven tile surfaces.



**PRODUCT CODE: WB26**

**PK QTY: 1**

Segmented



Velcro Back



Pad Size

300 x 150 x 35mm

**USED IN CONJUNCTION WITH**

**WB11**



**PRODUCT CODE: WB25**

**PK QTY: 1**

Segmented



Pad Size

300 x 150 x 35mm

**USED IN CONJUNCTION WITH**

**WB11**

### Pro Hydro Sponge

Professional high quality hydro sponge, with amazing water retention, for cleaning off excess grout and adhesive residue from tiled surfaces.



**PRODUCT CODE: PHS**

**PK QTY: 1**

Professional Quality Hydro Sponge



Sponge Size

165 x 65 x 110mm

### Pro Sponge

Quality sponge, with great water retention, for cleaning off excess grout and adhesive residue from tiled surfaces.



**PRODUCT CODE: PSP**

**PK QTY: 1**

High Quality Tilers Sponge



Sponge Size

165 x 65 x 110mm

## Tilers Sponge

Multi purpose tilers sponge for cleaning and polishing.  
Perfect for cleaning grout and adhesive residue.



PRODUCT CODE: TISP	PK QTY: 1
Multi Purpose Tilers Sponge	✓
Rounded Edges	✓
Sponge Size	185 x 50 x 135mm

## Dual Purpose Sponge

Dual purpose grouting sponge for cleaning and polishing.  
General sponge side for cleaning/polishing tiles and  
coarse side for removing more stubborn grout residue.



PRODUCT CODE: DPS	PK QTY: 1
Quality General Tilers Sponge	✓
Coarse Tilers Scourer	✓
Sponge Size	180 x 65 x 110mm

## Flexible Mixing Bucket

A flexible multi purpose mixing bucket. Ideal for mixing tile grout or adhesive and useful for many other tiling requirements.



PRODUCT CODE: FL35	PK QTY: 1
Flexible Construction	✓
Bucket Size	35 Ltr

## 4" Roller & Tray

For the application of sealing and protection products to natural stone tiles and mosaics.



PRODUCT CODE: 4ROL	PK QTY: 5
1 x Plastic Tray & Handle	✓
1 x Foam Roller Sleeve	✓
Tray Size	250 x 130mm
Roller Sleeve Size	100mm

## Small Grout Scourer (coarse)

A small coarse scouring pad, for the removal of stubborn grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SGSC	PK QTY: 1
Plastic Handle	✓
Fixed Coarse Pad	✓
Tool Size	150 x 90mm

## Scouring Set

Multi purpose tile cleaning set, containing three levels of emulsifying pads.

For the removal of stubborn grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SCO	PK QTY: 1
Plastic Handle	✓
Velcro Back	✓
1 x Coarse Pad	✓
1 x Medium Pad	✓
1 x Fine Pad	✓
Pad Size	200 x 125 x 50mm

## Small Grout Scourer (fine)

A small fine scouring pad, for the removal of grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SGSF	PK QTY: 1
Plastic Handle	✓
Fixed Fine Pad	✓
Tool Size	150 x 90mm

## Scouring Pads (coarse & fine)

Replacement coarse pads for the Tileeasy scouring set.

Designed for the removal of stubborn grout and adhesive residue from tiled surfaces. Available in both Coarse and Fine pads.



PRODUCT CODE: SCOPC/SCOPF	PK QTY: 1
2 x Coarse Emulsifying Pads	✓
2 x Fine Emulsifying Pads	✓
Pad Size	200 x 125 x 50mm
USED IN CONJUNCTION WITH	SCO

## Shoe Protectors

Disposable overshoe protector,

Protecting floor coverings from dirt.



PRODUCT CODE: SPRO	PK QTY: 5 (5 PAIRS PER PACK)
Elasticated Ankle Strip	✓
Textured Grip	✓
Size	ONE SIZE

## Heavy Duty Tiling Gloves

Large durable latex tiling gloves.

For protection against skin irritation when grouting and mixing tile adhesive.



PRODUCT CODE: GLOHD	PK QTY: 5 (1 PAIR PER PACK)
Heavy Duty Latex	✓
Grip Texture On Fingers & Palms	✓
Size	XL

## Disposable Tiling Gloves

Easy to use, throw away PVC tiling gloves.

For protection against skin irritation when grouting and mixing tile adhesive.



PRODUCT CODE: GLOD	PK QTY: 10 (5 PAIRS PER PACK)
Lightly Powdered	✓
Disposable	✓
Size	L

## Safety Gloves

For protection and grip when handling tiles, slabs and other general building materials. Available in L and XL.



PRODUCT CODE: SAGL/SAGLXL	PK QTY: 5 (1 PAIR PER PACK)
Wear Resistant	✓
Grip Texture On Fingers & Palms	✓
Size	L/XL

**Tileeasy**™

# LED BOX TILE TRIM PROFILES

**NEW  
FINISHES**



## NEW TO TILEASY

LED Box Tile Trim Profiles & LED Units - Available in 10 & 12mm

Find out more - page 136-137



1 ltr



5 ltr

## Crackle Glaze Protector

Impregnating sealer for ceramic tiles that have a porous crackle glaze. Protects surfaces from staining and grout ingress during installation.



### PRODUCT CODE: XCGP PK QTY: 1

Crackle Glaze Protection	✓
Seals Ceramic	✓
Protects against Water	✓
Protects against Dirt	✓
Protects against Oil	✓
Protects against Grease	✓
Protects against Limescale	✓
Bottle Size	500ml

## Porcelain Tile Protector

A pre grout barrier treatment for interior and exterior applications. Designed for use on textured/matt porcelain tiles. It protects the surface from grout jointing compound ingress.

### PRODUCT CODE: XPTP1/XPTP5

PK QTY: 1

Protects Tile Surfaces	✓
For Use On All Porcelain Tiles	✓
Protects Against Cement	✓
Protects Against Jointing Material	✓
Protects Against Grout	✓
Protects Against Organic Matter	✓
Bottle Sizes	1ltr & 5ltr

## Natural Finish Sealer

Impregnating sealer for all types of natural and artificial stone, terracotta, brick and concrete pavers. Offers delicate colour enhancement with minimal change to surface character.



### PRODUCT CODE: XNFS PK QTY: 1

Colour Enhancement	✓
Seals Natural Stone	✓
Seals Quarry	✓
Seals Terracotta	✓
Seals Concrete	✓
Seals Porcelain	✓
Bottle Size	1ltr

## Residual Grout Remover

Cement, limescale and grout residue remover. Suitable for glazed and un-glazed ceramics, slate, quarry tiles, brick, terracotta and acid resistant natural stones.



PRODUCT CODE: XGRR	PK QTY: 1
Removes Grout	✓
Removes Cement	✓
Bottle Size	1ltr

## Tile & Grout Cleaner

Removes mould spores, fungus and algae from grouting, including silicone seals and other damp places. Antibacterial action helps prevent re-growth.



PRODUCT CODE: XTGC	PK QTY: 1
Removes Mould	✓
Removes Fungus	✓
Removes Algae	✓
Brightens Grout	✓
Bottle Size	500ml

## Heavy Duty Grime Remover

Intensive grease and grime cleaner. Breaks down old layers of wax and acrylic seals. Suitable for travertine, limestone, sandstone, slate, marble, porcelain, granite, terracotta, quarry tiles, brick and external paving.



PRODUCT CODE: XGRHD	PK QTY: 1
Removes Grease & Grime	✓
Breaks Down Old Seals	✓
Bottle Size	1ltr

## Wall & Floor Grout Protector

Forms a colourless barrier and helps to protect porous wall and floor grout joints from penetration by water, dirt, oil, grease and limescale, making treated surfaces easier to keep clean. Ideal for use in wet rooms and shower enclosures



PRODUCT CODE: XWFGP	PK QTY: 1
Invisible Protection	✓
Seals All Grouts	✓
Bottle Size	600ml

# Tile Removal Tools

Grout Rake .....	98
Grout Remover .....	98
Sealant Remover .....	98
Long Handled Floor Scraper .....	98
Tile Remover .....	99
Floor Tile Remover .....	99
Suction Cup .....	99
Rubble Sacks .....	99





*Sealant Remover*

## Grout Rake

For the removal of grout.



PRODUCT CODE: GR2	PK QTY: 5
Plastic Handle	✓
1 x Serrated Steel Blade	✓
1 x Tungsten Carbide Grit Blade	✓
Blade Size	50mm
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>SBGR</b>

## Grout Remover

For the removal of grout.



PRODUCT CODE: GR3	PK QTY: 5
Plastic Handle	✓
1 x Tungsten Carbide Grit Blade	✓
Blade Size	50mm
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>GRRB</b>

## Sealant Remover

For easy removal of sealant and silicone.



PRODUCT CODE: SERE	PK QTY: 5
Soft Grip Handle	✓
Stainless Steel Blade	✓
Tool Size	167mm

## Long Handled Floor Scraper

For the removal of hard adhesive and grout, or even tough tiles.



PRODUCT CODE: LHFS	PK QTY: 1
Steel Handle	✓
Rubber Grip	✓
1 x Hardened Steel Blade	✓
Blade Size	100mm
Handle and Blade Length	740mm
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>RBLHS</b>

### Tile Remover

For the easy removal of tile installations.



**PRODUCT CODE: TRE**

**PK QTY: 1**

Soft Grip Handle



Tool Size

280 x 140 x 28mm

**USED IN CONJUNCTION WITH**

**MAL**

### Floor Tile Remover

Heavy duty floor tile remover, suitable for the professional.



**PRODUCT CODE: FTRS**

**PK QTY: 1**

Heavy Duty Forged Steel Construction



Angled Pry Bar



Weight

2.85kg

Tool Size

1190mm

### Suction Cup

For easy repositioning of floor and wall tiles.



**PRODUCT CODE: SCU**

**PK QTY: 1**

Plastic Handle



Rubber Suction Cup



Cup Diameter

115mm

Max Lifting

25kg

### Rubble Sacks

For collection of most tiling/building waste.



**PRODUCT CODE: RSAC**

**PK QTY: 1 (3 PER PACK)**

Woven Polypropylene



Tear Resistant



Reusable



Size

70L - 56 x 97cm

# Plastic Tile Trims & Seals

Plastic Square Edge Tile Trim .....	102 - 105
Plastic Contract Tile Trim .....	106 - 107
Contract Tile Trim Corners/End Stops .....	108 - 109
Plastic Pro Tile Trim .....	110 - 111
Pro Tile Trim Corners/End Stops .....	112 - 113
Worktop Tile Trim .....	114
Plastic Tile To Vinyl Trim .....	115
Contract Bath Seal .....	116
Overtile Bath Seal .....	117



Y  TILE

*White Plastic Square Edge Tile Trim*

## Square Edge Tile Trim

Square edge tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation. This is achieved by allowing tiles to sit under the lip of the trim and neatly abut the trim edge.




White

## Available Colours & Profiles




6mm



8mm



10mm



12mm



White



Cream



Jasmine



Grey



Black

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Square Edge Tile Trim 6mm</b>				
SE6MMW	6 mm	2.44 m	10	White
SE6MMC	6 mm	2.44 m	10	Cream
SE6MMJ	6 mm	2.44 m	10	Jasmine
SE6MMG	6 mm	2.44 m	10	Grey
SE6MMB	6 mm	2.44 m	10	Black
<b>Square Edge Tile Trim 8mm</b>				
SE8MMW	8 mm	2.44 m	10	White
SE8MMC	8 mm	2.44 m	10	Cream
SE8MMJ	8 mm	2.44 m	10	Jasmine
SE8MMG	8 mm	2.44 m	10	Grey
SE8MMB	8 mm	2.44 m	10	Black
<b>Square Edge Trim 10mm</b>				
SE10MMW	10 mm	2.44 m	10	White
SE10MMC	10 mm	2.44 m	10	Cream
SE10MMJ	10 mm	2.44 m	10	Jasmine
SE10MMG	10 mm	2.44 m	10	Grey
SE10MMB	10 mm	2.44 m	10	Black
<b>Square Edge Trim 12mm</b>				
SE12MMW	12 mm	2.44 m	10	White
SE12MMC	12 mm	2.44 m	10	Cream
SE12MMJ	12 mm	2.44 m	10	Jasmine
SE12MMG	12 mm	2.44 m	10	Grey
SE12MMB	12 mm	2.44 m	10	Black


## Premium Square Edge Tile Trim

Square edge tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation. This is achieved by allowing tiles to sit under the lip of the trim and neatly abut the trim edge.


Premium square edge trim is a heavier duty profile, with a high gloss or matt finish.




## Available Colours & Profiles




6mm



8mm



10mm



12mm



White Gloss



White Matt



Black Gloss



Black Matt



Grey Gloss



Grey Matt



Jasmine Gloss



Jasmine Matt



Slate Gloss



Slate Matt

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Premium Gloss Square Edge Tile Trim 6mm</b>				
PGS6W	6 mm	2.44 m	10	White Gloss
<b>Premium Gloss/Matt Square Edge Tile Trim 8mm</b>				
PGS8B	8 mm	2.44 m	10	Black Gloss
PMS8B	8 mm	2.44 m	10	Black Matt
PGS8G	8 mm	2.44 m	10	Grey Gloss
PMS8G	8 mm	2.44 m	10	Grey Matt
PGS8J	8 mm	2.44 m	10	Jasmine Gloss
PMS8J	8 mm	2.44 m	10	Jasmine Matt
PGS8S	8 mm	2.44 m	10	Slate Gloss
PMS8S	8 mm	2.44 m	10	Slate Matt
PGS8W	8 mm	2.44 m	10	White Gloss
PMS8W	8 mm	2.44 m	10	White Matt
<b>Premium Gloss/Matt Square Edge Tile Trim 10mm</b>				
PGS10B	10 mm	2.44 m	10	Black Gloss
PMS10B	10 mm	2.44 m	10	Black Matt
PGS10G	10 mm	2.44 m	10	Grey Gloss
PMS10G	10 mm	2.44 m	10	Grey Matt
PGS10J	10 mm	2.44 m	10	Jasmine Gloss
PMS10J	10 mm	2.44 m	10	Jasmine Matt
PGS10S	10 mm	2.44 m	10	Slate Gloss
PMS10S	10 mm	2.44 m	10	Slate Matt
PGS10W	10 mm	2.44 m	10	White Gloss
PMS10W	10 mm	2.44 m	10	White Matt
<b>Premium Gloss/Matt Square Edge Tile Trim 12mm</b>				
PGS12B	12 mm	2.44 m	10	Black Gloss
PMS12B	12 mm	2.44 m	10	Black Matt
PGS12G	12 mm	2.44 m	10	Grey Gloss
PMS12G	12 mm	2.44 m	10	Grey Matt
PGS12J	12 mm	2.44 m	10	Jasmine Gloss
PMS12J	12 mm	2.44 m	10	Jasmine Matt
PGS12S	12 mm	2.44 m	10	Slate Gloss
PMS12S	12 mm	2.44 m	10	Slate Matt
PGS12W	12 mm	2.44 m	10	White Gloss
PMS12W	12 mm	2.44 m	10	White Matt

## Contract Tile Trim


Contract tile trim is a round edging which has been designed to accommodate small variations in tile depth. This is achieved by allowing tiles to sit under the lip of the trim or depending on the tile thickness, to neatly abut the trim edge.

Premium gloss contract trim is a heavier duty profile, with a high gloss finish.



White

## Available Colours, Profiles & Sizes



White



Cream



Grey



Black

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Premium Gloss Contract Tile Trim 6mm</b>				
PGC6W	6 mm	2.44 m	10	White Gloss
<b>Contract Tile Trim 7.5mm</b>				
CTT1	7.5 mm	2.44 m	10	White
CTT6	7.5 mm	2.44 m	10	Grey
CTT7	7.5 mm	2.44 m	10	Black
CTT13	7.5 mm	2.44 m	10	Cream
<b>Contract Tile Trim 8mm</b>				
8PT1	8mm	2.44 m	10	White
8PT13	8mm	2.44 m	10	Cream
<b>Premium Gloss Contract Tile Trim 8mm</b>				
PGC8W	8 mm	2.44 m	10	White Gloss
<b>Contract Tile Trim 9mm</b>				
9PT1	9 mm	2.44 m	10	White
9PT13	9 mm	2.44 m	10	Cream
<b>Contract Tile Trim 10mm</b>				
DTT1	10 mm	2.44 m	10	White
DTT6	10 mm	2.44 m	10	Grey
DTT7	10 mm	2.44 m	10	Black
DTT13	10 mm	2.44 m	10	Cream
<b>Premium Gloss Contract Tile Trim 10mm</b>				
PGC10W	10 mm	2.44 m	10	White Gloss
<b>Contract Tile Trim 12mm</b>				
DWT	12 mm	2.44 m	10	White
DGT	12 mm	2.44 m	10	Grey
DBLT	12 mm	2.44 m	10	Black
DCT	12 mm	2.44 m	10	Cream
<b>Premium Gloss Contract Tile Trim 12mm</b>				
PGC12W	12 mm	2.44 m	10	White Gloss

# Contract Tile Trim Corners & End Stops

Contract tile trim corners and end stops are available in two colours: White and Cream. The corners have been designed to connect areas where a joint occurs, and the end stops will neatly finish off exposed areas, such as an end of a run.



White

## Available Colours




White



Cream

## Product Codes

PRODUCT CODE	Type	Depth	Pk Qty	Colour
<b>Contract Tile Trim Corners 7.5 mm</b>				
CC1	Corners (2 pcs)	7.5 mm	10	White
CC13	Corners (2 pcs)	7.5 mm	10	Cream
<b>Contract Tile Trim Corners 7.5 mm (BULK)</b>				
CCWB	Corners	7.5 mm	50	White
CCCB	Corners	7.5 mm	50	Cream
<b>Contract Tile Trim Corners 10 mm</b>				
DC1	Corners & End Stops (2 pcs)	10 mm	10	White
DC13	Corners & End Stops (2 pcs)	10 mm	10	Cream
<b>Contract Tile Trim Corners 10 mm (BULK)</b>				
DCWB	Corners	10 mm	50	White
DCCB	Corners	10 mm	50	Cream



White


## Pro Tile Trim

Pro tile trim is an alternative to our contract trim, it also utilises a round profile and is a popular choice with professional tilers.



White

### Available Profiles & Sizes



6mm

8mm

9mm

10mm

12mm



White



Cream



Black

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Pro Tile Trim 6mm</b>				
PT6MMW	6 mm	2.44 m	10	White
PT6MMC	6 mm	2.44 m	10	Cream
PT6MMB	6 mm	2.44 m	10	Black
<b>Pro Tile Trim 8mm</b>				
PT8MMW	8 mm	2.44 m	10	White
PT8MMC	8 mm	2.44 m	10	Cream
PT8MMB	8 mm	2.44 m	10	Black
<b>Pro Tile Trim 9mm</b>				
PT9MMW	9mm	2.44 m	10	White
<b>Pro Tile Trim 10mm</b>				
PT10MMW	10 mm	2.44 m	10	White
PT10MMC	10 mm	2.44 m	10	Cream
PT10MMB	10 mm	2.44 m	10	Black
<b>Pro Tile Trim 12mm</b>				
PT12MMW	12 mm	2.44 m	10	White
PT12MMC	12 mm	2.44 m	10	Cream
PT12MMB	12 mm	2.44 m	10	Black



Cream

## Pro Tile Trim Corners & End Stops

Our Pro tile trim corners are available in two options, the larger standard corner with end stops and the smaller quadrant design. Our corners have been designed to connect areas where a joint occurs, and the end stops will neatly finish off exposed areas, such as an end of a run.



White

### Available Sizes & Colours



White



Cream

### Product Codes

PRODUCT CODE	Type	Depth	Pk Qty	Colour
<b>Pro Tile Trim Quadrant Corners</b>				
PQC6WB	Quadrant Corners	6 mm	50	White
PQC6CB	Quadrant Corners	6 mm	50	Cream
PQC8WB	Quadrant Corners	8 mm	50	White
PQC8CB	Quadrant Corners	8 mm	50	Cream
PQC9WB	Quadrant Corners	9 mm	50	White
PQC9CB	Quadrant Corners	9 mm	50	Cream
PQC10WB	Quadrant Corners	10 mm	50	White
PQC10CB	Quadrant Corners	10 mm	50	Cream
PQC12WB	Quadrant Corners	12 mm	50	White
PQC12CB	Quadrant Corners	12 mm	50	Cream

PRODUCT CODE	Type	Depth	Pk Qty	Colour
<b>Pro Tile Trim Corners &amp; End Stops</b>				
C6W	Corners/End Stops (2 pcs of each)	6 mm	10	White
C6C	Corners/End Stops (2 pcs of each)	6 mm	10	Cream
C8W	Corners/End Stops (2 pcs of each)	8 mm	10	White
C8C	Corners/End Stops (2 pcs of each)	8 mm	10	Cream
C9W	Corners/End Stops (2 pcs of each)	9 mm	10	White
C10W	Corners/End Stops (2 pcs of each)	10 mm	10	White
C10C	Corners/End Stops (2 pcs of each)	10 mm	10	Cream
C12W	Corners/End Stops (2 pcs of each)	12 mm	10	White
C12C	Corners/End Stops (2 pcs of each)	12 mm	10	Cream
<b>Pro Tile Trim Corners &amp; End Stops (BULK)</b>				
C6WB	Corners	6 mm	50	White
C6CB	Corners	6 mm	50	Cream
E6WB	End Stops	6 mm	50	White
E6CB	End Stops	6 mm	50	Cream
C8WB	Corners	8 mm	50	White
C8CB	Corners	8 mm	50	Cream
E8WB	End Stops	8 mm	50	White
E8CB	End Stops	8 mm	50	Cream
C9WB	Corners	9 mm	50	White
E9WB	End Stops	9 mm	50	White
C10WB	Corners	10 mm	50	White
C10CB	Corners	10 mm	50	Cream
E10WB	End Stops	10 mm	50	White
E10CB	End Stops	10 mm	50	Cream
C12WB	Corners	12 mm	50	White
C12CB	Corners	12 mm	50	Cream
E12WB	End Stops	12 mm	50	White
E12CB	End Stops	12 mm	50	Cream



White corner and end stop



Cream quadrant corner


# Worktop Tile Trim

Worktop tile trim creates a neat transition from worktop to tiled wall. This is achieved by allowing tiles to sit under the lip of the trim, whilst finishing flush to the worktop.




White

## Available Profiles



## Available Sizes & Colours

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Plastic Worktop Tile Trim</b>				
WTW	9 mm	2.44 m	10	White
<b>Metal Worktop Tile Trim</b>				
WTS	10 mm	2.44 m	5	Chrome
WTBS	10 mm	2.44 m	5	Brushed Steel




## Tile To Vinyl Trim

Tile to vinyl trim offers a neat transition between a tiled wall and a vinyl floor covering, which has been returned up the wall to form a skirting. This is achieved by allowing tiles to sit on top of the trim and neatly abut the trim edge, allowing the vinyl to return under the trim.



Grey

### Available Profile



### Available Sizes & Colours

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Plastic Worktop Tile Trim</b>				
TV7	9 mm	2.5 m	5	Black
TV6	9 mm	2.5 m	5	Grey
TV1	9 mm	2.5 m	5	White



Black



Grey



White


## Contract Bath Seal

Contract bath seal creates a neat transition from a tiled surface to the bath edge. This is achieved by allowing tiles to sit on top of the trim, with the rubber edge of the trim creating a neat seal on the bath surface.



White

### Available Profile



### Available Sizes & Colours

PRODUCT CODE	Length	Pk Qty	Colour
<b>Contract Bath Seal</b>			
CBS1	1.8 m	10	White



White


## Overtile Bath Seal

Overtile bath seal is a decorative finish between a tiled wall and a bath surface.



White

### Available Profile



### Available Sizes & Colours

PRODUCT CODE	Length	Pk Qty	Colour
<b>Overtile Bath Seal</b>			
OTBSW	1.8 m	10	White
OTBSC	1.8 m	10	Cream



White



Cream

# Metal Tile Trims & Bars

Metal Square Edge Tile Trim .....	120 - 127
Metal Contract Tile Trim .....	128 - 129
Metal Contract Tile Trim Corners .....	130 - 131
Metal Box Tile Trim .....	132 - 133
Metal Box Tile Trim Corners .....	134 - 135
LED Box Tile Trim .....	136 - 137
Polished Stainless Steel Tile Trim .....	138 - 139
Metal Pencil & Listello Bars .....	140
Metal Square Pencil & Listello Bars .....	141
Wall Panel Profiles .....	142 - 143
Carpet to Tile (2 pc screw down) .....	144
Carpet to Tile (1 pc knock down) .....	145
Adjustable Floor Transition (Carpet to tile) .....	146
Expansion Joints .....	147
Stair Edging .....	148
Over Tile Stair Edging .....	149
Transition Ramp .....	150
Transition T Bar .....	151
Protective Edging .....	152
Formable Square Edge .....	153





*Matt Bronze Square Edge Tile Trim*

## Square Edge Tile Trim


Square edge metal tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation. This is achieved by allowing tiles to sit under the lip of the trim and neatly abut the trim edge.



Marble Effect Grey

### Available Profiles, Finishes & Sizes

(Check available size/colour on pg 121 -122)



PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Square Edge Metal Tile Trim 6mm</b>				
CAT6	6mm	2.4 m	5	Chrome
<b>Square Edge Metal Tile Trim 8mm</b>				
AT8	8 mm	2.44 m	5	Unpolished
BBAT8	8 mm	2.44 m	5	Brushed Brass
BBLAT8	8 mm	2.44 m	5	Brushed Black
BCAT8	8 mm	2.44 m	5	Brushed Chrome
BGMAT8	8 mm	2.44 m	5	Brushed Gun Metal
CGAT8	8 mm	2.44 m	5	Cobalt Grey
CAT8	8 mm	2.44 m	5	Chrome
COAT8	8 mm	2.44 m	5	Copper
GAT8	8 mm	2.44 m	5	Gold
MBAT8	8 mm	2.44 m	5	Matt Black
MBRAT8	8 mm	2.44 m	5	Matt Bronze
MGAT8	8 mm	2.44 m	5	Matt Gold
MWAT8	8 mm	2.44 m	5	Matt White
RGAT8	8 mm	2.44 m	5	Rose Gold
SAT8	8 mm	2.44 m	5	Stainless Steel Effect
SCAT8	8 mm	2.44 m	5	Satin Chrome
<b>Square Edge Metal Tile Trim 10mm</b>				
AT10	10 mm	2.44 m	5	Unpolished
BBAT10	10 mm	2.44 m	5	Brushed Brass
BBLAT10	10 mm	2.44 m	5	Brushed Black
BCAT10	10 mm	2.44 m	5	Brushed Chrome
BGMAT10	10 mm	2.44 m	5	Brushed Gun Metal
CGAT10	10 mm	2.44 m	5	Cobalt Grey
CAT10	10 mm	2.44 m	5	Chrome
COAT10	10 mm	2.44 m	5	Copper
GAT10	10 mm	2.44 m	5	Gold
MGOAT10	10 mm	2.44 m	5	Marble Effect Gold
MGRAT10	10 mm	2.44 m	5	Marble Effect Grey
MBAT10	10 mm	2.44 m	5	Matt Black
MBRAT10	10 mm	2.44 m	5	Matt Bronze
MGAT10	10 mm	2.44 m	5	Matt Gold
MWAT10	10 mm	2.44 m	5	Matt White
RGAT10	10 mm	2.44 m	5	Rose Gold
SAT10	10 mm	2.44 m	5	Stainless Steel Effect
SCAT10	10 mm	2.44 m	5	Satin Chrome

## Square Edge Tile Trim Continued


PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Square Edge Metal Tile Trim 12mm</b>				
AT12	12 mm	2.44 m	5	Unpolished
BBAT12	12 mm	2.44 m	5	Brushed Brass
BBLAT12	12 mm	2.44 m	5	Brushed Black
BCAT12	12 mm	2.44 m	5	Brushed Chrome
BGMAT12	12 mm	2.44 m	5	Brushed Gun Metal
CGAT12	12 mm	2.44 m	5	Cobalt Grey
CAT12	12 mm	2.44 m	5	Chrome
COAT12	12 mm	2.44 m	5	Copper
GAT12	12 mm	2.44 m	5	Gold
MGOAT12	12 mm	2.44 m	5	Marble Effect Gold
MGRAT12	12 mm	2.44 m	5	Marble Effect Grey
MBAT12	12 mm	2.44 m	5	Matt Black
MBRAT12	12 mm	2.44 m	5	Matt Bronze
MGAT12	12 mm	2.44 m	5	Matt Gold
MWAT12	12 mm	2.44 m	5	Matt White
RGAT12	12 mm	2.44 m	5	Rose Gold
SAT12	12 mm	2.44 m	5	Stainless Steel Effect
SCAT12	12 mm	2.44 m	5	Satin Chrome
<b>Square Edge Metal Tile Trim 15mm</b>				
CAT15	15 mm	2.44 m	5	Chrome
BCAT15	15 mm	2.44 m	5	Brushed Chrome
SAT15	15 mm	2.44 m	5	Stainless Steel Effect

For 22.5mm Depth Square Edge Trim - See page 126

## Powder Coated Square Edge Tile Trim

## Available Profiles, Finishes &amp; Sizes


(Check available size/colour on pg 123)



8mm




White



10mm



Anthracite



12mm



Pebble



Sand



Bone



Wicker

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Square Edge Metal Tile Trim 8mm</b>				
ASAT8	8 mm	2.44 m	5	Ash
BAT8	8 mm	2.44 m	5	Black
BOAT8	8 mm	2.44 m	5	Bone
WAT8	8 mm	2.44 m	5	White
WIAT8	8 mm	2.44 m	5	Wicker
<b>Square Edge Metal Tile Trim 10mm</b>				
ATAT10	10 mm	2.44 m	5	Anthracite
ASAT10	10 mm	2.44 m	5	Ash
BAT10	10 mm	2.44 m	5	Black
BOAT10	10 mm	2.44 m	5	Bone
CTAT10	10 mm	2.44 m	5	Cement
PTAT10	10 mm	2.44 m	5	Pebble
STAT10	10 mm	2.44 m	5	Sand
WAT10	10 mm	2.44 m	5	White
WIAT10	10 mm	2.44 m	5	Wicker
<b>Square Edge Metal Tile Trim 12mm</b>				
ATAT12	12 mm	2.44 m	5	Anthracite
ASAT12	12 mm	2.44 m	5	Ash
BAT12	12 mm	2.44 m	5	Black
BOAT12	12 mm	2.44 m	5	Bone
CTAT12	12 mm	2.44 m	5	Cement
PTAT12	12 mm	2.44 m	5	Pebble
STAT12	12 mm	2.44 m	5	Sand
WAT12	12 mm	2.44 m	5	White
WIAT12	12 mm	2.44 m	5	Wicker
<b>Powder Coated Tile Trims Can Be Used Both Internally &amp; Externally</b>				



Cement



## Glitter Square Edge Tile Trim and Pencil

Glitter Square edge metal tile trims and pencil bars features a straight profile which has been designed to give a contemporary finish to any modern tile installation. This is achieved by allowing tiles to sit under the lip of the trim and neatly abut the trim edge.




Glitter Gold


### Available Profiles, Finishes & Sizes



10mm



10mm



12mm



Glitter Gold



Glitter Grey



Glitter Silver



Silver Sparkle



Grey Sparkle

# Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Glitter Square Edge Metal Tile Trim 10mm</b>				
GLGOAT10	10 mm	2.44 m	5	Glitter Gold
GLGRAT10	10 mm	2.44 m	5	Glitter Grey
GLSAT10	10 mm	2.44 m	5	Glitter Silver
<b>Glitter Square Edge Metal Tile Trim 12mm</b>				
GLGOAT12	12 mm	2.44 m	5	Glitter Gold
GLGRAT12	12 mm	2.44 m	5	Glitter Grey
GLSAT12	12 mm	2.44 m	5	Glitter Silver
<b>Metal Pencil Bar 10mm</b>				
GSPB10	10 mm	2.44 m	5	Grey Sparkle
SSPB10	10 mm	2.44 m	5	Silver Sparkle



Silver Sparkle


# 22.5mm Square Edge Tile Trims

A slightly different profile to our standard square edge metal tile trims. Our 22.5mm trims are designed to work both internally and externally, accomodating larger tile depths for products such as porcelain slabs.



Brushed Chrome

## Available Profiles, Finishes & Sizes



22.5m



Anthracite



Bright Chrome  
Stainless Steel



Brushed Chrome



Chrome



Satin Chrome  
Stainless Steel

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Square Edge Metal Tile Trim 22.5mm</b>				
ATAT22	22.5 mm	2.44 m	5	Anthracite
SSBCAT22	22.5 mm	2.44 m	5	Bright Chrome Stainless Steel
BCAT22	22.5 mm	2.44 m	5	Brushed Chrome
CAT22	22.5 mm	2.44 m	5	Chrome
SSSCAT22	22.5 mm	2.44 m	5	Satin Chrome Stainless Steel

**22.5mm Tile Trims Can Be Used Both Internally & Externally**



Satin Chrome Stainless Steel


## Contract Metal Tile Trim

Contract metal tile trim is a round profile which has been designed to accommodate small variations in tile depth. This is achieved by allowing tiles to sit under the lip of the trim or depending on the tile thickness, to neatly abut the trim edge.




Chrome


### Available Profiles, Finishes & Sizes



7.5mm



10mm



12mm



Chrome



Gold



Brushed Steel



Stainless Steel Effect

# Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Contract Metal Tile Trim 7.5mm</b>				
CT8	7.5 mm	2.44 m	5	Chrome
7MMBS	7.5 mm	2.44 m	5	Brushed Steel
GT8	7.5 mm	2.44 m	5	Gold
SSE8	7.5 mm	2.44 m	5	Stainless Steel Effect
<b>Contract Metal Tile Trim 10mm</b>				
DCT8	10 mm	2.44 m	5	Chrome
10MMBS	10 mm	2.44 m	5	Brushed Steel
DGT8	10 mm	2.44 m	5	Gold
SSE10	10 mm	2.44 m	5	Stainless Steel Effect
<b>Contract Metal Tile Trim 12mm</b>				
BC12	12 mm	2.44 m	5	Chrome
SSE12	12 mm	2.44 m	5	Stainless Steel Effect



Gold

# Contract Tile Trim Metal Corners

Contract tile trim metal corners are available in four finishes: Chrome, Gold, Brushed Chrome and Stainless Steel Effect. The corners have been designed to connect areas where a joint occurs, and neatly finish off exposed areas, such as an end of a run.



Chrome

Chrome

## Available Finishes



Chrome



Gold




Brushed Chrome



Stainless Steel Effect

## Product Codes

PRODUCT CODE	Type	Depth	Pk Qty	Finish
<b>Contract Tile Trim Metal Corners 7.5 mm</b>				
MC7	Corners (2pk)	7.5 mm	1	Chrome
MGC7	Corners (2pk)	7.5 mm	1	Gold
MBRC7	Corners (2pk)	7.5 mm	1	Brushed Chrome
<b>Contract Tile Trim Metal Corners 10 mm</b>				
MC10	Corners (2pk)	10 mm	1	Chrome
MGC10	Corners (2pk)	10 mm	1	Gold
MBRC10	Corners (2pk)	10 mm	1	Brushed Chrome
MCSS10/1	Corners (2pk)	10 mm	1	Stainless Steel Effect
<b>Contract Tile Trim Metal Corners 12 mm</b>				
MC12	Corners (2pk)	12 mm	1	Chrome
MCSS12/1	Corners (2pk)	12 mm	1	Stainless Steel Effect



Gold


## Box Tile Trim

Box tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation.




Matt Gold


### Available Profiles, Finishes & Sizes



8mm



10mm




12mm



Chrome



Stainless Steel Effect



Matt Black



Matt Gold

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Box Metal Tile Trim 8mm</b>				
CBT8	8 mm	2.44 m	5	Chrome
SBT8	8 mm	2.44 m	5	Stainless Steel Effect
<b>Box Metal Tile Trim 10mm</b>				
CBT10	10 mm	2.44 m	5	Chrome
SBT10	10 mm	2.44 m	5	Stainless Steel Effect
MBBT10	10 mm	2.44 m	5	Matt Black
MGBT10	10 mm	2.44 m	5	Matt Gold
<b>Box Metal Tile Trim 12mm</b>				
CBT12	12 mm	2.44 m	5	Chrome
SBT12	12 mm	2.44 m	5	Stainless Steel Effect
MBBT12	12 mm	2.44 m	5	Matt Black
MGBT12	12 mm	2.44 m	5	Matt Gold



Stainless steel effect

# Box Tile Trim Corners

Box tile trim corners are available in 4 finishes: Chrome, Matt Black, Matt Gold & Stainless Steel effect. The corners have been designed to connect areas where a joint occurs, and neatly finish off exposed areas such as an end of a run.



Chrome

## Available Finishes



Chrome



Stainless Steel Effect



Matt Black



Matt Gold

## Available Sizes & Colours

PRODUCT CODE	Type	Depth	Pk Qty	Finish
<b>Box Tile Trim Corners 8 mm</b>				
CBC8/1	Corners (2pk)	8 mm	1	Chrome
SBC8/1	Corners (2pk)	8 mm	1	Stainless Steel Effect
<b>Box Tile Trim Corners 10 mm</b>				
CBC10/1	Corners (2pk)	10 mm	1	Chrome
SBC10/1	Corners (2pk)	10 mm	1	Stainless Steel Effect
MBBC10/1	Corners (2pk)	10 mm	1	Matt Black
MGBC10/1	Corners (2pk)	10 mm	1	Matt Gold
<b>Box Tile Trim Corners 12 mm</b>				
CBC12/1	Corners (2pk)	12 mm	1	Chrome
SBC12/1	Corners (2pk)	12 mm	1	Stainless Steel Effect
MBBC12/1	Corners (2pk)	12 mm	1	Matt Black
MGBC12/1	Corners (2pk)	12 mm	1	Matt Gold




Matt Black & Matt Gold



Stainless steel effect


### LED Box Tile Trim

Our box profile LED Tile Trims add stylish illumination to tiled edges. Available in 10mm and 12mm sizes with matt black or matt silver finishes, each 2.44m trim includes a light diffuser and end caps. Choose from warm white or cool white self-adhesive LED reels (2.5m), which stick inside the trim, with the diffuser clipping over the top for a sleek, professional look.




Warm LED

### Available Profiles, Finishes & Sizes



10mm




12mm




Matt Silver



Matt Black



Warm White



Cool White

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>LED Box Trim 10mm</b>				
LEDBTMB10	10 mm	2.44 m	1	Matt Black
LEDBTMS10	10 mm	2.44 m	1	Matt Silver
<b>LED Box Trim 12mm</b>				
LEDBTMB12	12 mm	2.44 m	1	Matt Black
LEDBTMS12	12 mm	2.44 m	1	Matt Silver
<b>LED Transformer Unit</b>				
LEDTU			1	White
<b>LED Light Reels 2.5m</b>				
LEDCW	-	2.5 m	1	Cool White
LEDWW	-	2.5 m	1	Warm White



Transformer



LED Reel



Profile End Caps



Matt Black Profile



Light Diffuser


## Polished Stainless Steel Tile Trim

Our polished stainless steel trim features 4 unique profiles. Available in either a bright mirrored finish or a satin effect. With a choice of sizes ranging from 8,10 and 12mm.



Square Edge


## Available Profiles, Finishes & Sizes




Round Edge



Square Edge




10mm  
Pencil Bar



25mm  
10mm  
Listello Bar




Bright Chrome  
Stainless Steel



Polished  
Stainless Steel



Satin Chrome  
Stainless Steel



Bright Gold  
Stainless Steel



Brushed Gold  
Stainless Steel

## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Polished Stainless Steel Round Metal Tile Trim</b>				
PSS8	8 mm	2.44 m	5	Polished Stainless Steel
PSS10	10 mm	2.44 m	5	Polished Stainless Steel
PSS12	12 mm	2.44 m	5	Polished Stainless Steel
<b>Polished Stainless Steel Square Metal Tile Trim</b>				
SSBCAT10	10 mm	2.44 m	5	Bright Chrome Stainless Steel
SSBCAT12	12 mm	2.44 m	5	Bright Chrome Stainless Steel
SSBRGAT10	10mm	2.44m	5	Brushed Gold Stainless Steel
SSBRGAT12	12mm	2.44m	5	Brushed Gold Stainless Steel
SSBGAT10	10mm	2.44m	5	Bright Gold Stainless Steel
SSBGAT12	12mm	2.44m	5	Bright Gold Stainless Steel
PSAT8	8 mm	2.44 m	5	Polished Stainless Steel
PSAT12	12 mm	2.44 m	5	Polished Stainless Steel
SSSCAT10	10 mm	2.44 m	5	Satin Chrome Stainless Steel
SSSCAT12	12 mm	2.44 m	5	Satin Chrome Stainless Steel
<b>Polished Stainless Steel Square Pencil &amp; Listello</b>				
PSPB	10 mm	2.44 m	4	Polished Stainless Steel
PSLB	25 mm	2.44 m	4	Polished Stainless Steel



Round Edge



Pencil Bar




Listello Bar

# Pencil & Listello Bars

Pencil and listello bars will add style and decoration to plain tiled areas. Perfect for making a feature with mosaic tiles.




## Available Colours, Profiles & Sizes



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Metal Pencil Bar</b>				
PBC	10 mm	2.44 m	5	Chrome
PBG	10 mm	2.44 m	5	Gold
PBS	10 mm	2.44 m	5	Brushed Steel
<b>Metal Listello Bar</b>				
LC	20 mm	2.44 m	5	Chrome
LBR	20 mm	2.44 m	5	Brushed Steel
LBC	30 mm	2.44 m	5	Chrome
LBG	30 mm	2.44 m	5	Gold

## Square Edge Pencil & Listello

Square edge pencil and listello bars will add a contemporary and stylish finish to plain tiled areas. Perfect for making a feature with mosaic tiles.



### Available Colours, Profiles & Sizes



Chrome



Stainless Steel Effect



10mm

30mm



Stainless Steel Effect






PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Square Metal Pencil Bar</b>				
SEPB	10 mm	2.44 m	5	Chrome
SSPB	10 mm	2.44 m	5	Stainless Steel Effect
<b>Square Metal Listello Bar</b>				
SEL	30 mm	2.44 m	5	Chrome
SSL	30 mm	2.44 m	5	Stainless Steel Effect

## Wall Panel Profiles/ Finishing Edge Trims

Tileeasy wall panel profiles are available in three profiles - Internal Corner, H Joint and End Cap. They assist with completing a neat and water tight installation. Available in Anthracite, Chrome, Matt Black, Matt Gold and White.



## Available Profiles, Finishes & Sizes



## Product Codes

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>End Cap</b>				
SBEC10A	10mm	2.45 m	1	Anthracite
SBEC10C	10 mm	2.45 m	1	Chrome
SBEC10MB	10 mm	2.45 m	1	Matt Black
SBEC10MG	10 mm	2.45 m	1	Matt Gold
SBEC10W	10 mm	2.45 m	1	White
SBEC11A	11 mm	2.45 m	1	Anthracite
SBEC11C	11 mm	2.45 m	1	Chrome
SBEC11MB	11 mm	2.45 m	1	Matt Black
SBEC11MG	11 mm	2.45 m	1	Matt Gold
SBEC11W	11 mm	2.45 m	1	White
<b>H Joint</b>				
SBHJ10A	10 mm	2.45 m	1	Anthracite
SBHJ10C	10 mm	2.45 m	1	Chrome
SBHJ10MB	10 mm	2.45 m	1	Matt Black
SBHJ10MG	10 mm	2.45 m	1	Matt Gold
SBHJ10W	10 mm	2.45 m	1	White
<b>Internal Corner</b>				
SBIC10A	10 mm	2.45 m	1	Anthracite
SBIC10C	10 mm	2.45 m	1	Chrome
SBIC10MB	10 mm	2.45 m	1	Matt Black
SBIC10MG	10 mm	2.45 m	1	Matt Gold
SBIC10W	10 mm	2.45 m	1	White
SBIC11A	11 mm	2.45 m	1	Anthracite
SBIC11C	11 mm	2.45 m	1	Chrome
SBIC11MB	11 mm	2.45 m	1	Matt Black
SBIC11MG	11 mm	2.45 m	1	Matt Gold
SBIC11W	11 mm	2.45 m	1	White




H Joint



Internal Corner




End Cap



Protective Edging - page 152

## Carpet To Tile Trim (2 piece screw down)

Screw down carpet to tile trim has been designed to give a neat transition between most hard flooring and carpets. Once the base is fitted the top can be simply screwed into place with the screws provided





### Available Colours, Profiles & Sizes



Chrome



Gold




Chrome

PRODUCT CODE	Length	Pk Qty	Colour
<b>Carpet To Tile Trim (2 piece screw down) 0.8 m</b>			
CSCB	0.8 m	1	Chrome
CSC	0.8 m	10	Chrome
GSCB	0.8 m	1	Gold
GSC	0.8 m	10	Gold
<b>Carpet To Tile Trim (2 piece screw down) 1 m</b>			
CTC1	1 m	1	Chrome
CTC	1 m	5	Chrome
CTG1	1 m	1	Gold
CTG	1 m	5	Gold
<b>Carpet To Tile Trim (2 piece screw down) 2.4 m</b>			
CTC8	2.4 m	1	Chrome
CCB8	2.4 m	5	Chrome
CTG8	2.4 m	1	Gold
GCB8	2.4 m	5	Gold

## Carpet To Tile Trim (1 piece knock-down)

Knock-down carpet to tile trim has been designed to give a neat transition between most hard flooring and carpets. An easy solution, with a knock-down feature to accommodate small height variations.





### Available Colours, Profiles & Sizes



Chrome



Gold



Gold

PRODUCT CODE	Length	Pk Qty	Colour
<b>Carpet To Tile Trim (1 piece knockdown) 1 m</b>			
CT1	1 m	1	Chrome
CT	1 m	5	Chrome
GT1	1 m	1	Gold
1GT	1 m	5	Gold
<b>Carpet To Tile Trim (1 piece knockdown) 2.5 m</b>			
CT2	2.5 m	1	Chrome
2CT	2.5 m	5	Chrome
GT2	2.5 m	1	Gold
2GT	2.5 m	5	Gold

## Adjustable Floor Transition

Our adjustable floor transitions incorporate an innovative pivoting system, which is also height adjustable. This profile is used to accommodate the difference in floor heights between carpet & tiles of up to 20mm. Our Universal Adjustable Floor Transition will work with floor coverings such as tile, vinyl and wooden flooring



### Available Colours, Profiles & Sizes



Anthracite

Cement

Chrome



Gold




Stainless Steel Effect


← ----- 40mm ----- →

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Adjustable Floor Transition</b>				
AFTAT	8-20 mm	0.9 m	1	Anthracite
AFTCT	8-20 mm	0.9 m	1	Cement
AFTC	8-20 mm	0.9 m	1	Chrome
AFTG	8-20 mm	0.9 m	1	Gold
AFTS	8-20 mm	0.9 m	1	Stainless Steel
UFTC (universal)	8-20 mm	0.9 m	1	Chrome
UFTG (universal)	8-20 mm	0.9 m	1	Gold

← ----- 40mm ----- →



Adjustable Transition      10mm      5mm      25mm  
← ----- 40mm ----- →



Universal Transition      10mm      5mm      25mm  
← ----- 40mm ----- →





Gold

## Expansion Joints

Expansion joints provide relief to tiled floor areas, by absorbing expansion and contraction induced by natural changes in room temperature. Available in two depths (10 and 12mm) and in a chrome finish with a choice of beige or grey rubber insert.



## Available Colours, Profiles & Sizes



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Expansion Joints</b>				
EJ10CB	10mm	2.44 m	1	Chrome/Beige
EJ10CG	10mm	2.44 m	1	Chrome/Grey
EJ12CB	12mm	2.44 m	1	Chrome/Beige
EJ12CG	12mm	2.44 m	1	Chrome/Grey



Chrome/Beige

## Stair Edging


Our stair edging provides a safe and secure edge to tiled steps. Installed underneath the tile, once in place it will provide extra grip and traction with its grooved profile.



## Available Colours, Profiles & Sizes





Chrome Matt



Gold Matt

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Stair Edging</b>				
SE10C	10mm	2.44m	1	Chrome Matt
SE10G	10mm	2.44m	1	Gold Matt
SE12C	12mm	2.44m	1	Chrome Matt
SE12G	12mm	2.44m	1	Gold Matt



Gold Matt

## Over Tile Stair Edging

Over tile stair edging is a retro fit product, designed to provide a safe and simple solution for stair edges. It incorporates a black rubber tread for increased grip and traction. (for internal use only)



### Available Colours, Profiles & Sizes




Chrome Matt



Gold Matt

PRODUCT CODE	Length	Pk Qty	Colour
<b>Over Tile Stair Edging</b>			
OTSECB	2.44 m	1	Chrome Matt
OTSEGGB	2.44 m	1	Gold Matt



Gold Matt

## Transition Ramp

Our transition ramp is a neat profile designed to act as a stepless transition between floor coverings. It also helps protect the edges of adjacent coverings.



### Available Colours, Profiles & Sizes





Chrome Matt



Stainless Steel Effect

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Transition Ramp</b>				
TR10C	10mm	2.44 m	1	Chrome Matt
TR10S	10mm	2.44 m	1	Stainless Steel
TR12C	12mm	2.44 m	1	Chrome Matt
TR12S	12mm	2.44 m	1	Stainless Steel



## Transition T Bar


The transition T bar is a quick and easy solution, connecting floor coverings of equal heights. It also acts as an expansion joint, helping coverings maintain a minimum distance.



### Available Colours, Profiles & Sizes



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Transition T Bar</b>				
TTBCM	8mm	0.9 m	5	Chrome Matt
TTBGM	8mm	0.9 m	5	Gold Matt
TTBSS	8mm	0.9 m	5	Stainless Steel
TTBCM2	8mm	2.44 m	5	Chrome Matt
TTBSS2	8mm	2.44 m	5	Stainless Steel



Chrome Matt

## Protective Edging

Protective edging is a retro fit product designed to protect and absorb impact that may occur to external corners and walls. Now available in 5 contemporary Metal finishes - Anthracite, Chrome, Matt Gold, Stainless Steel & White. This profile is also available in 3 PVC finishes - Black, Grey & White.



## Available Colours, Profiles & Sizes

### Metal



Anthracite



Chrome



Matt Gold



Stainless Steel



White



Matt Black

### Plastic




Black



Grey



White



PRODUCT CODE	Length	Depth	Pk Qty	Colour
<b>Protective Edging 19mm Metal</b>				
PEC	2.44 m	19mm	5	Chrome
PES	2.44 m	19mm	5	Stainless Steel
<b>Protective Edging 25mm Metal</b>				
PEAT25	2.44 m	25mm	5	Anthracite
PEC25	2.44 m	25mm	5	Chrome
PEMB25	2.44 m	25mm	5	Matt Black
PEMG25	2.44 m	25mm	5	Matt Gold
PEW25	2.44 m	25mm	5	White
<b>Plastic Protective Edging 19mm PVC</b>				
PPEB	2.44 m	19mm	10	Black
PPEG	2.44 m	19mm	10	Grey
PPEW	2.44 m	19mm	10	White

## Formable Square Edge

An L shaped extruded aluminium profile designed to provide a solution to protecting edges of floor finishes in curved areas. Available in chrome and brushed chrome finishes.



### Available Colours, Profiles & Sizes




Chrome



Brushed Chrome



10mm



12mm

PRODUCT CODE	Length	Pk Qty	Colour
<b>Formable Metal Square Trim 10mm</b>			
FCAT10	2.44 m	5	Chrome
FBCAT10	2.44 m	5	Brushed Chrome
<b>Formable Metal Square Trim 12mm</b>			
FCAT12	2.44 m	5	Chrome
FBCAT12	2.44 m	5	Brushed Chrome



Brushed Chrome

# Display & Point Of Sale

Modular Tool & Trim Stand .....	158 - 159
Other POS .....	160 - 161





280  
15%

# Modular Tool & Trim Merchandising System

We have created the perfect merchandising system to display all of our Tileeasy products.

Seamlessly connect multiple stands to create the solution that best fits your showroom or trade area.

### Simple To Install

- Easy and quick assembly
- Sturdy Construction
- Flat and space saving design

### Flexible Merchandising

- One stand will incorporate all Products
- Utilises both hooks and shelving
- Designed to easily include POS

### Unlimited Options

- Create your own bespoke modular system
- Flexible options for spatially limited stores
- Seamlessly blend with header and footer





## MODULAR TOOL & TRIM MERCHANTISING SYSTEM



### Single Tool Stand Dimensions

Height: 2053mm (with header)  
2023mm (without header)

Width: 1030mm

Depth: 480mm

### Half Tool Stand Dimensions

Height: 2053mm (with header)  
2023mm (without header)

Width: 503mm

Depth: 480mm

## Single Trim Stand Dimensions

Height: 2053mm (with header)  
2023mm (without header)  
Width: 1030mm  
Depth: 480mm

## Half Trim Stand Dimensions

Height: 2053mm (with header)  
2023mm (without header)  
Width: 503mm  
Depth: 480mm



## DUMP BINS

The new Tileeasy promotional dump bins are in-stock for ordering. Available in 4 options, they are a fanstastic way to help promote key products in-store.



### Dump bin Dimensions

Height: 1000mm

Width: 450mm

Depth: 450mm

### Available Headers

#### Levelling System




#### Tile Spacers



#### Sponges



#### General Tools



- Heavy duty Cardboard Construction
- Glossy Lamination
- Flat Pack Assembly
- Universal base
- Interchangeable header and front panel
- Shelf insert for product placement

### Trim Display Folder



Introducing the new Tileeasy tile trim display folder. A neat compact magnetic folder measuring at 17 x 41.5 cm, it has been designed for easy and convenient storage of your trim samples.

Our trim folder is currently only available for the most popular and comprehensive range - Square Edge Metal Profile.

Boasting 30+ finishes, it is the ideal way to show your customers the perfect trim to compliment any tile choice.



We have many other promotional items available at Tileeasy. We are fully dedicated in supporting our stockists on promotional campaigns and trade days.

Please get in touch with your area representative to find out more.

# Index

Sales Coverage .....	163
Terms & Conditions .....	164 - 168
Index .....	169 - 173
Notes .....	174 - 176

# ► Areas & Representatives

---

## Scotland

Western Isles - Shetland Islands  
- Orkney Islands - Highland -  
Moray - Aberdeenshire - Angus  
- Perth Kinross - Argyll & Bute  
- Stirling - Fife - Clackmannan  
- Falkirk - North Ayrshire - East  
Ayrshire - South Ayrshire - North  
Lanarkshire - West Lothian - Mid  
Lothian - East Lothian - Dumfries  
& Galloway - Scottish Borders

### Area Manager

**Lee Carr**

Tel: 07738 544761

[lee.carr@tileeasy.com](mailto:lee.carr@tileeasy.com)

## Northern England - North Wales - Northern Ireland - Republic Of Ireland

Cumbria - Lancashire -  
Derbyshire - Staffordshire  
- Shropshire - Flintshire -  
Merseyside - Cheshire - Greater  
Manchester - Denbighshire -  
Conwy - Gwynedd - North Powys  
- Isle Of Man - Ireland

### Sales Director

**Paul Murphy**

Tel: 07802 403099

[paul.murphy@tileeasy.com](mailto:paul.murphy@tileeasy.com)

---

## North East - Lincolnshire

Northumberland - Nottingham  
Durham - Yorkshire - Tyneside -  
Tyne & Wear - Lincolnshire

### Area Manager

**Lee Carr**

Tel: 07738 544761

[lee.carr@tileeasy.com](mailto:lee.carr@tileeasy.com)

## East Anglia - North London

Middlesex - Norfolk -  
Northamptonshire - Suffolk  
- East & North London -  
Cambridgeshire - Bedfordshire  
- Hertfordshire - Essex -  
Leicestershire - Buckinghamshire

### Area Manager

**Garry Smith**

Tel: 07736 957940

[garry.smith@tileeasy.com](mailto:garry.smith@tileeasy.com)

---

## South Wales - South West England

Cornwall - Devon - Somerset  
- West Dorset - Wiltshire -  
Gloucestershire - Warwickshire  
- Worcestershire - West  
Midlands - Herefordshire -  
Avon - Monmouthshire - Gwent  
- Glamorgan - South Powys -  
Carmarthenshire

### Area Manager

**Sam Adams**

Tel: 07714 782859

[sam.adams@tileeasy.com](mailto:sam.adams@tileeasy.com)

## South East England South London - Channel Islands

East Dorset - Hampshire - West  
Sussex - East Sussex - Kent -  
Surrey - Oxfordshire - South  
London - Berkshire - South  
Middlesex - Isle Of Wight -  
Channel Islands

### Area Manager

**Lyndon Slack**

Tel: 07703 535769

[lyndon.slack@tileeasy.com](mailto:lyndon.slack@tileeasy.com)

# Terms & Conditions

The Customer's attention is drawn in particular to the provisions of clause 14.

Tileasy shall sell and the Customer shall purchase the Goods in accordance with any quotation or offer of Tileasy which is accepted by the Customer, or any order of the Customer which is accepted by Tileasy.

These Terms and Conditions shall govern the Contract to the exclusion of any other terms and conditions subject to which any such quotation is accepted or purported to be accepted by Tileasy, or any such order is made or purported to be made, by the Customer.

## Interpretation

In these Terms and Conditions, unless the context otherwise requires, the following expressions have the following meanings:

### **"Business Day"**

means any day other than a Saturday, Sunday or bank holiday;

### **"Contract"**

means the contract for the purchase and sale of the Goods under these Terms and Conditions;

### **"Contract Price"**

means the price stated in the Contract payable for the Goods;

### **"Customer"**

means the person who accepts a quotation or offer of Tileasy for the sale of the Goods or whose order for the Goods is accepted by Tileasy;

### **"Delivery Date"**

means the date on which the Goods are to be delivered as stipulated in the Customer's order and accepted by Tileasy;

### **"Goods"**

means the goods (including any installation of the goods or any parts for them) which Tileasy is to supply in accordance with these Terms and Conditions;

### **"Month"**

means a calendar month; and

### **"Tileasy"**

means Tileasy Limited, a company registered in England with company number 3568302 whose registered office is at Wellesley House, 204 London Road, Waterlooville, Hampshire PO7 7AN.

Unless the context otherwise requires, each reference in these Terms and Conditions to:

"writing", and any cognate expression, includes a reference to any communication effected by electronic or facsimile transmission or similar means;

a statute or a provision of a statute is a reference to that statute or provision as amended or re-enacted at the relevant time;

"these Terms and Conditions" is a reference to these Terms and Conditions and any Schedules as amended or supplemented at the relevant time;

a Schedule is a schedule to these Terms and Conditions; and

a Clause or paragraph is a reference to a Clause of these Terms and Conditions (other than the Schedules) or a paragraph of the relevant Schedule.

a "Party" or the "Parties" refer to the parties to these Terms and Conditions.

The headings used in these Terms and Conditions are for convenience only and shall have no effect upon the interpretation of these Terms and Conditions.

Words imparting the singular number shall include the plural and vice versa.

References to any gender shall include the other gender.

## Basis of Sale

Tileasy's employees or agents are not authorised to make any representations concerning the Goods unless confirmed by Tileasy in writing. In entering into the Contract the Customer acknowledges that it does not rely on, and waives any claim for breach of, any such representations which are not so confirmed.

No variation to these Terms and Conditions shall be binding unless agreed in writing between the authorised representatives of the Customer and Tileasy.

Sales literature, price lists and other documents issued by Tileasy in relation to the Goods are subject to alteration without notice and do not constitute offers to sell the Goods which are capable of acceptance. No contract for the sale of the Goods shall be binding on Tileasy unless Tileasy accepted an order placed by the Customer by whichever is the earlier of:

Tileasy's written acceptance;

delivery of the Goods; or

Tileasy's invoice.

The Contract constitutes the entire agreement between the Parties. The Customer acknowledges that it has not relied on any

statement, promise or representation made or given by or on behalf of Tileasy which is not set out in the Contract.

Unless and until Tileasy provides a new version of these Terms and Conditions or otherwise agrees in writing, these Terms and Conditions shall apply to all future agreements for the provision of goods by Tileasy to the Customer.

Any typographical, clerical or other accidental errors or omissions in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by Tileasy shall be subject to correction without any liability on the part of Tileasy.

Tileasy shall not acknowledge orders submitted by the Customer unless requested to do so. Tileasy reserves the right to decline to accept any order submitted by the Customer.

The specification for the Goods shall be that set out in Tileasy's sales documentation unless varied expressly in the Customer's order (if such variation(s) is/are accepted by Tileasy). The Goods will only be supplied in the minimum units thereof stated in Tileasy's price list or in multiples of those units. Orders received for quantities other than these will be adjusted accordingly.

Illustrations, photographs or descriptions whether in catalogues, brochures, price lists or other documents issued by Tileasy are intended as a guide only and shall not be binding on Tileasy.

Tileasy reserves the right to make any changes in the specification of the Goods which are required to conform with any applicable safety or other statutory or regulatory requirements.

No order which has been accepted by Tileasy may be cancelled by the Customer except with the agreement in writing of Tileasy on the terms that the Customer shall indemnify Tileasy in full against all loss (including loss of profit), costs (including the cost of all labour and materials used), damages, charges and expenses incurred by Tileasy as a result of such cancellation.

## Price

The price of the Goods shall be the price listed in the Supplier's price list current at the date of acceptance of the Customer's order or such other price as may be agreed by Tileasy and the Customer.

Where Tileasy has quoted a price for the Goods other than in accordance with Tile-

# Terms & Conditions

asy's published price list the price quoted shall be valid for 30 days only or such lesser time as Tileasy may specify.

Tileasy reserves the right, by giving written notice to the Customer at any time before delivery, to increase the price of the Goods to reflect any increase in the cost to Tileasy which is due to any factor beyond the control of Tileasy (including, without limitation, any foreign exchange fluctuation, currency regulation, alteration of duties, significant increase in the costs of labour, materials or other costs of manufacture), any change in delivery dates, quantities or specifications for the Goods which are requested by the Customer, or any delay caused by any instructions of the Customer or failure of the Customer to give Tileasy adequate information or instructions.

For delivery to an address within the United Kingdom:

On orders with a value of less than £125 (exclusive of VAT) Tileasy will make an additional charge to the Customer for transport of the Goods. Such charge will be based upon the weight and size of the Goods and the appropriate method of transport (as determined by Tileasy) and will be advised to the Customer prior to delivery.

On orders with a value of £125 or more (exclusive of VAT) Tileasy will make no additional charge to the Customer for transport of the goods, unless going to a private address.

For delivery to an address outside the United Kingdom, Tileasy reserves the right to make an additional charge to the Customer for transport of the Goods.

The price is exclusive of any applicable value added tax, excise, sales taxes or levies of a similar nature which are imposed or charged by any competent fiscal authority in respect of the Goods, which the Customer shall be additionally liable to pay to Tileasy.

## Payment

Subject to any special terms agreed in writing between the Customer and Tileasy, Tileasy shall invoice the Customer for the price of the Goods and delivery charges (if any) on or at any time after delivery of the Goods, unless the Goods are to be collected by the Customer or the Customer wrongfully fails to take delivery of the Goods, in which event Tileasy shall be entitled to invoice the Customer for the price and delivery charges (if any) at any time after Tileasy has notified the Customer that the Goods are ready for collection or (as the case may be) Tileasy has tendered delivery of the Goods.

The Customer shall pay the price of the Goods and delivery charges (if any) (without deduction credit or set off) within 30 calendar days of the date of Tileasy's invoice or otherwise in accordance with such credit terms as may have been agreed in writing between the Customer and Tileasy in respect of the Contract. Payment shall be made on the due date notwithstanding that delivery may not have taken place and/or that the property in the Goods has not passed to the Customer. The time for the payment of the price shall be of the essence of the Contract. Receipts for payment will be issued only upon request.

All payments shall be made to Tileasy as indicated on the invoice issued by Tileasy.

Tileasy is not obliged to accept orders from any Customer who has not supplied Tileasy with references satisfactory to Tileasy. If at any time Tileasy is not satisfied as to the creditworthiness of the Customer it may give notice in writing to the Customer that no further credit will be allowed to the Customer in which event no further goods will be delivered to the Customer other than against cash payment and notwithstanding sub-Clause 6.2 of these conditions, all amounts owing by the Customer to Tileasy shall be immediately payable in cash.

Delivery of the Goods shall be made:

by Tileasy posting the Goods or passing the Goods to a third party carrier for onward delivery to the place specified in the Customer's order and/or Tileasy's acceptance as the location to which the Goods are to be delivered; or

if no place of delivery is so specified, by the Customer collecting the Goods at Tileasy's premises at any time after Tileasy has notified the Customer that the Goods are ready for collection.

The Delivery Date is approximate only and time for delivery shall not be of the essence unless previously agreed by Tileasy in writing. The Goods may be delivered by Tileasy in advance of the Delivery Date upon giving reasonable notice to the Customer.

Where the Goods are to be delivered in instalments, each delivery shall constitute a separate contract and failure by Tileasy to deliver any one or more of the instalments in accordance with these Terms and Conditions or any claim by the Customer in respect of any one or more instalments shall not entitle the Customer to treat the Contract as a whole as repudiated.

If the Customer: requests postponement of delivery of the Goods or any part of them and Tileasy accepts such request; and/or

fails to take delivery of the Goods or any part of them on the Delivery Date; and/or

fails to provide any instructions, documents, licences, consents or authorisations required to enable the Goods to be delivered on that date,

Tileasy shall be entitled upon giving written notice to the Customer to store or arrange for the storage of the Goods and then notwithstanding the provisions of sub-Clause 10.1 risk in the Goods shall pass to the Customer, delivery shall be deemed to have taken place and the Customer shall pay to Tileasy all costs and expenses including storage and insurance charges arising from such failure.

## Non-Delivery

If Tileasy fails to deliver the Goods or any part thereof on the Delivery Date other than for reasons outside Tileasy's reasonable control or the Customer's or its carrier's fault:

if Tileasy delivers the Goods at any time thereafter Tileasy shall have no liability in respect of such late delivery; or

if the Customer gives written notice to Tileasy within 5 Business Days after the Delivery Date and Tileasy fails to deliver the Goods within 15 Business Days after receiving such notice the Customer may cancel the order and Tileasy's liability shall be limited to the excess (if any) of the cost to the Customer (in the cheapest available market) of similar goods to those not delivered over the price of the Goods not delivered.

The Customer is under a duty whenever possible to inspect the Goods on delivery or on collection as the case may be.

Where the Goods cannot be examined the carrier's note or such other note as appropriate shall be marked "not examined".

Tileasy shall be under no liability for any damage or shortages that would be apparent on reasonable careful inspection if the provisions of this Clause 9 are not complied with and, in any event, will be under no liability if a complaint is not made to Tileasy within 24 hours of delivery detailing the alleged damage or shortage.

In all cases where damage or shortages are complained of Tileasy shall be under no liability in respect thereof unless an opportunity to inspect the Goods is supplied to Tileasy before any use is made thereof or any alteration or modification is made thereto by the Customer.

# Terms & Conditions

Subject to sub-Clauses 9.3 and 9.4, Tileasy shall make good any shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonable to do so, but otherwise shall be under no liability whatsoever arising from such shortage or damage.

Tileasy may, at its complete discretion, accept the return of Goods where the Customer has over-ordered or ordered in error. In respect of returned Goods:

Tileasy reserves the right to charge a handling fee;

the Customer must contact Tileasy to arrange a return within 10 Business Days of the Delivery Date;

the returned Goods must be received by Tileasy in their original condition;

the risk of damage to or loss of the Goods remains with the Customer until receipt and inspection by Tileasy.

## Risk and Retention of Title

Risk of damage to or loss of the Goods shall pass to the Customer at:

in the case of Goods to be delivered at Tileasy's premises, the time when Tileasy notifies the Customer that the Goods are available for collection; or

in the case of Goods to be delivered under sub-Clause 7.1.1, the time that the Goods leave Tileasy's premises.

Notwithstanding delivery and the passing of risk in the Goods, or any other provision of these Terms and Conditions, legal and beneficial title of the Goods shall not pass to the Customer until Tileasy has received in cash or cleared funds payment in full of the price of the Goods.

Sub-Clause 10.2 notwithstanding, legal and beneficial title of the Goods shall not pass to the Customer until Tileasy has received in cash or cleared funds payment in full of the price of the Goods and any other goods supplied by Tileasy and the Customer has repaid all moneys owed to Tileasy, regardless of how such indebtedness arose.

Until payment has been made to Tileasy in accordance with these Terms and Conditions and title in the Goods has passed to the Customer, the Customer shall be in possession of the Goods as bailee for Tileasy and the Customer shall store the Goods separately and in an appropriate environment, shall ensure that they are identifiable as being supplied by Tileasy and shall insure the Goods against all reasonable risks.

In the event that the Customer sells or

transfers the Goods to a third party before legal and beneficial title has passed to him under these Terms and Conditions, the proceeds of the sub-sale or transfer (or such proportion as is due to Tileasy) shall be held by the Customer on behalf of Tileasy. The Customer shall ensure that such moneys are held separately from, and are in no way mixed with, any other moneys or funds, and that all moneys held on Tileasy's behalf are identified as such.

The Customer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Goods which remain the property of Tileasy, but if the Customer does so all money owing by the Customer to Tileasy shall (without prejudice to any other right or remedy of Tileasy) forthwith become due and payable.

Tileasy reserves the right to repossess any Goods in which Tileasy retains title without notice. The Customer irrevocably authorises Tileasy to enter the Customer's premises during normal business hours for the purpose of repossessing the Goods in which Tileasy retains title or inspecting the Goods to ensure compliance with the storage and identification requirements of sub-Clause 10.4.

The Customer's right to possession of the Goods in which Tileasy maintains legal and beneficial title shall terminate if:

the Customer commits or permits any material breach of his obligations under these Terms and Conditions;

the Customer enters into a voluntary arrangement under Parts I or VIII of the Insolvency Act 1986, the Insolvent Partnerships Order 1994 (as amended), or any other scheme or arrangement is made with his creditors;

the Customer is or becomes the subject of a bankruptcy order or takes advantage of any other statutory provision for the relief of insolvent debtors;

the Customer convenes any meeting of its creditors, enters into voluntary or compulsory liquidation, has a receiver, manager, administrator or administrative receiver appointed in respect of its assets or undertaking or any part thereof, any documents are filed with the court for the appointment of an administrator in respect of the Customer, notice of intention to appoint an administrator is given by the Customer or any of its directors or by a qualifying floating charge-holder (as defined in paragraph 14 of Schedule B1 of the Insolvency Act 1986), a resolution is passed or petition presented to any court for the winding up of the Customer or for the granting of an administration order in respect of the Customer, or any

proceedings are commenced relating to the insolvency or possible insolvency of the Customer.

## Assignment

Tileasy may assign the Contract or any part of it to any person, firm or company without the prior written consent of the Customer.

The Customer shall not be entitled to assign the Contract or any part of it without the prior written consent of Tileasy.

## Defective Goods

If on delivery any of the Goods are defective in any material respect and either the Customer lawfully refuses delivery of the defective Goods or, if they are signed for on delivery as "condition and contents unknown" the Customer informs Tileasy of such defect within 24 hours of such delivery, Tileasy shall at its option:

Replace the defective Goods within 15 Business Days of receiving the Customer's notice; or  
refund to the Customer the price for those Goods (or parts thereof, as appropriate) which are defective, but Tileasy shall have no further liability to the Customer in respect thereof and the Customer may not reject the Goods if delivery is not refused or notice is not given by the Customer as set out above.

No Goods may be returned to Tileasy without the prior agreement in writing of Tileasy. Subject thereto any Goods returned which Tileasy is satisfied were supplied subject to defects of quality or condition which would not be apparent on inspection shall either be replaced free of charge or, at Tileasy's sole discretion Tileasy shall refund or credit to the Customer the price of such defective Goods but Tileasy shall have no further liability to the Customer.

Tileasy shall be under no liability in respect of any defect arising from fair wear and tear, or any wilful damage, negligence, subjection to normal conditions, failure to follow Tileasy's instructions (whether given orally or in writing), misuse or alteration of the Goods without Tileasy's prior approval, or any other act or omission on the part of the Customer, its employees or agents or any third party. Subject as expressly provided in these Terms and Conditions, and except where the Goods are sold under a consumer sale, all warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law.

Except in respect of death or personal injury caused by Tileasy's negligence, or as expressly provided in these Terms and Conditions, Tileasy shall not be liable to the Customer by reason of any representation, or any implied warranty,

# Terms & Conditions

condition or other term, or any duty at common law or under statute, or under the express terms of the Contract, for any direct or consequential loss or damage sustained by the Customer (including without limitation loss of profit or indirect or special loss), costs, expenses or other claims for consequential compensation whatsoever (and whether caused by the negligence of Tileasy, its servants or agents or otherwise) which arise out of or in connection with the supply of the Goods or their use or resale by the Customer.

The Customer shall be responsible for ensuring that, except to the extent that instructions as to the use or sale of the Goods are contained in the packaging or labelling of the Goods, any use or sale of the Goods by the Customer is in compliance with all applicable statutory requirements and that handling and sale of the Goods by the Customer is carried out in accordance with directions given by Tileasy or any competent governmental or regulatory authority and the Customer will indemnify Tileasy against any liability loss or damage which Tileasy might suffer as a result of the Customer's failure to comply with this condition.

## Customer's Default

If the Customer fails to make any payment on the due date then, without prejudice to any other right or remedy available to Tileasy, Tileasy shall be entitled to:

cancel the order or suspend any further deliveries to the Customer;

appropriate any payment made by the Customer to such of the Goods (or the goods supplied under any other contract between the Customer and Tileasy) as Tileasy may think fit (notwithstanding any purported appropriation by the Customer); and

charge the Customer interest (both before and after any judgement) on the amount unpaid, at the rate of 3% per annum above Barclays Bank plc base rate from time to time, until payment in full is made (a part of a month being treated as a full month for the purpose of calculating interest).

This condition applies if:

the Customer fails to perform or observe any of its obligations hereunder or is otherwise in breach of the Contract;

the Customer becomes subject to an administration order enters into a voluntary arrangement under Parts I or VIII of the Insolvency Act 1986 or the Insolvent Partnerships Order 1994 or (being an individual or firm) becomes bankrupt or (being a company) goes into liquidation;

an encumbrancer takes possession, or a receiver is appointed, of any of the property or assets of the Customer;

the Customer ceases, or threatens to cease, to carry on business; or

Tileasy reasonably apprehends that any of the events mentioned above is about to occur in relation to the Customer and notifies the Customer accordingly.

If sub-Clause 13.2 applies then, without prejudice to any other right or remedy available to Tileasy, Tileasy shall be entitled to cancel the Contract or suspend any further deliveries under the Contract without any liability to the Customer, and if the Goods have been delivered but not paid for the Contract Price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

## Limitation of Liability

Subject to condition 7, condition 8 and condition 13, the following provisions set out the entire financial liability of Tileasy (including any liability for the acts or omissions of its employees, agents and sub-contractors) to the Customer in respect of:

any breach of these conditions;

any use made (including but not limited to modifications) or resale by the Customer of any of the Goods, or of any product incorporating any of the Goods; and

any representation, statement or tortious act or omission including negligence arising under or in connection with the Contract.

All warranties, conditions and other terms implied by statute or common law (save for the conditions implied by section 12 of the Sale of Goods Act 1979) are, to the fullest extent permitted by law, excluded from the Contract.

Nothing in these Terms and Conditions excludes or limits the liability of Tileasy:

for death or personal injury caused by Tileasy's negligence;

for any matter which it would be illegal for Tileasy to exclude or attempt to exclude its liability; or

for fraud or fraudulent misrepresentation.

Subject to sub-Clauses 14.2 and 14.3:

Tileasy's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated perfor-

mance of the Contract shall be limited to the Contract Price; and

Tileasy shall not be liable to the Customer for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the Contract.

## Confidentiality, Publications and Endorsements

The Customer will regard as confidential the contract and all information obtained by the Customer relating to the business and/or products of Tileasy and will not use or disclose to any third party such information without Tileasy's prior written consent provided that this undertaking shall not apply to information which is in the public domain other than by reason of the Customer's default;

The Customer will not use, authorise or permit any other person to use any name, trademark, house mark, emblem or symbol which Tileasy is licensed to use or which is owned by Tileasy upon any premises, note paper, visiting cards, advertisement or other printed matter or in any other manner whatsoever unless such use shall have been previously authorised in writing by Tileasy and (where appropriate) its licensor;

The Customer will use all reasonable endeavours to ensure compliance with this Clause 15 by its employees, servants and agents.

The provisions of this Clause 15 shall survive the termination of the Contract.

## Communications

All notices under these Terms and Conditions and under the Contract shall be in writing and be deemed duly given if signed by, or on behalf of, a duly authorised officer of the Party giving the notice.

Notices shall be deemed to have been duly given:

when delivered, if delivered by courier or other messenger (including registered mail) during the normal business hours of the recipient; or

when sent, if transmitted by facsimile or e-mail and a successful transmission report or return receipt is generated; or

on the fifth business day following mailing, if mailed by national ordinary mail, postage prepaid; or

on the tenth business day following mailing, if mailed by airmail, postage prepaid.

# Terms & Conditions

All notices under this Contract shall be addressed to the most recent address, e-mail address, or facsimile number notified to the other Party.

## Force Majeure

Neither Party shall be liable for any failure or delay in performing their obligations where such failure or delay results from any cause that is beyond the reasonable control of that Party. Such causes include, but are not limited to: power failure, Internet Service Provider failure, industrial action, civil unrest, fire, flood, storms, earthquakes, acts of terrorism, acts of war, governmental action, default of suppliers or manufacturers, or any other event that is beyond the control of the party in question.

## Waiver

The Parties agree that no failure by either Party to enforce the performance of any provision in these Terms and Conditions or under the Contract shall constitute a waiver of the right to subsequently enforce that provision or any other provision. Such failure shall not be deemed to be a waiver of any preceding or subsequent breach and shall not constitute a continuing waiver.

## Severance

The Parties agree that, in the event that one or more of the provisions of these Terms and Conditions or the Contract are found to be unlawful, invalid or otherwise unenforceable, that / those provisions shall be deemed severed from the remainder of these Terms and Conditions (and, by extension, the Contract). The remainder of these and the Contract shall be valid and enforceable.

## Third Party Rights

A person who is not a party to the Contract shall have no rights under the Contract pursuant to the Contracts (Rights of Third Parties) Act 1999.

## Law and Jurisdiction

These Terms and Conditions and the Contract (including any non-contractual matters and obligations arising therefrom or associated therewith) shall be governed by, and construed in accordance with, the laws of England and Wales.

Any dispute, controversy, proceedings or claim between the Parties relating to these Terms and Conditions or to the Contract (including any non-contractual matters and obligations arising therefrom or associated therewith) shall fall within the jurisdiction of the courts of England and Wales.

© 2015 Tileasy Ltd

This document has been carefully checked. However, Company does not assume any liability for errors or inaccuracies. Published specifications are subject to change without notice. Product suitability for an area of application must ultimately be determined by the customer. In all cases, products must never be operated outside their published specifications. Company does not guarantee the availability of all published products. Latest publications and a complete disclaimer can be downloaded from the Tileasy website. All trademarks recognized.

Keep up to date with our terms and conditions, available from our website.

[www.tileasy.com](http://www.tileasy.com)



Come stop by our sister company Craft, where we specialise in bathroom and kitchen tiles. Leading the way in innovative tile designs.



Visit us now: [WWW.CRAFTCERAMICS.CO.UK](http://WWW.CRAFTCERAMICS.CO.UK)

<b>A</b>	
All Purpose Adhesive Spreader .....	58
Adhesive Spreader (small) .....	59
Adjustable Floor Transition .....	146
American Grout Float .....	80
Angled Grout Float .....	80
<b>B</b>	
Big Jake 600mm Tile Cutter .....	14
Big Jake XL 1000mm Tile Cutter .....	14
Big Jake XXL 1200mm Tile Cutter .....	15
Big Jake Spare Wheel .....	14/15
Bucket Scoop .....	56
Bucket Trowel .....	57
Budget Tile Cutter 300mm .....	14
Budget Tile Cutter 400mm .....	14
Budget Tile Cutter Spare Wheel .....	14
Budget Trim Cutter .....	27
Bull Nose Grinding Wheel .....	34
Bull Nose Shaping Tool .....	34
<b>C</b>	
Caulking Gun .....	82
Carbide Blades .....	26
Chalk Line Refill .....	10
China Marker Black/Red .....	11
Circular Tile Cutter .....	44
Combination Spreader .....	58
Cooling Wax .....	43
Corded Impact Drill (710 watts) .....	46
Corner Float .....	81
Crackle Glaze Protector .....	94
Cutting & Grinding Blade .....	35
Cutting & Grinding Blade 50mm .....	32
Cut & Snap .....	23
<b>D</b>	
Diamond B&D Jigsaw Blade .....	26

Diamond Bosch Jigsaw Blade .....	26
Diamond Drill Bit 4mm .....	40
Diamond Drill Bit 6mm .....	40
Diamond Drill Bit 8mm .....	40
Diamond Drill Bit 10mm .....	40
Diamond Drill Bit 12mm .....	40
Diamond Drill Bit 18mm .....	40
Diamond Drill Bit 25mm .....	40
Diamond Drill Bit 35mm .....	40
Diamond Drill Bit 45mm .....	40
Diamond Drill Bit 50mm .....	40
Diamond Drill Bit 115mm .....	40
Diamond Drill Bit Set .....	40
Diamond Flap Discs .....	34
Diamond Glass Blade .....	29
Diamond Grinding Mills .....	35
Diamond Grinding Pad .....	33
Diamond Hand Pads .....	37
Diamond Multi Blade .....	28
Diamond Polishing Pad .....	33
Diamond Sintered Blade .....	21
Diamond Tile File .....	37
Diamond Turbo Blade .....	28
Diamond Rod Saw Blade .....	27
Disposable Drill Guides .....	44
Disposable PVC Gloves (10pk) .....	92
DIY Adhesive Spreader 6mm .....	58
DIY Adhesive Spreader 8mm .....	58
DIY Adhesive Spreader 10mm .....	58
DIY Float .....	80
DIY Grouter .....	81
DIY Notched Trowel 6mm .....	55
DIY Notched Trowel 8mm .....	55
DIY Notched Trowel 10mm .....	55

Dry Angle Diamond Drill Bit 6mm	42
Dry Angle Diamond Drill Bit 8mm	42
Dry Angle Diamond Drill Bit 10mm	42
Dry Angle Diamond Drill Bit 18mm	42
Dry Angle Diamond Drill Bit 25mm	42
Dry Angle Diamond Drill Bit 35mm	42
Dry Angle Diamond Drill Bit 45mm	42
Dry Angle Diamond Drill Bit 65mm	42
Dry Angle Diamond Drill Bit 75mm	42
Dry Diamond Drill Bit 6mm	42
Dry Diamond Drill Bit 8mm	42
Dry Diamond Drill Bit 10mm	42
Dry Diamond Drill Bit 12mm	42
Dry Diamond Drill Bit 18mm	42
Dry Diamond Drill Bit 25mm	42
Dry Diamond Drill Bit 35mm	42
Dual Purpose Sponge	90
Dust Masks (10pk)	46

## E

Electric Diamond Cutting Blade	21
Easyfix Mesh	62
Electric Mixer 110v	61
Electric Mixer 240v	61
Electric Mixer Paddle	61
Electric Wet Wheel Cutter 450	21
Electric Wet Wheel Cutter 650	21
Expansion Joints	147
Epoxy Pointing Float	88

## F

Flexi Bucket 35ltr	90
Floor Squeegee	83
Floor Tile Remover	99
Formable Square Edge Trim	153

## G

Gauging Trowel	57
Glass Tile Drill Bit 6mm	41
Glass Tile Drill Bit 8mm	41
Glass Tile Drill Bit 10mm	41
Grinding Mesh	88
Grinding/Polishing Pad Adapter	32
Grinding & Shaping Cone	35
Grout & Adhesive Mixer 400mm	59
Grout & Adhesive Mixer 600mm	59
Grout & Sealant Smoother	82
Grout Finisher With Flat Blade	82
Grout Rake	98
Grout Rake Replacement Blades	98
Grout Remover	98
Grout Remover Replacement Blades	98

## H

Hacksaw Blade	26
Heavy Duty Grime Remover	95
Heavy Duty Hand File	36
Heavy Duty Latex Gloves	92
Heavy Duty Tile Nipper	23
Hydro Float	87
Hydro Sponge Pad	89

## I

Ishii Professional Cutter 350	16
Ishii Professional Cutter 525	17
Ishii Professional Cutter 625	17
Ishii Professional Cutter 620	18
Ishii Professional Cutter 1040	19
Ishii Professional Cutter 1240	20
Ishii Professional Nipper	22
Ishii Replacement Cutting Wheels	16 - 20
Ishii Suction Cup	22
Ishii Tile Nipper	22

## J

Jigsaw Blades	26
---------------	----

Jigsaw Blades .....	26	Notched Trowel 12mm .....	54
<b>K</b>			
Knee Pads Blue .....	60	Notched Trowel 20mm (round) .....	54
Knee Pads Gel .....	60	Notched Margin Trowel .....	57
Knee Pads Green .....	60	<b>O</b>	
<b>L</b>			
Large Grouter .....	81	Over Tile Stair Edging .....	149
Large Grout Float .....	80	<b>P</b>	
Left Handed Trowel 6mm .....	54	Parrot Beak Nipper .....	23
Left Handed Trowel 8mm .....	54	Pedestal System .....	73
Left Handed Trowel 10mm .....	54	Plastic Paint Mixer .....	59
Levelling Spacers .....	69 - 71	Plastic Trowel .....	56
Line Marker .....	10	Plastic Tile Trim/Bath Seals .....	102 - 117
Long Handled Floor Scraper .....	98	Plastic Tile Trim Corners .....	108 - 113
<b>M</b>			
M14 Chuck Adapter .....	42	Pointing Float .....	87
Membrane .....	74	Porcelain Tile Protector .....	94
Membrane Roller .....	76	Premium Diamond Turbo Blade .....	28
Metal Scribe .....	24	Professional Wet & Dry Turbo Blades .....	29
Metal Tile Trim/Carpet To Tile .....	120 - 146	Professional Wet Continuous Blades .....	29
Metal Tile Trim Corners .....	130 - 131	Pro Drill Guide .....	44
Mini Turbo Grinding Wheel .....	32	Pro Sponge .....	89
Mitre Block .....	27	Pro Hydro Sponge .....	89
Mosaic Tile Nipper .....	24	Profile Gauge .....	11
Mosaic Wheel Nipper .....	24	Protective Edging .....	152
Multi Purpose Cross Drill Bits .....	41	<b>Q</b>	
<b>N</b>			
Natural Finish Sealer .....	94	Quarry Tile Nipper .....	23
Notched Trowel 2mm .....	54	<b>R</b>	
Notched Trowel 3mm (v notch) .....	54	Rasp & File .....	36
Notched Trowel 4mm .....	54	Replacement Blade Floor Scraper .....	98
Notched Trowel 5mm (round) .....	54	Replacement Blade Utility Knife .....	27
Notched Trowel 6mm .....	54	Residual Grout Remover .....	95
Notched Trowel 8mm .....	54	Retractable Work Table .....	50
Notched Trowel 10mm .....	54	4" Roller & Tray .....	90

# ▶ Index

## S

Safety Gloves .....	92
Safety Goggles .....	46
Safety Spectacles .....	46
Scouring Pad Coarse (2pk) .....	91
Scouring Pad Fine (2pk) .....	91
Scouring Set (triple pk) .....	91
Sealant Remover .....	98
Shoe Protectors .....	92
Silicone Sealant Kit .....	83
Small Adhesive Spreader .....	59
Small Grout Scourer Coarse .....	91
Small Grout Scourer Fine .....	91
Small Guide & Cooling System .....	43
Small Margin Trowel .....	57
Spare Blade For Trim Cutters .....	27
Spare Pads (WCDG) .....	45
Spiked Roller .....	61
Spiked Shoes .....	61
Spirit Level 600mm .....	10
Spirit Level 1200mm .....	10
Spirit Level 1800mm .....	10
Sponge Pad .....	88
Sponge Pad (5 pack) .....	89
Stainless Steel Trowel 6mm .....	55
Stainless Steel Trowel 8mm .....	55
Stainless Steel Trowel 10mm .....	55
Stainless Steel Trowel 6mm x 400mm .....	55
Stainless Steel Trowel 10mm x 400mm .....	55
Stainless Steel Trowel 12mm x 400mm .....	55
Stainless Steel Trowel 20mm x 400mm .....	55
Stair Edging .....	148
Suction Drilling Dust Extractor .....	47

## Suction Cup .....

99

## T

Tape Measure .....	11
T-Bar Levelling Kit .....	70
Thin Bed/Solid Bed Trowel .....	56
Tile Beater .....	50
Tile & Grout Cleaner .....	95
Tile Jacks .....	62
Tile Levelling Spacers & Caps .....	71
Tile Levelling Bases .....	69
Tile Levelling Wedges .....	69
Tile Levelling Pliers .....	63
Tile Lifting System .....	50
Tile Magnet Kit .....	63
Tile Remover .....	99
Tile Scribe .....	24
Tile Spacers Loose .....	67
Tile Spacers Trade Bags .....	68
Tile Spacers Buckets .....	68
Tile Transport Trolley .....	51
Tile Trimmer .....	36
Tile Vibrator .....	51
Tilers Sponge .....	90
12" Tile Saw With Drill .....	25
6" Tile Saw Budget .....	25
6" Tile Saw .....	25
Transition Ramp .....	150
Transition T Bar .....	151
Triangular Drill Bit .....	41
Twister Levelling System .....	72

## U

Uncoupling Roller .....	76
Universal Guide & Cooling System .....	43

Ultra Thin Cutting & Grinding Blade .....	33
Utility Knife .....	27
<b>V</b>	
Vacuum Suction Cup .....	51
<b>W</b>	
Wall & Floor Grout Protector .....	95
Water Cooling Drill Guides .....	45
Water Proof Membrane 5m .....	75
Water Proof Membrane Corner External .....	75
Water Proof Membrane Corner Internal .....	75
Water Proof Membrane Self Adhesive Tape ..	75
Water Proof Membrane Tape .....	75
Washboy Handle .....	87
Washboy Spare Rollers .....	88
Washboy 23ltr Set .....	86
Wheel Mosaic Nipper .....	24
Wooden Grouter .....	81

## Notes

## ► Notes

▶ Notes

## Notes

## ► Notes

## ► Notes

## ► Notes



## Eclipse

### Herringbone Glass Mosaics

Craft is the UK's leading mosaic tile supplier, offering an extensive range of styles and colours. We also specialise in high-quality kitchen tiles, perfect for modern and traditional interiors alike.

[www.craftceramics.com](http://www.craftceramics.com)



SCAN ME

For more information  
[www.craftceramics.com](http://www.craftceramics.com)

**Scan now**  
to view our  
full range of  
products