



TRUSTED BY PROFESSIONALS

ROOFER'S NO.1



ROOFER'S NO.1
VAPOUR CONTROL LAYER
SELF ADHESIVE VCL & CARRIER MEMBRANE

- Self-sealing
- Fast installation
- Adheres to a wide range of surfaces
- Resistant to wind uplift forces
- Available in a range of thicknesses
- Can be used on existing or new roofs
- High tear resistance and low permeability

100% POLYURETHANE
100% POLYURETHANE
100% POLYURETHANE



CONTENTS

Page 3-4	About the brand
Page 5-6	Polyflex MS Roof & Detail Membrane
Page 7	High Performance Sealants
Page 8	Roof & Gutter Sealant
Page 9	PU Foam Adhesive Kit
Page 10	Patch & Repair
Page 11-12	Vapour Control & Primer
Page 13-14	Shed Kits



ABOUT THE BRAND...


Roofers No 1 is a specialist brand designed for roofing contractors and builders who demand reliable, high-quality products that perform in real-world conditions.

Developed by industry experts, the range delivers practical, installer-friendly solutions that make everyday roofing tasks simpler and more efficient — from small repairs and detailing to complete system applications.

Built with durability, ease of use, and all-weather reliability at its core, Roofers No 1 is trusted by tradespeople who need products they can rely on, day in and day out. Whether sealing complex roof details or repairing a persistent leak, Roofers No 1 is the name professionals reach for first.



100% Waterproof All- Weather Applications



Installer Friendly



Latest Technology



Trusted Reliability





POLYFLEX MS DETAIL MEMBRANE

MS Polymer Based
Liquid Waterproofing

- Interior & Exterior
- Covers cracks up to 5 mm
- Waterproofs almost all types of materials
- UV resistant
- Solvent-free

7 kg

POLYFLEX MS
DETAIL
MEMBRANE 7kg
€7,90



POLYFLEX MS ROOF MEMBRANE

MS Polymer Based
Liquid Waterproofing

- Interior & exterior
- Horizontal surfaces, self-levelling
- Covers cracks up to 3 mm
- Waterproofs almost all types of materials
- UV resistant
- Solvent-free

14 kg



POLYFLEX MS ROOF MEMBRANE

MS Polymer Based
Liquid Waterproofing

- Interior & exterior
- Horizontal surfaces, self-levelling
- Covers cracks up to 3 mm
- Waterproofs almost all types of materials
- UV resistant
- Solvent-free

14 kg

POLYFLEX MS
ROOF MEMBRANE 14kg
€17,90

POLYFLEX MS ROOF MEMBRANE

MS Polyme
Liqui

POLYFLEX MS DETAIL MEMBRANE

Polyflex MS Detail Membrane is a high-performance, single-component MS Polymer waterproofing membrane developed for detailing, repairs, and complex waterproofing applications. Using advanced Japanese MS Polymer technology, it delivers exceptional flexibility, adhesion, and durability across a wide range of substrates and environments.

Designed for both horizontal and vertical surfaces, Polyflex MS Detail Membrane is ideal for sealing and waterproofing roof details such as upstands, penetrations, joints, cracks, and transitions.

Its semi-fluid, medium-viscosity formulation allows it to be applied quickly and easily forming a seamless, fully bonded waterproof layer with no joints or overlaps.

Key Features & Benefits

- MS Polymer technology for long-term durability and flexibility
- Seamless waterproofing with no joints or laps
- Covers and repairs cracks up to 5mm
- Excellent adhesion, even on damp substrates
- UV resistant and suitable for external use
- Solvent- and isocyanate-free, low VOC and almost odourless
- Over-paintable finish
- Retains elasticity at low temperatures

Typical Applications

- Roof penetrations, upstands, and edge details
- Pitched roof junctions, balconies and terraces (under protection)
- Chimneys, skylights, and ventilation details
- Wet rooms, kitchens, and internal waterproofing areas
- Foundations, basements, and areas below ground level



POLYFLEX MS ROOF MEMBRANE

Polyflex MS Roof Membrane is a next-generation, MS Polymer-based liquid waterproofing system designed for professional roofing applications. Developed using advanced Japanese technology, it provides a seamless, durable, and highly flexible waterproof layer for large horizontal and vertical surfaces.

This single-component, ready-to-use membrane is applied by roller or brush and self-levels to form a continuous, joint-free finish. With outstanding UV resistance and long-term weatherability, Polyflex MS Roof Membrane remains flexible and fully bonded, even in extreme temperatures and exposed conditions.

Its solvent- and isocyanate-free formulation offers low VOC emissions and is almost odourless, improving on-site safety and comfort. Capable of bridging cracks up to 3mm and accommodating structural movement, it provides reliable, long-lasting waterproofing for roofs, balconies, and terraces.

Key Features & Benefits

- Seamless, joint-free waterproofing system
- Latest MS Polymer technology for superior flexibility and adhesion
- Bridges cracks up to 3mm
- Excellent UV resistant
- Bonds to most substrates, including damp surfaces
- Solvent- and isocyanate-free
- Low VOC and odourless
- Easy application by roller or brush
- Over-paintable finish

Typical Applications

- Flat roofs, balconies, and terraces (under protection)
- Large horizontal waterproofing areas
- Roof junctions and transitions
- Chimneys, skylights, and penetrations



HP50

HP50 is a premium, high performance polymer sealant and adhesive, engineered for professional roofing and construction applications where performance, durability, and ease of use are essential.

Developed to deliver reliable results in demanding environments, HP50 provides excellent adhesion, long-term flexibility, and outstanding resistance to weathering and UV exposure.

Designed to skin and cure rapidly, HP50 allows efficient application without compromising performance. Once cured, it forms a tough yet elastic seal with excellent cut and tear resistance, remaining permanently flexible to accommodate joint movement and structural expansion. Its non-sag formulation makes it ideal for both vertical and horizontal applications, while its odourless, low-VOC composition improves on-site comfort.

HP50 adheres to most common construction substrates without the need for priming, making it a versatile and time-saving solution for a wide range of sealing tasks.

Key Features & Benefits

- Excellent adhesion without priming
- Fast skinning and curing
- Permanently flexible
- Outstanding UV resistance and weather durability
- Highly resistant to seawater, diluted acids, and alkalis
- Fully Waterproof, delivers a reliable watertight seal against water ingress.
- Non-sag, easy to gun, and easy to use
- Low VOC and odourless formulation
- Paintable with a non-sticky finish after cure

Typical Applications

- Construction and expansion joints
- Waterproofing rivet seams and roof rails
- Perimeter joints around windows and doors
- Flashings, gutters, skylights, and roof penetrations
- Sealing air-conditioning units, hinges, and detailing work



ROOF & GUTTER SEALANT

Roofers No 1 Roof & Gutter Sealant is a premium, one-component, moisture-curing sealant developed specifically for professional roofing and construction use. Designed to deliver long-term performance in exposed environments, it provides exceptional adhesion, flexibility, and durability without the need for priming on most common substrates.

Formulated with advanced polymer technology, Roof & Gutter Sealant skins and cures rapidly, allowing faster progress on site while maintaining outstanding resistance to UV exposure, weathering, and temperature extremes. Once cured, it forms a tough yet elastic seal that remains permanently flexible, accommodating joint movement and structural movement without cracking or failure.

This high-performance sealant is odourless, low VOC, and non-sag, making it easy to gun, tool, and apply cleanly on vertical and horizontal joints. It cures to a non-sticky finish with excellent cut and tear resistance, ensuring long-lasting protection in demanding roofing environments.

Key Features & Benefits

- Excellent adhesion to common construction substrates without priming
- Fast skinning and curing for efficient installation
- Permanently flexible with $\pm 50\%$ joint movement capability
- Outstanding UV resistance and long-term weather durability
- Highly resistant to seawater, diluted acids, and alkalis
- Non-sag, easy to gun, and easy to tool
- Low VOC and odourless formulation
- Paintable once cured

Typical Applications

- Roof and gutter joints
- Flashings and roof penetrations
- Expansion joints
- Sealing details on metal, concrete, masonry, and roofing systems



ROOFERS NO.1 HP50

The PU Foam Adhesive Kit is a complete, ready-to-use solution for the efficient bonding of roof insulation panels. The kit combines a high-performance PU Foam Adhesive with a dedicated Gun & Foam Cleaner, providing everything required for fast, clean, and reliable installation on site.

The PU Foam Adhesive is a polyurethane-based aerosol adhesive designed for the durable and economical bonding of roof insulation materials. It offers excellent adhesive strength while also acting as an effective thermal insulator, helping to reduce heat loss and improve overall system performance.

The adhesive is suitable for both even and uneven surfaces, filling cavities of up to 1cm beneath insulation boards. It can be used on vertical applications and provides strong resistance to wind uplift. With no solvent content, it is fully compatible with most types of insulation panels and allows for precise, controlled application using an adjustable foam gun.

Key benefits

- Reduced material usage compared to traditional fixing methods
- Faster installation times on site
- Saves up to 30% in working time
- Fast-curing formulation
- Roofing membranes can be installed shortly after application

Typical Applications:

- Bonding PIR / PUR and XPS insulation boards
- Concrete, masonry, steel roof decks and timber
- Bituminous roofing felts (sand surfaced or chipped)
- Multi-layer insulation systems



CONTAINS:

- 750ml PU Foam Adhesive x5
- 500ml Gun & Foam Cleaner x1
- Professional Foam Gun x1



PATCH & REPAIR

Patch & Repair is a fibre reinforced, high-performance, general-purpose hybrid polymer repair mastic. Formulated for professional use in all weather conditions—wet or dry.

Designed for quick, effective fixes, it bonds even underwater and adheres to most roofing systems (excluding Silicone & TPO).

With excellent elongation and recovery, it's ideal for sealing cracks, seams, flashings, gutters, and skylights. Its thick, soft consistency allows easy application using a trowel, knife, or gloved hand.

Perfect for temporary or permanent repairs, Patch & Repair is a must-have for every roofer's toolkit—keeping you prepared for anything, anywhere on the roof.


Suitable for overlays with embedded reinforcement.

Key benefits

- Superior quality
- Can be applied in all weather conditions, wet or dry
- Bonds underwater for temporary or permanent repairs
- Excellent adhesion to most waterproofing systems (excluding Silicone & TPO)
- High elongation
- Easy Application
- Excellent resistance to acids and alkyls
- Low VOC content

Typical Applications:

- Concrete, masonry, steel roof decks and timber
- Bituminous roofing felts (sand surfaced or chipped)
- Multi-layer insulation systems



ROOFER'S NO 1 VCL

Roofers No.1 VCL S/A is a high-performance, self-adhesive vapour control layer designed to provide exceptional resistance to water vapour and gases within roof and structural waterproofing systems.

Manufactured from a self-adhesive bituminous compound reinforced with a composite aluminium foil and integral glass-fibre reinforcement, the membrane delivers outstanding strength, durability, and vapour resistance. The polyester-coated upper foil surface is alkali-resistant and specifically designed to accept polyurethane adhesives and liquid-applied roofing systems.

Roofers No.1 VCL S/A allows fast, flame-free installation, providing immediate waterproofing and vapour control prior to the installation of insulation and final roof coverings. It is suitable for use on most common substrates including concrete, plywood/OSB, and metal decks, and performs reliably in buildings exposed to extreme internal conditions and high humidity levels.

Key Features


- High vapour and gas resistance
- Self-adhesive – no flame or hot works
- Fast, safe installation
- Strong and puncture resistant
- Suitable for high humidity environments
- Compatible carrier for most liquid roofing systems
- Suitable for concrete, timber and metal decks

Typical Applications

- Vapour control layer in roofing systems
- Flat and pitched roofs
- High-humidity buildings
- Swimming pools and leisure centres
- Commercial and industrial roofs
- Basement tanking and waterproofing

Dimensions & Packaging

- Length: 11m
- Thickness: 0.6mm
- Width: 915mm
- Roll Weight: 7kg



ROOFER'S NO 1 VCL PRIMER

Roofers No 1 VCL Primer is a high-performance, solvent-based aerosol primer specifically developed for use with self-adhesive membranes and vapour control layers. Designed to improve adhesion and ensure consistent bond strength, it provides a fast, clean, and efficient priming solution for professional roofing applications.

Formulated using synthetic rubber and resins, the VCL Primer delivers excellent coverage and rapid flash-off, becoming touch-dry within 1–2 minutes. Once applied, the primed surface can be walked on immediately without transfer to footwear, helping to maintain productivity on site.

The controllable aerosol spray delivers an even, adjustable web spray pattern, allowing precise application with minimal waste. Suitable for use on a wide range of substrates, including metal, bituminous materials, timber-based boards, and insulation panels, Roofers No 1 VCL Primer offers dependable performance in both new build and refurbishment projects.

Key benefits

- Designed for use with self-adhesive membranes and vapour barriers
- Fast flash-off time for efficient installation
- Walkable surface immediately after application
- Controllable, adjustable aerosol spray for even coverage
- Excellent adhesion to multiple substrates
- EPS compatible
- Convenient 750ml aerosol for clean, on-site application

Typical Applications:

- Priming roof decks prior to VCL installation
- Preparing substrates for self-adhesive membranes
- Metal, bituminous, timber-based, and insulation surfaces
- New build and refurbishment roofing projects



ROOFER'S NO 1 SHED KIT

The Roofers No.1 Shed Kit is a convenient, ready-to-use solution for creating a long-lasting, maintenance-free shed roof. Designed for flat and low-pitch roofs, each kit contains everything required to achieve a clean, professional, watertight finish using a premium EPDM rubber membrane.

Whether you're a DIY user or a professional installer, Roofers No.1 Shed Kits make installation straightforward and efficient. The EPDM membrane offers outstanding resistance to UV, ozone, and extreme weather, delivering reliable protection and performance for over 70 years.

Key benefits

- All-in-one kit – everything needed for a watertight EPDM shed roof
- Premium EPDM membrane – flexible, durable, and fully waterproof
- Suitable for DIY and professional installers
- Quick and easy installation with minimal tools required
- Excellent resistance to UV, ozone, frost, and temperature extremes
- Clean, modern finish that enhances the look of any outbuilding
- Maintenance-free with a life expectancy of over 70 years

AVAILABLE IN

- 6x4 ft (2.1m x 1.5m)
- 7x5 ft (2.5m x 1.8m)
- 8x6 ft (2.8m x 2.1m)
- 8x9 ft (2.8m x 3.1m)
- 8x10 ft (2.8m x 3.3m)
- 8x11 ft (2.8m x 3.8m)
- 10x10 ft (3.3m x 3.3m)

KIT CONTAINS:


- Rubber Membrane
- Water based adhesive
- Roller and Sleeve
- Tube of Sealant
- Fitting instructions








 info@rubberseal.com

 01290 559333

 www.rubberseal.com