

Starrett®

EXPERTS IN CUTTING &
MEASURING SINCE 1880

SAWS & HAND TOOLS



SCAN TO VIEW
ONLINE

HOLESAWS | DRILL BITS | HACKSAWS | JIGSAWS | RECIPROCATING SAWS | HAND TOOLS



Starrett®

ABOUT

As specialists in power tool accessories manufacturing, Starrett offers an extensive range of high-quality products, including hole saws, reciprocating, jigsaw, hacksaw, and portable bandsaw blades, as well as drill bits. Our commitment to supplying tradespersons with the best tools ensures that each product in our power tool accessories range meets the rigorous demands of their specific industries.

Through continuous research and development, we ensure that our offerings remain at the cutting edge of the industry, constantly evolving to meet the changing needs of professionals. This catalogue provides detailed information on our comprehensive range of power tool accessories and hand tools, showcasing our proven products alongside our latest innovations.

GLOBAL PRESENCE



 Distribution Centres

 Manufacturing Site

 Distribution Partners

HOLESAWS & ACCESSORIES

Holesaws, Arbors, Pilot Drills, Core Ejectors, and our Debris Collector are all part of our complete line of Holesaws and Accessories. All solutions to assist you in safely optimising each job while keeping the cost per cut in mind, saving you time and money.

Holesaw cutting speed recommendations (RPM) Page 24

04

ABRASIVE DISCS

Suitable for use in angle grinders or bench fixed machines.

25

DRILL BITS & CHISELS

Starrett's drill bits and chisels offer unmatched strength and durability, featuring specialized heat treatment and high-performance carbide tips. These drill bits ensure fast, clean cuts and are designed to meet DIN 338 Standards, catering to the rigorous demands of professional users.

26

HACKSAW BLADES & FRAMES

Bi-Metal Safe-Flex®, Redstripe, and high carbon Grey-Flex® blades, as well as hacksaw frames, compass, and PVC saws, are available to meet all of your sawing requirements.

33

JIGSAW BLADES

Starrett Bi-Metal Unique™ Saw Technology, with Unified Shank™ Jigsaw Blades, fits most jigsaw machines. With strong teeth, multiple cutting edges, and a split chip advantage, Starrett Jigsaw Blades typically lasting 25% longer than competitors. Our blades cut wood, metal, plastic, abrasives and many other materials.

38

RECIPROCATING BLADES

When compared to the previous line, Starrett's 3X Power blade technology provides up to three times the life and increased cutting rates. These ergonomic blades are suited to various applications and are engineered to excel in any demanding situation, providing a comprehensive set of sawing solutions.

45

HAND TOOLS

The Starrett, Starrett Exact®, and Starrett Exact® Plus product lines include a wide range of high-quality Tapes, Levels, Knives, Rules, Squares, and other tools. All are dependable, accurate, and of high build quality.

56

LASER DISTANCE METERS

Starrett Laser Distance Meters are highly accurate and advanced, with features such as IP54 protection, indirect measurement calculations, and Bluetooth® to connect to Android and IOS devices, as well as a downloadable app that allows users to control the meter via a smartphone or other compatible device.

68

TOOL STORAGE & TRANSPORTATION

Toolbags in small, medium, and large sizes for all your storage and carrying needs.

70

PORTABLE BANDSAW BLADES

Starrett's INTENSS PRO-DIE & UNIVERZ blades fit a variety of portable bandsaw machines.

71

Hole Saw Depth	16mm 5/8"	Hole Saw Depth	25mm 1"
	<5mm <input checked="" type="checkbox"/>	<3mm <input checked="" type="checkbox"/>	
Rec. Cutting Depth	3-13mm <input type="checkbox"/>	3-13mm <input checked="" type="checkbox"/>	
	>13mm <input type="checkbox"/>	>13mm <input checked="" type="checkbox"/>	
Metal Inox (Stainless) Non Ferrous Materials	★	Metal Inox (Stainless) Non Ferrous Materials ★	
Fibreglass	★	Cast Iron ★	
		Fibreglass ★	
Size Range	15 - 100mm		
Catalogue Number	SM		

**TCT
Stainless
Steel**



**Carbide
Deep Cut**



Hole Saw Depth	54mm 2.1/8"
	<3mm <input checked="" type="checkbox"/>
Rec. Cutting Depth	3-13mm <input checked="" type="checkbox"/>
	>13mm <input checked="" type="checkbox"/>
Wood	★
Veneer	★
MDF	★
Plastic	★
Acrylic	★
Ceramic	☆
Fibreglass	☆
Formica	★
Plaster	★
Size Range	19 - 159mm
Catalogue Number	MPH

**TCT Multi
Purpose**



Hole Saw Depth	41mm 1.5/8"
	<3mm <input checked="" type="checkbox"/>
Rec. Cutting Depth	3-13mm <input checked="" type="checkbox"/>
	>13mm <input checked="" type="checkbox"/>
Cast Iron	★
Wood	☆
Nail Embedded Wood	☆
Veneer	★
Plastic	★
Acrylic	★
Ceramic	☆
Fibreglass	★
Formica	★
Plaster	★
Suspended Floors	★
Brick and Masonry	☆
Size Range	16 - 152mm
Catalogue Number	CT

**Carbide
Tipped**



Hole Saw Depth	41mm 1.5/8"
	<3mm <input checked="" type="checkbox"/>
Rec. Cutting Depth	3-13mm <input checked="" type="checkbox"/>
	>13mm <input checked="" type="checkbox"/>
Ceramic	★
Porcelain / Glass / Stone	★
Marble / Granite	★
Fibreglass	★
Brick and Masonry	★
Size Range	14 - 152mm
Catalogue Number	D

**Diamond
Grit**

Hole Saw Depth	20mm 25/32"
Size Range	5 - 12mm
Catalogue Number	D

**Diamond
Tile Drills**



Cutting Performance

Excellent



Good



Hole Saw Depth	Diameter Dependent
<3mm	<input type="checkbox"/>
Rec. Cutting Depth	
3-13mm	<input type="checkbox"/>
>13mm	<input checked="" type="checkbox"/>
Brick and Masonry	★
300mm	22mm & 28mm
150mm	≥ 38mm
Size Range	22 - 152mm
Catalogue Number	BMC

Diamond Dri-Core Drill



Hole Saw Depth	51mm 2"
<3mm	<input type="checkbox"/>
Rec. Cutting Depth	
3-13mm	<input checked="" type="checkbox"/>
>13mm	<input checked="" type="checkbox"/>
• Metal • Inox (Stainless) • Non Ferrous Materials	★
Cast Iron	★
Wood	☆
Veneer	☆
Plastic	☆
Acrylic	☆
Fibreglass	☆
Formica	☆
Plaster	☆
Suspended Floors	☆
Size Range	19 - 210mm
Catalogue Number	DCH

Bi-Metal Deep Cut



Hole Saw Depth	41mm 1.5/8"
<3mm	<input checked="" type="checkbox"/>
Rec. Cutting Depth	
3-13mm	<input checked="" type="checkbox"/>
>13mm	<input type="checkbox"/>
• Metal • Inox (Stainless) • Non Ferrous Materials	★
Cast Iron	★
Wood	☆
Veneer	☆
Plastic	★
Acrylic	☆
Fibreglass	☆
Formica	☆
Plaster	☆
Suspended Floors	☆
Size Range	14 - 210mm
Catalogue Number	FCH

Bi-Metal Fast Cut


















Hole Saw Depth	13mm 1/2"
<3mm	<input checked="" type="checkbox"/>
Rec. Cutting Depth	
3-13mm	<input type="checkbox"/>
>13mm	<input type="checkbox"/>
• Metal • Inox (Stainless) • Non Ferrous Materials	★
Wood	☆
Veneer	☆
Plastic	★
Acrylic	☆
Fibreglass	☆
Formica	☆
Size Range	16 - 51mm
Catalogue Number	CSC

Bi-Metal Cordless Smooth Cut



HOLE SAWS

HOLE SAW APPLICATION GUIDE									
Material Thickness and Application	BI-METAL			TUNGSTEN CARBIDE TIPPED				DIAMOND GRIT	
	Cordless Smooth Cut	Fast Cut	Deep Cut	Carbide Tipped	Multi Purpose	Stainless Steel	Carbide Deep Cut	Diamond Hole Saw / Tile Drill	Brick & Masonry Dri Core Drill
Catalogue Number	CSC	FCH	DCH	CT	MPH	SM	CTD	D	BMC
Hole Saw Depth	13mm 1/2"	41mm 1.5/8"	51mm 2"	41mm 1.5/8"	54mm 2.1/8"	16mm 5/8"	25mm 1"	Diameter dependent	Diameter dependent
Recommended Cutting Depths	<3mm	☑	☑		☑	☑	☑	☑	
	3-13mm		☑	☑	☑		☑	☑	
	>13mm			☑	☑	☑	☑	☑	☑
• Metal • Inox (Stainless) • Non Ferrous Materials		◆	★	★		★	★		
Cast iron			★	★	★		★		
Wood		☆	☆	☆	☆	★			
Nail Embedded Wood					☆				
Veneer		☆	☆	☆	★	★			
MDF						★			
Plastic		★	★	☆	★	★			
Acrylic		☆	☆	☆	★	★			
Fibreglass		☆	☆	☆	★	☆	★	★	
Formica		☆	☆	☆	★	★			
Plaster			☆	☆	★	★			
Suspended Floors			☆	☆	★				
Ceramic					☆	☆		★	
Porcelain / Glass / Stone								★	
Brick and Masonry					☆	☆		★	★

CUTTING PERFORMANCE

EXCELLENT



GOOD



For hole saw cutting speed recommendations please see page 24.

BI-METAL CSC CORDLESS SMOOTH CUT

Introducing the CSC - Cordless Smooth Cut Hole Saw: designed for maximum efficiency, it doubles the number of holes cut per battery charge compared to standard hole saws. Its flared base cap ensures a precise cutting depth of 13mm (1/2"), making it perfect for various materials, including stainless steel, mild sheet steel, plasterboard, wood, and thin non-metallics.



Built for durability, the CSC Hole Saw features hardened, abrasion-resistant high-speed steel teeth and a robust alloy body and cap. Its heat-resistant high-speed steel edge with alloy backing and constant 8 TPI pitch ensures reliable performance with battery-operated power tools.

FEATURES

- Perfect for cutting stainless steel, tool steel, mild steel sheeting, wood, and thin plastics.
- Safety stop feature ensures the saw does not travel beyond a depth of 13mm (1/2"), providing a safer and more controlled cutting experience.
- Complete assembly comes ready to use with an arbor, pilot drill, and ejector spring.
- Constant pitch teeth provide exceptionally smooth cuts with a pitch of 8 teeth per 25mm (1 inch).
- Recommended cutting depth for optimal performance is 3mm.

Cat. No.	Item Number	Diameter mm	Inch
CSC16	BF1316	16mm	5/8"
CSC19	BF1319	19mm	3/4"
CSC20	BF1320	20mm	25/32"
CSC22	BF1322	22mm	7/8"
CSC25	BF1325	25mm	1"
CSC27	BF1327	27mm	1.1/16"
CSC29	BF1329	29mm	1.1/8"
CSC30	BF1330	30mm	1.3/16"
CSC32	BF1332	32mm	1.1/4"
CSC35	BF1335	35mm	1.3/8"
CSC38	BF1338	38mm	1.1/2"
CSC40	BF1341	40mm	1.9/16"
CSC51	BF1347	51mm	2"



General Purpose Kit 1
KCS06001

Cutting Performance	
Excellent	★
Good	☆
Hole Saw Depth	13mm 1/2"
Rec. Cutting Depth	<3mm <input checked="" type="checkbox"/>
• Metal • Inox (Stainless) • Non Ferrous Materials	★ ★ ★
Wood	☆
Veneer	☆
Plastic	★
Acrylic	☆
Fibreglass	☆
Formica	☆

Description	Cat. No.	Item Number	Hole Saw Sizes	Arbors and Accessories
# General Purpose Kit	KCS07011	BF1450	16mm, 20mm, 25mm, 29mm, 30mm, 32mm & 38mm	A18 Dual Hex Chuck
General Purpose Kit 1	KCS06001	BF1453	16mm, 20mm, 22mm, 25mm, 32mm & 40mm	-
Electricians Kit	KCS03001	BF1420	20mm, 25mm, & 32mm	-

= MTO - Made to order, may be subject to longer lead times.

FAST CUT BI-METAL FCH

Introducing the FCH - Fast Cut Saw, designed for enhanced heat and wear resistance. This saw delivers smoother, faster cuts across a wide range of materials. It is specifically tailored for cutting stainless and mild steel sheets and can efficiently cut through tubes with a wall thickness of up to 3mm (1/8”).

Description	Cat No	Item Number	Hole Saw Sizes	Arbors and Accessories
Kwik Change Fast Cut Kit	KFC03051	KFC03051	20, 25 & 32mm	A6, A6-2 (x2), A6-3, A015C Pilot Drill
General Purpose Kit	KFC06023	AX5421	22mm, 29mm, 35mm, 44mm, 51mm & 64mm	A1 & A10 Arbors
Electricians Kit 2	KFC06022	AX5406	16mm, 20mm, 25mm, 29mm, 44mm & 51mm	A1 & A10 Arbors
Electricians Kit 1	KFC06021	AX5400	16mm, 20mm, 25mm, 32mm, 40mm & 51mm	A1 & A10 Arbors
Ulti Mate Electricians Kit	KFC06071	AX5403	16mm, 20mm, 25mm, 32mm, 40mm & 51mm	A3 Ulti Mate Arbor 6 Ulti Mate Arbor Adapters
Electricians Kit	KFC11021	AX5409	16mm, 20mm, 22mm, 25mm, 29mm, 35mm, 44mm, 51mm, 64mm, 68mm & 76mm	A1 & A2 Arbors
Plumbers Kit	KFC07021	AX5412	19mm, 22mm, 29mm, 38mm, 44mm, 51mm & 57mm	A1 & A10 Arbors
Plumbers Kit	KFC11022	AX5415	16mm, 19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 65mm & 68mm	A1 & A2 Arbors
Universal Kit	KFC14021	AX5427	16mm, 20mm, 22mm, 25mm, 29mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 68mm & 76mm	A1 & A2 Arbors
# General Purpose	KFC11031	AX5424	19mm, 22mm, 25mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm & 76mm	A1 & A2 Arbors A5 Extension

= MTO - Made to order, may be subject to longer lead times.

Cutting Performance	
Excellent	★
Good	☆
Hole Saw Depth	41mm 1.5/8"
Rec. Cutting Depth	up to 13mm <input checked="" type="checkbox"/>
<ul style="list-style-type: none"> • Metal • Inox (Stainless) • Non Ferrous Materials 	★
Cast iron	★
Wood	☆
Veneer	☆
Plastic	★
Acrylic	☆
Fibreglass	☆
Formica	☆
Plaster	☆
Suspended Floors	☆



EVA Case for Unbreakable Protection.

POS Packaging with Kit Contents.





BI-METAL HOLE SAWS



FASTER & SMOOTHER

The FCH Fast Cut Bi-Metal Hole Saws ensure a smoother and faster cut with their extra cobalt HSS tooth material and 5.5 TPI positive rake tooth design. Designed for stainless steel, metals, and mild steel sheets, these saws also cut through wood, plastic, plaster, and other materials. The recommended cutting depth is up to 13mm (1/2") in softer materials.

FEATURES

- With extra cobalt for enhanced heat and wear resistance - improving the product life.
- The 5.5 TPI positive rake tooth form provides less torque for a smoother, faster cut in all materials.
- 30% extra gullet volume for better material penetration.
- Ideal for 3mm stainless steel, mild steel sheet and tubes and other materials with a thickness of up to 13mm (1/2").
- Size range: 14mm - 210mm (9/16" - 8.9/32").
- 41mm (1.5/8") hole saw depth.

Cat. No.	Diameter		Appropriate Arbors
	mm	Inch	
FCH0096-G	14mm	9/16"	
FCH0058-G	16mm	5/8"	
FCH1016-G	17mm	11/16"	
FCH0034-G	19mm	3/4"	A1
FCH2532-G	20mm*	25/32"	A4
FCH1036-G	21mm	13/16"	A1-1 (SDS plus)
FCH0078-G	22mm	7/8"	
FCH1056-G	24mm	15/16"	A3 & A3-3 (Ulti-Mate)
FCH0100-G	25mm*	1"	A6 & A6-2 (Kwik-Change)
FCH0116-G	27mm	1.1/16"	
FCH0118-G	29mm	1.1/8"	
FCH0136-G	30mm	1.3/16"	
FCH0114-G	32mm*	1.1/4"	
FCH0156-G	33mm	1.5/16"	
FCH0138-G	35mm	1.3/8"	
FCH0176-G	37mm	1.7/16"	
FCH0112-G	38mm	1.1/2"	
FCH0196-G	40mm	1.9/16"	
FCH0158-G	41mm	1.5/8"	
FCH1116-G	43mm	1.11/16"	
FCH0134-G	44mm	1.3/4"	
FCH1136-G	46mm	1.13/16"	
FCH0178-G	48mm	1.7/8"	
FCH0200-G	51mm	2"	A2
FCH0216-G	52mm	2.1/16"	A10
FCH0218-G	54mm	2.1/8"	
FCH056M-G	56mm	2.3/16"	A17-38 (Locking Arbor)
FCH0214-G	57mm	2.1/4"	
FCH0256-G	59mm	2.5/16"	A2-1 (SDS plus)
FCH0238-G	60mm	2.3/8"	
FCH0212-G	64mm	2.1/2"	A3 & A3-4 (Ulti-Mate)
FCH0296-G	65mm	2.9/16"	A6 & A6-3 (Kwik-Change)
FCH0258-G	67mm	2.5/8"	
FCH068M-G	68mm	2.11/16"	
FCH0234-G	70mm	2.3/4"	
FCH0278-G	73mm	2.7/8"	
FCH0300-G	76mm	3"	
FCH0318-G	79mm	3.1/8"	
FCH0314-G	83mm	3.1/4"	
FCH0338-G	86mm	3.3/8"	
FCH0312-G	89mm	3.1/2"	
FCH0358-G	92mm	3.5/8"	
FCH0334-G	95mm	3.3/4"	
FCH0378-G	98mm	3.7/8"	
FCH0400-G	102mm	4"	
FCH0418-G	105mm	4.1/8"	A2
FCH0414-G	108mm	4.1/4"	A10
FCH0438-G	111mm	4.3/8"	
FCH0412-G	114mm	4.1/2"	A17-38
FCH0434-G	121mm	4.3/4"	A2-1
FCH0500-G	127mm	5"	A3 & A3-5
FCH0514-G	133mm	5.1/4"	
FCH0512-G	140mm	5.1/2"	A6
FCH0600-G	152mm	6"	
FCH160M-G	160mm	6.5/16"	
FCH168M-G	168mm	6.5/8"	A2 or A10 A17-38
FCH177M-G	177mm	6.31/32"	A2-1
FCH210M-G	210mm	8.9/32"	A3 & A3-5

* Also available in 6 packs. See page 25.

DEEP CUT BI-METAL DCH

The DCH - Deep Cut Saw with extra cobalt HSS teeth. Provides enhanced heat and wear resistance. The Deep Cut saw features an increased depth of 51mm (2") and is ideal for cutting metal and tubes with a thickness of greater than 3mm, and wood up to 51mm (2") thick.

Description	Cat No	Item Number	Hole Saw Sizes	Arbors and Accessories
Electricians Kit	KDC05021	BF7006	20mm, 25mm, 29mm, 44mm & 51mm	A1E & A10E Arbors
Electricians Kit	KDC10021	BF7009	20mm, 22mm, 25mm, 29mm, 35mm, 44mm, 51mm, 64mm, 68mm & 76mm	A1E & A2E Arbors
# Plumbers Kit	KDC07021	BF7012	19mm, 22mm, 29mm, 38mm, 44mm, 51mm & 57mm	A1E & A10E Arbors
Plumbers Kit	KDC10022	BF7015	19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 65mm & 68mm	A1E & A2E Arbors
Universal Kit	KDC13021	BF7024	20mm, 22mm, 25mm, 29mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 68mm & 76mm	A1E & A2E Arbors

= MTO - Made to order, may be subject to longer lead times.



Cutting Performance	
Excellent	★
Good	☆
Hole Saw Depth	51mm 2"
Rec. Cutting Depth	3-13mm <input checked="" type="checkbox"/>
	>13mm <input checked="" type="checkbox"/>
<ul style="list-style-type: none"> • Metal • Inox (Stainless) • Non Ferrous Materials 	★
Cast iron	★
Wood	☆
Veneer	☆
Plastic	☆
Acrylic	☆
Fibreglass	☆
Formica	☆
Plaster	☆
Suspended Floors	☆



EVA Case for Unbreakable Protection.

POS Packaging with Kit Contents.





BI-METAL HOLE SAWS



DEEPER & STRONGER

With a 10mm increase in cutting depth and aggressive material penetration, this hole saw offers exceptional performance with efficient kerf clearance. It is the ultimate multi-use holesaw for penetrating metals, wood, plastic, plaster, and more. Recommended cutting depth: greater than 3mm (1/8").

FEATURES

- 51mm (2") hole saw depth improves cutting performance on tubes, particularly where there is a need to cut through both sides.
- With extra cobalt for enhanced heat and wear resistance - improving the product life.
- Ideal for solid materials greater than 3mm (1/8") in thickness.
- Aggressive material penetration and kerf clearance.
- Size range: 19mm - 210mm (3/4" - 8.9/32").
- 51mm (2") hole saw depth - requires arbors with an extended length pilot drill (e.g. A1E, A2E or A17-38E etc.).

Cat. No.	Diameter		Appropriate Arbors
	mm	Inch	
DCH0034-G	19mm	3/4"	
DCH2532-G	20mm	25/32"	A1E
DCH1036-G	21mm	13/16"	A4E
DCH0078-G	22mm	7/8"	
DCH1056-G	24mm	15/16"	A1-1E (SDS-plus)
DCH0100-G	25mm	1"	A3 & A3-3 (Ulti-Mate)
DCH0116-G	27mm	1.1/16"	A6 & A6-2 (Kwik-Change)
DCH0118-G	29mm	1.1/8"	
DCH0136-G	30mm	1.3/16"	
DCH0114-G	32mm	1.1/4"	
DCH0156-G	33mm	1.5/16"	
DCH0138-G	35mm	1.3/8"	
DCH0176-G	37mm	1.7/16"	
DCH0112-G	38mm	1.1/2"	
DCH0196-G	40mm	1.9/16"	
DCH0158-G	41mm	1.5/8"	
DCH1116-G	43mm	1.11/16"	
DCH0134-G	44mm	1.3/4"	
DCH1136-G	46mm	1.13/16"	
DCH0178-G	48mm	1.7/8"	
DCH0200-G	51mm	2"	A2E Quick-Hitch
DCH0216-G	52mm	2.1/16"	A10E Quick-Hitch
DCH0218-G	54mm	2.1/8"	A17-38E (Locking Arbor)
DCH056M-G	56mm	2.3/16"	A2-1E (SDS plus)
DCH0214-G	57mm	2.1/4"	A3 & A3-4 (Ulti-Mate)
DCH0256-G	59mm	2.5/16"	A6 & A6-3 (Kwik-Change)
DCH0238-G	60mm	2.3/8"	
DCH0212-G	64mm	2.1/2"	
DCH0296-G	65mm	2.9/16"	
DCH0258-G	67mm	2.5/8"	
DCH068M-G	68mm	2.11/16"	
DCH0234-G	70mm	2.3/4"	
DCH0278-G	73mm	2.7/8"	
DCH0300-G	76mm	3"	
DCH0318-G	79mm	3.1/8"	
DCH0314-G	83mm	3.1/4"	
DCH0338-G	86mm	3.3/8"	
DCH0312-G	89mm	3.1/2"	
DCH0358-G	92mm	3.5/8"	
DCH0334-G	95mm	3.3/4"	
DCH0378-G	98mm	3.7/8"	
DCH0400-G	102mm	4"	
DCH0418-G	105mm	4.1/8"	A2E
DCH0414-G	108mm	4.1/4"	A10E
DCH0438-G	111mm	4.3/8"	A17-38E
DCH0412-G	114mm	4.1/2"	A2-1E (SDS-plus)
DCH0434-G	121mm	4.3/4"	A3 & A3-5
DCH0500-G	127mm	5"	A6
DCH0514-G	133mm	5.1/4"	
DCH0512-G	140mm	5.1/2"	
DCH0600-G	152mm	6"	
DCH160M-G	160mm	6.5/16"	
DCH168M-G	168mm	6.5/8"	A2E or A10E A17-38E
DCH177M-G	177mm	6.31/32"	A2-1E A3 & A3-5
DCH210M-G	210mm	8.9/32"	

CARBIDE CT

HIGH PERFORMANCE TRIPLE CHIP TUNGSTEN CARBIDE

The triple-chip Tungsten Carbide Tipped (CT) Hole Saw offers exceptional durability and performance, with a longer blade life for cutting tough materials. It effortlessly cuts through nail-embedded wood, wood and metal combinations, reinforced concrete, and fibreglass. It delivers a smooth surface finish on entry and exit holes, making it perfect for many projects including cutting traditional lath and plaster.

Tungsten Carbide Tipped Teeth



Cat. No.	Item Number	Diameter		Appropriate Arbors
		mm	Inch	
NEW CT058	BF398	16mm	5/8"	A1 or A4 A1-1 (SDS plus) A3 & A3-3 (Ulti-Mate) A6 & A6-2 (Kwik-Change) XA1 or XA4 (Carbide Tipped)
CT034	BF400	19mm	3/4"	
CT2532	BF402	20mm	25/32"	
CT078	BF405	22mm	7/8"	
CT100	BF410	25mm	1"	
CT118	BF415	29mm	1 1/8"	
CT114	BF420	32mm	1 1/4"	
# CT156	BF422	33mm	1 5/16"	
CT138	BF425	35mm	1 3/8"	
CT112	BF430	38mm	1 1/2"	
CT196	BF432	40mm	1 9/16"	HSS Pilot Drill A2 A10 A17-38 (Locking Arbor) A2-1 (SDS plus)
CT158	BF435	41mm	1 5/8"	
CT134	BF440	44mm	1 3/4"	
CT178	BF445	48mm	1 7/8"	
CT200	BF450	51mm	2"	
CT218	BF455	54mm	2 1/8"	
CT056MM	BF456	56mm	2 3/16"	
CT214	BF460	57mm	2 1/4"	
CT238	BF465	60mm	2 3/8"	
CT212	BF470	64mm	2 1/2"	
CT258	BF475	67mm	2 5/8"	
CT234	BF480	70mm	2 3/4"	
CT300	BF485	76mm	3"	
CT318	BF487	79mm	3 1/8"	
CT314	BF490	83mm	3 1/4"	
CT338	BF495	86mm	3 3/8"	
CT312	BF500	89mm	3 1/2"	
CT358	BF505	92mm	3 5/8"	
CT334	BF510	95mm	3 3/4"	Ulti-Mate Arbor System A3 & A3-4 for up to 102mm / 4". A3 & A3-5 for 102mm / 4" and above. Kwik-Change A6 & A6-3* (*up to 100mm holesaws)
CT378	BF512	98mm	3 7/8"	
CT400	BF515	102mm	4"	
CT418	BF520	105mm	4 1/8"	
CT414	BF525	108mm	4 1/4"	
CT438	BF530	111mm	4 3/8"	
CT412	BF535	114mm	4 1/2"	
CT434	BF540	121mm	4 3/4"	
CT500	BF545	127mm	5"	
CT512	BF550	140mm	5 1/2"	
CT600	BF555	152mm	6"	

FEATURES

- A cost effective solution for cutting nail embedded wood, any wood and metal combination, reinforced concrete and fibreglass.
- Leaves high quality surface finish on entry and exit and provides a smooth cut.
- Tungsten Carbide Tipped Teeth for outstanding cutting performance and product durability.
- Suitable for use in electric and battery operated tools.
- Hole saw depth of 41mm (1-5/8").

Cutting Performance	
Excellent	★
Good	☆
Hole Saw Depth	41mm 1 5/8"
	<3mm <input checked="" type="checkbox"/>
Rec. Cutting Depth	3-13mm <input checked="" type="checkbox"/>
	>13mm <input checked="" type="checkbox"/>
Cast iron	★
Wood	☆
Nail Embedded Wood	☆

Veneer	★
Plastic	★
Acrylic	★
Ceramic	☆
Fibreglass	★
Formica	★
Plaster	★
Suspended Floors	★
Brick and Masonry	☆

= MTO - Made to order, may be subject to longer lead times.

CARBIDE MPH

TUNGSTEN CARBIDE TIPPED MULTI PURPOSE

Tungsten Carbide Tipped Multi Purpose (MPH) Hole Saws feature a unique tooth set for ultra-aggressive, high performance cutting of non-metallics. Cutting speeds will be up to five times faster than a bi-metal hole saw cutting the same material, offering users rapid, heat-free, stock removal of wood, MDF, plastics, and ceramic tiles. For tradespeople, our kits provide the perfect solution to all your cutting needs.

FEATURES

- Rapid, heat free stock removal of wood, MDF, plastics, plasterboard, and ceramic tiles.
- Carbide Tipped Teeth for outstanding cutting performance and product durability.
- Smooth cutting with minimal heat build up.
- Hole saw depth of 54mm (2.1/8").
- Arbors with extended length pilot drills are available, alternatively fit the longer A014CE pilot drill to our standard arbors.
- Deep gullet for easy core removal
- Suitable for use in mains and battery powered tools

Hole Saw Depth	54mm 2.1/8"	
	<3mm	☑
Rec. Cutting Depth	3-13mm	☑
	>13mm	☑
Wood		★
Veneer		★
MDF		★
Plastic		★
Acrylic		★
Ceramic		☆
Fibreglass		☆
Formica		★
Plaster		★
Cutting Performance		
	Excellent	★
	Good	☆



Cat. No.	Item Number	Diameter		Appropriate Arbors
		mm	Inch	
MPH0034	BF1505	19mm	3/4"	Extended Length HSS Drill A1E A4E A1-1E (SDS-plus) A3 & A3-3 (Ulti-Mate) A6 & A6-2 (Kwik-Change)
MPH2532	BF1510	20mm	25/32"	
MPH0078	BF1515	22mm	7/8"	
MPH0100	BF1520	25mm	1"	
MPH0116	BF1525	27mm	1.1/16"	Carbide Tipped Arbors XA1 XA4
MPH0118	BF1530	29mm	1.1/8"	
MPH0136	BF1535	30mm	1.3/16"	
MPH0114	BF1540	32mm	1.1/4"	
MPH0138	BF1545	35mm	1.3/8"	
MPH0112	BF1550	38mm	1.1/2"	
MPH0196	BF1555	40mm	1.9/16"	
MPH0158	BF1560	41mm	1.5/8"	
MPH0134	BF1565	44mm	1.3/4"	
MPH0178	BF1570	48mm	1.7/8"	
MPH0200	BF1575	51mm	2"	
MPH0218	BF1580	54mm	2.1/8"	
MPH0214	BF1585	57mm	2.1/4"	
MPH0238	BF1590	60mm	2.3/8"	
MPH0212	BF1595	64mm	2.1/2"	Extended Length HSS Drill A2E Quick-Hitch A10E Quick-Hitch A17-38E Locking Arbor A2-1E (SDS plus)
MPH0296	BF1600	65mm	2.9/16"	
MPH0258	BF1605	67mm	2.5/8"	
MPH68MM	BF1607	68mm	2.11/16"	
MPH0234	BF1610	70mm	2.3/4"	Carbide Tipped Arbors XA2 XA10
MPH0278	BF1615	73mm	2.7/8"	
MPH0300	BF1620	76mm	3"	XA17-38 Locking Arbor XA2-1 (SDS plus)
MPH0318	BF1625	79mm	3.1/8"	
MPH0314	BF1630	83mm	3.1/4"	Ulti-Mate Arbor System A3 & A3-4 for up to 102mm / 4". A3 & A3-5 for 102mm / 4" and above.
MPH0338	BF1635	86mm	3.3/8"	
MPH0312	BF1640	89mm	3.1/2"	
MPH0358	BF1645	92mm	3.5/8"	
MPH0334	BF1650	95mm	3.3/4"	Kwik-Change A6 & A6-3 for up to 100mm / 4".
MPH0378	BF1655	98mm	3.7/8"	
MPH0400	BF1660	102mm	4"	
MPH0418	BF1665	105mm	4.1/8"	
MPH0414	BF1670	108mm	4.1/4"	
MPH0456	BF1675	109mm	4.5/16"	
MPH0438	BF1680	111mm	4.3/8"	
MPH0412	BF1685	114mm	4.1/2"	
MPH0458	BF1690	118mm	4.5/8"	
MPH0434	BF1695	121mm	4.3/4"	
MPH0500	BF1700	127mm	5"	
MPH0512	BF1705	140mm	5.1/2"	
MPH0600	BF1710	152mm	6"	
MPH0614	BF1715	159mm	6.1/4"	

Description	Cat No	Item Number	Hole Saw Sizes	Arbors and Accessories
# General Purpose Kit	KMP09021	BF1970	19mm, 22mm, 29mm, 35mm, 44mm, 51mm, 57mm, 64mm & 68mm	A1E & A17-38E
General Purpose Kit	KMP11021	BF1973	19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 68mm & 76mm	A1E, A17-38E, XA014C
# Downlight Hole Saw Kit	KMP12011	BF1976	35mm, 40mm, 44mm, 51mm, 60mm, 65mm, 70mm, 73mm, 76mm, 83mm, 86mm, & 92mm	XA17-38 (fitted with a carbide tipped pilot drill)

= MTO - Made to order, may be subject to longer lead times.

CARBIDE SM

STAINLESS STEEL [SHEET METAL]

Tungsten Carbide Tipped Stainless Steel (Sheet Metal – SM) Hole Saws cut high-alloy and stainless steels, non-ferrous light metals, and reinforced fabrics faster than bi-metal saws. Their tough tungsten carbide tipped teeth remove chips efficiently, making them ideal for sheet metal up to 3mm (1/8") thick."





FEATURES

- Split-point drill for faster penetration and precise centering
- Ideal for production cutting, especially with limited speed control
- Tungsten carbide tipped teeth for extended product life and superior cutting
- Replacement pilot drills readily available
- Solid one-piece construction with arbor and pilot drill
- Ejector spring for effortless core removal
- Progressive carbide tooth grind for swift cuts and improved swarf removal
- Enhanced tooth strength with shallow gullet design
- Safety stop at base of hole saw for drilling within 13mm (1/2") depth
- Recommended cutting depth set at 3mm (1/8")

Description	Cat. No.	Item Number	Hole Saw Sizes
Professional Heavy Duty Kit	KSM07001	BF3090	16mm, 20mm, 22mm, 25mm, 32mm, 40mm & 50mm

Cat. No.	Item Number	Diameter	
		mm	Inch
SM15	BF2015	15mm	19/32"
SM16	BF2016	16mm	5/8"
SM17	BF2017	17mm	11/16"
SM18	BF2018	18mm	23/32"
SM19	BF2019	19mm	3/4"
SM20	BF2020	20mm	25/32
SM21	BF2021	21mm	13/16"
SM22	BF2022	22mm	7/8"
SM23	BF2023	23mm	29/32"
SM24	BF2024	24mm	15/16"
SM25	BF2025	25mm	1"
SM26	BF2026	26mm	1.1/32"
SM27	BF2027	27mm	1.1/16"
SM28	BF2028	28mm	1.3/32"
SM29	BF2029	29mm	1.1/8"
SM30	BF2030	30mm	1.3/16"
SM31	BF2031	31mm	1.7/32"
SM32	BF2032	32mm	1.1/4"
SM33	BF2033	33mm	1.5/16"
SM34	BF2034	34mm	1.11/32"
SM35	BF2035	35mm	1.3/8"
SM36	BF2036	36mm	1.13/32"
SM37	BF2037	37mm	1.7/16"
SM38	BF2038	38mm	1.1/2"
SM39	BF2039	39mm	1.17/32"
SM40	BF2040	40mm	1.9/16"
SM45	BF2045	45mm	1.25/32"
SM50	BF2050	50mm	1.31/32"
SM51	BF2051	51mm	2
SM55	BF2055	55mm	2.5/32"
SM60	BF2060	60mm	2.3/8"
SM65	BF2065	65mm	2.9/16"
SM70	BF2070	70mm	2.3/4"
SM75	BF2075	75mm	2.15/16"
SM80	BF2080	80mm	3.5/32"
SM85	BF2085	85mm	3.11/32"
SM90	BF2090	90mm	3.17/32"
SM95	BF2095	95mm	3.3/4"
SM100	BF2100	100mm	3.15/16"

Cat. No.	Item Number	Description
SMD6	BF21005	Replacement Pilot Drill

Hole Saw Depth	16mm 5/8"
Rec. Cutting Depth	≤ 5mm <input checked="" type="checkbox"/>
• Metal • Inox (Stainless) • Non Ferrous Materials	 ★ ★ ★
Fibreglass	 ★

Cutting Performance	
Excellent	★
Good	☆



CARBIDE CTD

CARBIDE TIPPED DEEP CUT



The Carbide Tipped Deep Cut (CTD) Hole Saw is designed for intensive drilling in various materials up to 25mm (1") thick. Starrett's CTD hole saws feature a unique tooth grind for fast, efficient cutting, minimal snagging, and extended lifespan.

Hole Saw Depth	25mm 1"
Rec. Cutting Depth	<3mm <input checked="" type="checkbox"/>
	3-13mm <input checked="" type="checkbox"/>
	>13mm <input checked="" type="checkbox"/>
Metal Inox (Stainless)	<input checked="" type="checkbox"/>
Non Ferrous Materials	<input checked="" type="checkbox"/>
Cast iron	<input checked="" type="checkbox"/>
Fibreglass	<input checked="" type="checkbox"/>
Cutting Performance	
Excellent	<input checked="" type="checkbox"/>
Good	<input type="checkbox"/>

FEATURES

- Each tooth has a 3-ply grind for better performance and durability than 2-ply models
- Tungsten carbide tips ensure excellent heat and wear resistance
- Solid one-piece construction, no assembly required
- Compatible with fixed or portable drills, mains power, or cordless
- Includes an ejector spring for easy core removal
- Replacement pilot drills and ejector springs available
- 25mm (1") hole saw depth

Cat. No.	Item Number	Diameter	
		mm	Inch
CTD15	BF56115	15	19/32"
CTD16	BF56116	16	5/8"
CTD17	BF56117	17	11/16"
CTD18	BF56118	18	22/32"
CTD19	BF56119	19	3/4"
CTD20	BF56120	20	25/32"
CTD21	BF56121	21	13/16"
CTD22	BF56122	22	7/8"
# CTD23	BF56123	23	29/32"
CTD24	BF56124	24	15/16"
CTD25	BF56125	25	1"
CTD26	BF56126	26	1.1/32"
CTD27	BF56127	27	1.1/16"
CTD28	BF56128	28	1.3/32"
CTD29	BF56129	29	1.1/8"
CTD30	BF56130	30	1.3/16"
CTD32	BF56132	32	1.1/4"
CTD33	BF56133	33	1.5/16"
CTD34	BF56134	34	1.11/32"
CTD35	BF56135	35	1.3/8"
# CTD36	BF56136	36	1.13/32"
CTD38	BF56138	38	1.1/2"
# CTD39	BF56139	39	1.17/32"
CTD40	BF56140	40	1.9/16"
CTD45	BF56145	45	1.25/32"
CTD50	BF56150	50	1.31/32"
CTD51	BF56151	51	2"
CTD55	BF56155	55	2.5/32"
CTD60	BF56160	60	2.3/8"
CTD64	BF56164	64	2.1/2"
CTD65	BF56165	65	2.9/16"
CTD70	BF56170	70	2.3/4"
CTD75	BF56175	75	2.15/16"
CTD80	BF56180	80	2.5/32"
CTD85	BF56185	85	3.11/32"
CTD90	BF56190	90	3.17/32"
CTD95	BF56195	95	3.3/4"
CTD100	BF56200	100	3.15/16"

Cat No.	Item Number	Description
A014F	BF56300	Replacement Pilot Drill

Kit Cat. No.	Item Number	No. of Saws	Hole Saw Diameters
KCT08001	BF56350	8	16mm 20mm 22mm 25mm 32mm 40mm 51mm 64mm
KCT07001	BF56355	7	16mm 20mm 22mm 25mm 32mm 40mm 50mm

= MTO - Made to order, may be subject to longer lead times.

DIAMOND D

Cat. No.	Item Number	Diameter		Appropriate Arbors
		mm	Inch	
D0096	AY612	14mm	9/16"	Carbide Tipped Arbors XA1 XA4 XA1-1 (SDS plus)
D0058	AY615	16mm	5/8"	
D1016	AY618	17mm	11/16"	
D0034	AY621	19mm	3/4"	
D2532	AY624	20mm	25/32"	Kwik-Change with Carbide Tipped Pilot Drill XA015C A6 & A6-2
D1036	AY627	21mm	13/16"	
D0078	AY630	22mm	7/8"	Carbide Tipped Arbors XA2 XA10 XA17-38 Locking Arbor XA2-1 (SDS plus)
D1056	AY633	24mm	15/16"	
D0100	AY636	25mm	1"	
D0116	AY639	27mm	1.1/16"	
D0118	AY642	29mm	1.1/8"	
D0136	AY645	30mm	1.3/16"	
D0114	AY648	32mm	1.1/4"	
D0156	AY651	33mm	1.5/16"	
D0138	AY654	35mm	1.3/8"	
D0176	AY657	37mm	1.7/16"	
D0112	AY660	38mm	1.1/2"	
D0196	AY663	40mm	1.9/16"	
D0158	AY666	41mm	1.5/8"	
D1116	AY669	43mm	1.11/16"	
D0134	AY672	44mm	1.3/4"	
D1136	AY675	46mm	1.13/16"	
D0178	AY678	48mm	1.7/8"	
D0200	AY681	51mm	2"	
D0216	AY684	52mm	2.1/16"	
D0218	AY687	54mm	2.1/8"	
D56MM	AY690	56mm	2.3/16"	
D0214	AY693	57mm	2.1/4"	
D0256	AY696	59mm	2.5/16"	
D0238	AY699	60mm	2.3/8"	
D0212	AY702	64mm	2.1/2"	
D0296	AY705	65mm	2.9/16"	
D0258	AY708	67mm	2.5/8"	
D68MM	AY711	68mm	2.11/16"	
D0234	AY717	70mm	2.3/4"	
D0278	AY720	73mm	2.7/8"	
D0300	AY723	76mm	3"	
D0318	AY726	79mm	3.1/8"	
D0314	AY729	83mm	3.1/4"	
D0338	AY732	86mm	3.3/8"	
D0312	AY735	89mm	3.1/2"	
D0358	AY738	92mm	3.5/8"	
D0334	AY741	95mm	3.3/4"	
D0378	AY744	98mm	3.7/8"	
D0400	AY747	102mm	4"	
D0418	AY750	105mm	4.1/8"	
D0414	AY753	108mm	4.1/4"	
D0438	AY756	111mm	4.3/8"	
D0412	AY759	114mm	4.1/2"	
D0434	AY762	121mm	4.3/4"	
D0500	AY765	127mm	5"	
D0512	AY768	140mm	5.1/2"	
D0600	AY771	152mm	6"	

DIAMOND GRIT HOLE SAWS

High performance Diamond Grit Hole Saws are perfect for drilling holes in non-metallics and offer the ideal cutting solution for the toughest situations. Featuring a synthetic diamond grit cutting edge permanently bonded to a tough steel body, this provides the necessary clearance for cutting at high speeds.

FEATURES

- Rapid cutting solution for non-metallics
- Smooth surface finish, ideal when cutting glass and ceramics
- Supported by a comprehensive range of arbors with carbide tipped pilot drills
- The ultimate hole saw for hard-to-cut materials
- Small diameter hole saws are perfect for kitchen and bathroom installations
- Cutting depth 38mm (1.1/2")
- Coolant should always be used with these saws

Hole Saw Depth	41mm (1.5/8")
Tile Drill Depth <td>20mm (25/32")</td>	20mm (25/32")
Rec. Cutting Depth	<3mm
	3-13mm
	>13mm
Ceramic	★
Porcelain / Glass / Stone	★
Marble / Granite	★
Fibreglass	★
Brick and Masonry	★
Cutting Performance	
Excellent	★
Good	☆

Note: Diamond Tile Drills and Hole Saws should always be cooled with water.



DIAMOND GRIT TILE DRILLS



- Small diameter hole saw, perfect for kitchen and bathroom installations
- Smooth surface finish, ideal when cutting non-hardened glass and porcelain
- Drive arbor and drill not required, as the tile drill is held directly in the power tool chuck
- Maximum cutting depth of 25mm (1")
- Core slot provides cooler cutting and allows for removal of debris produced during drilling

Cat. No.	Item Number	Diameter	
		mm	Inch
D0005	AY606	5mm	3/16"
D0006	AY607	6mm	15/64"
D0065	AY608	6.5mm	1/4"
D0008	AY609	8mm	5/16"
D0010	AY610	10mm	3/8"
D0012	AY611	12mm	1/2"

KIT, DRILL GUIDE, AND WATER BOTTLE

Cat. No.	Item Number		
KD06041	KD06041		
Cat. No.	Item Number		
WCD01	AY7851		
#	Cat. No.	Item Number	Size Range
	DTDG01	AY7850	5mm - 12mm



= MTO - Made to order, may be subject to longer lead times.

DIAMOND BMC

DIAMOND DRI-CORE DRILLS

Diamond Brick and Masonry Dri-Core Drills are designed for intensive dry cutting on brickwork and blockwork. They are particularly suitable for plumbers, electricians and other installation engineers and an invaluable tool in the construction of flues, air vents and plumbing or electrical channels.



22mm & 28mm Drill Depth 38mm to 152mm Drill Depth	300mm 150mm
Rec. Cutting Depth	>13mm <input checked="" type="checkbox"/>
Brick and Masonry 	★
Cutting Performance	
Excellent	★
Good	☆

FEATURES

- Faster rate of cut than TCT alternatives with less pressure required.
- 300mm saw length on 22 and 28mm diameter saws. 150mm saw length on all other diameters.
- **Note:** not for use on reinforced concrete.



Cat. No.	Item Number	Size	
		mm	Inch
BMC22	BF3110	22mm	7/8"
BMC28	BF3115	28mm	1.3/32"
BMC38	BF3120	38mm	1.1/2"
BMC42	BF3125	42mm	1.21/32"
BMC48	BF3130	48mm	1.7/8"
BMC52	BF3135	52mm	2.1/16"
BMC65	BF3140	65mm	2.9/16"
BMC78	BF3145	78mm	3.1/16"
BMC102	BF3150	102mm	4"
BMC107	BF3155	107mm	4.7/32"
BMC117	BF3160	117mm	4.19/32"
BMC127	BF3165	127mm	5"
BMC152	BF3170	152mm	6"



DIAMOND DRI-CORE DRILLS

Arbors & Accessories	Cat. No.	Item Number
SDS Adapter	BMA2	BF3205
Hex Adapter	BMA1	BF3200
240mm SDS Adapter	BMA2240	BF3220
240mm Hex Adapter	BMA1240	BF3210
Pilot Drill - 10 x 200mm	BMA3200	BF3225
Pilot Drill - 10 x 350mm	BMA3350	BF3230
150 mm Extension	BMA4150	BF3232
250mm Extension	BMA4250	BF3235
# Drift Key	BMA5	BF3240

= MTO - Made to order, may be subject to longer lead times.

Description	Cat No	Item Number	Core Drill Sizes	Arbors	Accessories
Diamond Dri-Core Drill Kit	BMKIT1	BF3265	38mm, 52mm, 65mm, 117mm & 127mm	BMA1, BMA2, BMA1240 & BMA2240	BMA3200 Pilot Drill & BMA5 Drift Key



KWIK-CHANGE ARBOR SYSTEM

FAST, TOOL FREE CHANGES BETWEEN DIFFERENT SIZES AND TYPES OF HOLE SAW, PLUS A SIMPLE METHOD OF CORE EJECTION AND HOLE ENLARGEMENT.

The new Kwik-Change Arbor system from Starrett offers fast, tool free changes between different sizes and types of hole saws, plus a simple method of core ejection and hole enlargement. Suitable for the standard Starrett hole saw range up to 100mm / 4" diameter, Kwik-Change will be an invaluable addition for any regular hole saw user.



Kwik-Change Arbor and Hole Saw System		
Cat No	Item Number	Description
A6	BF3700	Kwik-Change Chuck - Hex Shank
# A6-1	BF3705	Kwik-Change Chuck - SDS Shank
A6-2	BF3710	Kwik-Change Collar for 14-30mm hole saws
A6-3	BF3715	Kwik-Change Collar for 32mm - 100mm hole saws
A015C	BF3620	Kwik-Change High Speed Steel Pilot Drill
# XA015C	BF3625	Kwik-Change Carbide Tipped Pilot Drill

KWIK-CHANGE BETWEEN HOLE SAWS

KWIK-CHANGE PILOT DRILL

CORE EJECTION & HOLE ENLARGEMENT

= MTO - Made to order, may be subject to longer lead times.

Kwik-Change Kits Hex Shank Chuck			
Cat No	Item Number	Description	Kit Contents
A6-4	BF3735	Kwik-Change Arbor Kit with High Speed Steel Drill	Kwik-Change Chuck, one A6-2 Collar, one A6-3 Collar, one A015C Pilot Drill
A6-5	BF3740	Kwik-Change Arbor Kit with Carbide Tipped Drill	Kwik-Change Chuck, one A6-2 Collar, one A6-3 Collar, one XA015C Pilot Drill
Kwik-Change Kits SDS Shank Chuck			
Cat No	Item Number	Description	Kit Contents
# A6-6	BF3745	Kwik-Change Arbor Kit with High Speed Steel Drill	Kwik-Change Chuck, one A6-2 Collar, one A6-3 Collar, one A015C Pilot Drill
# A6-7	BF3750	Kwik-Change Arbor Kit with Carbide Tipped Drill	Kwik-Change Chuck, one A6-2 Collar, one A6-3 Collar, one XA015C Pilot Drill

= MTO - Made to order, may be subject to longer lead times.

Starrett® KWIK-CHANGE | ARBOR


- Attach the arbors to all regularly used hole saws.
- Change between different sizes of saw at the push of a button!



Push the button on the arbor and pull the hole saw down the pilot drill. To use a new hole saw, push the button on the arbor and slide the hole saw forward to remove it.

Starrett® KWIK-CHANGE | PILOT DRILL

- Pull back the chrome collar on the chuck to change the pilot drill.
- No tools required!
- Caution: Pilot drills may be hot after use.



Pull back the collar on the chuck to remove the pilot drill, to insert a new drill pull back the collar on the chuck and insert the new drill.

Starrett® KWIK-CHANGE | HOLE ENLARGEMENT

- Attach arbors to hole saws of the same size as the existing hole and the same size as the required hole.
- Attach the larger diameter hole saw to the Kwik-Change chuck.
- Attach the smaller diameter hole saw to the drill and slide it down inside the larger diameter saw.
- Drill the hole. **This system is recommended for overhead or vertical surfaces only.**

Attach the larger hole saw to the chuck, slide the smaller of the two hole saws inside the larger hole saw and use it as a pilot for the new, larger hole.



Starrett® KWIK-CHANGE | CORE EJECTION

- If the core is stuck in the hole saw after drilling a hole, press the arbor button and slide the hole saw and attached arbor off the drill.
- The pilot drill can then be used to push the core out of the saw using the side flutes or the holes in the base of the saw.
- Caution: Cores may be hot and sharp.



ARBORS AND ACCESSORIES

HOLE SAW ARBORS



FOR USE WITH HOLE SAW TYPES		BI-METAL FAST CUT FCH CARBIDE TIPPED CT		BI-METAL DEEP CUT DCH TCT MULTI PURPOSE MPH		DIAMOND GRIT D CARBIDE TIPPED CT TCT MULTI PURPOSE MPH	
PILOT DRILL TYPE		STANDARD HSS PILOT DRILL		EXTENDED LENGTH HSS PILOT DRILL		CARBIDE TIPPED PILOT DRILL	
FITS HOLE SAW DIAMETERS MM (INCH)	ARBOR SHANK SIZES MM (INCH)	ARBOR CATALOGUE NUMBER	ITEM NUMBER	ARBOR CATALOGUE NUMBER	ITEM NUMBER	ARBOR CATALOGUE NUMBER	ITEM NUMBER
14 - 30mm (9/16" - 1.3/16")	8.75mm (11/32") Hex (excluding SDS-Plus Arbors)	A1	AY1385	A1E	AY1391	XA1	AY5675
		A1-1	AY154	A1-1E	AY1541	XA1-1	AY585
	6.5mm (1/4") Hex	A4	AY1451	A4E	AY1453	XA4C	AY5731
32 - 210mm (1.1/4" - 8.9/32")	11mm (7/16") Hex (excluding SDS-Plus Arbors)	A2 (Quick-Hitch)	AY141	A2E (Quick-Hitch)	AY1411	XA2 (Quick-Hitch)	AY569
		A2-1 (Quick-Hitch)	AY155	A2-1E (Quick-Hitch)	AY1551	XA2-1 (Quick-Hitch)	AY586
	8.75mm (11/32") Hex	A10 (Quick-Hitch)	AY1485	A10E (Quick-Hitch)	AY1491	XA10 (Quick-Hitch)	AY5775
		A17-38 Locking Arbor	AY2274	A17-38E Locking Arbor	AY2272	XA17-38 Locking Arbor	AY2278

QUICK-HITCH ARBORS

With HSS, HSS Extended Length or Carbide Tipped Pilot Drills

Two locating pins insert into the hole saw cap to prevent overtightening on the screw thread. This facilitates tool-free and instant hole saw changes without removing the arbor from the chuck.



SDS-PLUS ARBOR SHANKS

With HSS, HSS Extended Length or Carbide Tipped Pilot Drills

The SDS-Plus shank allows the arbors to be used in SDS-plus rotary hammer drills with the hammer action turned off.

LOCKING ARBORS

With HSS, HSS Extended Length or Carbide Tipped Pilot Drills

For hole saws with diameters ranging from 32mm to 210mm (1.1/4" to 8.9/32"), the arbor securely locks onto the saw, reducing vibration. It's essential for demanding jobs and production runs.

ARBOR PILOT DRILL



HIGH SPEED STEEL PILOT DRILLS

Cat. No.	Item Number	Fits Starrett Arbor Nos.	For Use with Saw Types
A014C	AY209	All Arbors - Except A3	For All FCH Saws
A014CE	AY2091	Extended Length Pilot Drill Fits All Starrett Arbors except A3 Ulti Mate	For DCH and MPH Hole Saws
# SMD6	BF21005	-	Replacement drill for SM series hole saws
A014F	BF56300	-	Replacement drill for CTD series hole saws
A015C	BF3620	Fits Starrett A6 Kwik-Change Arbor System	For all FCH, DCH, CT and MPH hole saws

= MTO - Made to order, may be subject to longer lead times.

CARBIDE TIPPED PILOT DRILLS

Cat. No.	Item Number	Fits Starrett Arbor Nos.	For Use with Saw Types
# XA014C	AY601	All Arbors	For all CT, MPH and D Series Saws
# XA015C	BF3625	Fits Starrett A6 Kwik-Change Arbor System	For all CT, MPH and D Series Saws

= MTO - Made to order, may be subject to longer lead times.

ARBOR EXTENSIONS



300mm (12") extension bar.

Cat. No.	Item Number	For use with...	Fits Chuck Size
A5	AY219	A2, A2E, XA2 Arbors	13mm - 1/2"
A15	AY221	A1, A1E, XA1, A10, A10E, XA10, A17-38, A17-38E, XA17-38 Arbors	9.5mm - 3/8"

ARBOR ADAPTOR

Allows use of hole saws up to 152mm (6").



Cat. No.	Item Number	Description
KA12	AY255	Adaptor screws on to arbors with a 1/2" - 20 screw thread and allows use of hole saws up to 152mm (6")

DUAL HEX ARBOR ADAPTOR



The Starrett Dual Hex Adaptor allows fast, tool free changes between our arbors with a 6.5mm (1/4") or 8.75mm (11/32") Hex Shank, without adjustment of the drill chuck.

- Robust steel construction with hardened centre shaft and nose collar for maximum product life.
- 9.5mm (3/8") Shank fits with other branded arbors.

Cat. No.	Item Number	For Use with
A18	AY284	A1, A1E, XA1, A4, A4E, XA4, A10, A10E, XA10, A17-38, A17-38E, XA17-38 & Cordless Smooth Cut (CSC) Hole Saws.

HOLE ENLARGEMENT ARBOR

The KA19 facilitates enlarging diameters by swapping out the pilot drill on your arbor and attaching a saw of the same size as the existing hole. This saw serves as the pilot for the larger diameter saw attached to the arbor.



KA19



Please note: Hole Saws and Arbor are supplied separately.

Cat. No.	Item Number	Minimum Hole Enlargement
KA19	AY228	4.7mm (3/16") between pilot hole saw and cutting saw diameter.

DEBRIS COLLECTOR





NO CLEAN UP - NO DRILL DAMAGE - NO DEBRIS SPREAD

FEATURES:

- The bowl flexes with minimal pressure as the hole is cut
- Significant time savings: no need to mask areas at risk before sawing or clean up afterward
- Keeps dust and debris out of the drill motor
- Suitable for hole saws up to 121mm (4 3/4")
- **STAGE ONE** | Pass the shank of the arbor through the hole at the bottom of the DB2 and attach to the drill in the normal way. Always ensure that the Debris Collector spins freely prior to use.
- **STAGE TWO** | Site the saw for cutting the hole. The Debris Collector can be pulled down to provide a better view of the work area.
- **STAGE THREE** | Drill the hole.
- **STAGE FOUR** | All the dirt and debris from the cut hole is collected inside the Debris Collector.



Cat No	Item Number	Description
DB2	AY2B35	Debris Collector



HOLE SAW CORE EJECTORS

A SIMPLE, BUT HIGHLY EFFECTIVE METHOD OF EJECTING THE CORE FROM A HOLE SAW AFTER COMPLETION OF THE CUT

- Select the appropriate size of ejector for the hole saw.
- Where it is necessary to assemble the two parts of the core ejector, twist the spring on to the ejector plate until it locks in place.
- Twist the spring on the assembled core ejector over the pilot drill until the pilot drill is protruding from the plate.
- Drill the hole.
- **Please note:** Using the core ejector will reduce the saw's cutting depth. The table below shows the recommended maximum material thickness for each type of hole saw. The core ejector can function at greater thicknesses, but its effectiveness will diminish.



- Assembled core ejector attached to a hole saw.
- After the hole has been drilled, the core can clearly be seen at the end of the pilot drill.

Cat No	Item Number	Description
	KA8-1	AY28501 Core Ejector suitable for 20 - 24mm hole saws
	KA8-2	AY28502 Core Ejector suitable for 25 - 38mm hole saws
	KA8-3	AY28503 Core Ejector suitable for 40 - 60mm hole saws
	KA8-4	AY28504 Core Ejector suitable for 64 - 86mm hole saws
#	KA8-5	AY28505 Core Ejector suitable for 89 - 127mm hole saws
#	KA8-6	AY28506 Core Ejector suitable for 133 - 210mm hole saws

Core Ejector Cutting Recommendations	
Hole Saw Product Code	Recommended Maximum Material Thickness
FCH, DCH, CT	7mm
D and MPH	5mm

= MTO - Made to order, may be subject to longer lead times.



PLEASE NOTE

In some applications it is possible that the core may be ejected from the saw at high speed. Please always wear safety glasses and gloves and take extra care if drilling vertically.



HOLE SAW CUTTING SPEED RECOMMENDATIONS (RPM)

BI-METAL

Bi-Metal Fast Cut (FCH) & Deep Cut (DCH) Hole Saws

Saw Diameter		Mild Steel	Stainless & Tool Steel	Cast Iron	Brass, Copper & Aluminium	Wood & Plastic
mm	inch					
14 - 25	9/16 - 1	580 - 350	300 - 175	400 - 235	790 - 470	800 - 500
27 - 51	1.1/16 - 2	325 - 170	160 - 85	215 - 115	435 - 230	500 - 200
52 - 76	2.1/16 - 3	165 - 115	80 - 55	110 - 75	220 - 150	200 - 150
79 - 102	3.1/8 - 4	110 - 85	55 - 40	70 - 55	140 - 110	150 - 100
105 - 127	4.1/8 - 5	80 - 65	40 - 30	55 - 25	110 - 85	100 - 85
133 - 152	5.1/4 - 6	55	25	55 - 25	75	75
160 - 210	6.5/16 - 8.9/32	40	20	55 - 25	60	60

Bi-Metal Cordless Smooth Cut Hole Saws (CSC)

Saw Diameter		Mild Steel	Stainless & Tool Steel	Wood, Plastic & Aluminium
mm	inch			
16 - 20	5/8 - 25/32	500	230	700
22 - 29	7/8 - 1.1/8	400	185	550
30 - 38	1.3/16 - 1.1/2	330	150	450

TUNGSTEN CARBIDE TIPPED

Carbide Tipped Hole Saws (CT)

Saw Diameter		Cast Iron	Wood & Plastic	Fibreglass	Aluminium	Suspended Floor
mm	Inch					
16 - 25	3/4 - 1	420 - 320	3200 - 2800	800 - 500	1650 - 1400	500 - 400
29 - 51	1.1/8 - 2	300 - 160	2400 - 1300	450 - 200	1200 - 600	350 - 190
54 - 79	2.1/8 - 3.1/8	150 - 100	1200 - 850	190 - 150	580 - 400	180 - 120
83 - 102	3.1/4 - 4	90 - 80	800 - 650	140 - 100	380 - 300	110 - 95
105 - 127	4.1/8 - 5	75 - 60	620 - 480	100 - 85	300 - 200	90 - 80
140 - 152	5.1/2 - 6	50 - 40	420 - 350	80 - 75	180 - 120	70 - 60

TCT Multi Purpose Hole Saws (MPH)

Saw Diameter		All Materials
mm	Inch	
19 - 27	3/4 - 1.1/16	1700 - 1300
29 - 51	1.1/8 - 2	1100 - 650
54 - 76	2.1/8 - 3	600 - 425
79 - 102	3.1/8 - 4	400 - 325
111 - 159	4.3/8 - 6.1/4	300 - 210

Carbide Tipped Deep Cut Hole Saws (CTD)

Saw Diameter		Mild Steel	Stainless & Steel	Aluminium
mm	Inch			
15 - 21	19/32 - 13/16	700 - 1000	300 - 700	1000 - 1400
22 - 30	7/8 - 1.3/16	500 - 800	200 - 450	800 - 1100
32 - 40	1.1/4 - 1.9/16	300 - 600	175 - 315	600 - 850
45 - 50	1.25/32 - 1.31/32	200 - 500	120 - 225	500 - 750
51 - 60	2 - 2.38	200 - 400	95 - 195	400 - 550
64 - 75	2.1/2 - 2.15/16	150 - 300	80 - 150	300 - 450
80 - 100	2.5/32 - 3.15/16	100 - 200	60 - 120	200 - 300

TCT Stainless Steel Hole Saws (SM)

Saw Diameter		Mild Steel	Stainless & Steel	Cast Iron	Fibreglass
mm	inch				
15 - 25	19/32 - 1	800 - 640	460 - 370	420 - 320	800 - 500
26 - 39	1.1/32 - 1.17/32	590 - 460	320 - 270	300 - 160	450 - 200
40 - 55	1.9/16 - 2.5/32	400 - 320	220 - 170	300 - 160	450 - 200
60 - 85	2.3/8 - 3.23/64	265 - 200	140 - 105	150 - 100	190 - 150
90 - 100	3.9/16 - 4.23/32	175 - 130	90 - 65	90 - 80	140 - 100

DIAMOND GRIT

Diamond Grit Hole Saws (D)

Saw Diameter		Minimum Speed	Maximum Speed
mm	Inch		
14 - 25	9/16 - 1	500	1000
27 - 51	1.1/16 - 2	250	500
52 - 83	2.1/16 - 3.1/4	150	300
86 - 152	3.3/8 - 6	100	200

Diamond Grit Brick and Masonry Dri-Core Drills (BMC)

Saw Diameter		Minimum Speed	Maximum Speed
mm	inch		
22 - 52	9/16 - 1	250	500
65 - 78	2.9/16 - 3.1/16	150	300
102 - 152	4 - 6	100	200

12 PACK

ABRASIVE CUTTING DISCS

DAC115-14X

CUTTING PERFORMANCE

Cuts 50% faster than many other discs on the market

CLEAN AND PRECISE CUTS

Minimal burrs and surface damage

EXCELLENT HEAT DISSIPATION

Reduces overheating and warping risks

VERSATILE APPLICATION

Cuts stainless, carbon steel and non-ferrous metals



Item Number	Cat. no.	Size (mm)	Size (Inch)	Box QTY
DAC115-14X	DAC115-14X	15mm x 1mm x 22.23mm	4 1/2" x 3/64" x 7/8"	12

NEW



DRILL BITS & CHISELS



HIGH SPEED STEEL SPLIT POINT DRILL BITS

Starrett's range of HSS Drill Bits provide users with more agility, efficiency and safety when drilling in different types of surfaces.

The high quality of the materials and the rigorous manufacturing processes, combined with the highest levels of market demand, ensure the quality and performance excellence of Starrett drill bits.

Designed to meet the requirements of professional users. Manufactured to DIN 338 Standards.



KBK13 HSS SPLIT POINT 13PC SET

- 1.5mm x 40mm
- 2mm x 49mm
- 2.5mm x 57mm
- 3mm x 61mm
- 3.2mm x 65mm
- 3.5mm x 70mm
- 4mm x 75mm
- 4.5mm x 80mm
- 4.8mm x 86mm
- 5mm x 86mm
- 5.5mm x 93mm
- 6mm x 93mm
- 6.5mm x 101 mm



- Precision ground cutting edge for fast drilling and perfect finishing
- Maximum accuracy; fast chip removal
- **Split point 135°**: self-centering; easier hole start; less pressure required for penetration; enhanced performance
- **Suitable for**: Alloy steels, carbon steels, cast iron, hardened alloy steels, stainless steel, wood and soft materials
- High quality high speed steel
- Wide and long channels
- Processed by controlled thermal treatment
- Precise cutting geometry
- High fracture resistance
- 135° split point angle (regrinding)
- Reduced deviation of the drill due to split point design
- Metric line according to DIN 338 standard
- Precise concentricity giving high rotational accuracy

Cat No	Item Description
KDHSP020	HSS SPLIT POINT 2X49MM
KDHSP025	HSS SPLIT POINT 2.5X57MM
KDHSP030	HSS SPLIT POINT 3X61MM
KDHSP035	HSS SPLIT POINT 3.5X70MM
KDHSP040	HSS SPLIT POINT 4X75MM
KDHSP050	HSS SPLIT POINT 5X86MM
KDHSP060	HSS SPLIT POINT 6X93MM
KDHSP070	HSS SPLIT POINT 7X109MM
KDHSP080	HSS SPLIT POINT 8X117MM
KDHSP090	HSS SPLIT POINT 9X125MM
KDHSP100	HSS SPLIT POINT 10X133MM
KDHSP120	HSS SPLIT POINT 12X151MM
KSDHSP13	HSS SPLIT POINT13PC SET



SDS PLUS SHANK 2 POINTS DRILL BIT

Superior strength drill body with specialised heat treatment to withstand the most demanding of applications, high performance carbide tips with a two channel design featuring a unique chip removal/breakage accelerator.



KBPSK09 SDS PLUS 2 POINTS 9PC SET

- 5mm x 110mm
- 5.5mm x 110mm
- 5.5mm x 160mm
- 6mm x 110mm
- 6mm x 160mm
- 7mm x 110mm
- 7mm x 160mm
- 8mm x 160mm
- 10mm x 160mm



- Special flute geometry designed to deliver cutting speed and maximum debris removal;
- 130 degree tip angle - fast drilling with hammer action
- High quality carbide tips: consistent performance
- 2 cutting edges with 1 centering point

Cat No	Item Description
KBPS04B	SDS PLUS 2 POINTS 4X160MM
KBPS05A	SDS PLUS 2 POINTS 5X110MM
KBPS05B	SDS PLUS 2 POINTS 5X160MM
KBPS055A	SDS PLUS 2 POINTS 5.5X110MM
KBPS055B	SDS PLUS 2 POINTS 5.5X160MM
KBPS06A	SDS PLUS 2 POINTS 6X110MM
KBPS06B	SDS PLUS 2 POINTS 6X160MM
KBPS06C	SDS PLUS 2 POINTS 6X210MM
KBPS065B	SDS PLUS 2 POINTS 6.5X160MM
KBPS065C	SDS PLUS 2 POINTS 6.5X210MM
KBPS07A	SDS PLUS 2 POINTS 7X110MM
KBPS07B	SDS PLUS 2 POINTS 7X160MM
KBPS07C	SDS PLUS 2 POINTS 7X210MM
KBPS08B	SDS PLUS 2 POINTS 8X160MM
KBPS08C	SDS PLUS 2 POINTS 8X210MM
KBPS10B	SDS PLUS 2 POINTS 10X160MM
KBPS10C	SDS PLUS 2 POINTS 10X210MM
KBPS10E	SDS PLUS 2 POINTS 10X460MM
KBPS12B	SDS PLUS 2 POINTS 12X160MM
KBPS16C	SDS PLUS 2 POINTS 16X210MM
KBPSK09	SDS PLUS 2 POINTS 9PC SET





SDS PLUS SHANK 4 POINTS DRILL BIT

Superior strength drill body with specialised heat treatment to withstand the most demanding of applications; 4 high performance carbide tips with a cross-head design.




KBPXK05 SDS PLUS 4 POINTS 5PC SET

- 5mm x 160mm
- 5.5mm x 160mm
- 6mm x 160mm
- 8mm x 160mm
- 10mm x 160mm

- Special flute geometry designed to deliver cutting speed and maximum debris removal
- 130 degree tip angle – accurate and fast drilling with hammer action
- High quality carbide tips: consistent performance
- 4 cutting edges with 1 centering point
- 4 vertical debris removal channels

Cat No	Item Description
KBPX12D	SDS PLUS 4 POINTS 12X260MM
KBPX12E	SDS PLUS 4 POINTS 12X460MM
KBPX14D	SDS PLUS 4 POINTS 14X260MM
KBPX14E	SDS PLUS 4 POINTS 14X460MM
KBPX16D	SDS PLUS 4 POINTS 16X260MM
KBPX16E	SDS PLUS 4 POINTS 16X460MM
KBPX20E	SDS PLUS 4 POINTS 20X460MM
KBPX25E	SDS PLUS 4 POINTS 25X460MM
KBPXK05	SDS PLUS 4 POINTS 5PC SET





SDS PLUS CHISEL SET

SDS Plus chisels designed for demolition and stripping on masonry and concrete materials.



- Suitable for both corded and cordless drills with hammer action
- Precision ground chisel edge with special hardening process delivering effective and efficient results
- Strong and durable in the toughest applications

Cat No	Item Description
KCPK03	SDS PLUS CHISEL 3PC SET



KCPK03
SDS PLUS CHISEL 3PC SET

- Wide chisel 250mm
- Flat chisel 250mm
- Pointed chisel 250mm



FLAT WOOD Drill BITS - HEX SHANK

Fast and clean cutting on all wood, with a huge reduction in breakout around the hole and excellent tool life.



- Twin spurs reduce the breakout and deliver clean holes
- Precision ground face
- 6.35mm (1/4") hexagonal shank suitable to fit impact machines
- Precision ground tip enabling accurate and fast start in materials
- Reduction in heat from cutting head design
- Specialised heat treatment to increase tool life

Cat No	Item Description
KFWD12A	FLAT WOOD HEX 12X152MM
KFWD16A	FLAT WOOD HEX 16X152MM
KFWD20A	FLAT WOOD HEX 20X152MM
KFWD25A	FLAT WOOD HEX 25X152MM
KFWD32A	FLAT WOOD HEX 32X152MM
KFWDK08	FLAT WOOD HEX 8PC SET



KFWDK08
FLAT WOOD HEX 8PC SET

- | | |
|----------------|----------------|
| • 12mm x 152mm | • 22mm x 152mm |
| • 16mm x 152mm | • 25mm x 152mm |
| • 18mm x 152mm | • 28mm x 152mm |
| • 20mm x 152mm | • 32mm x 152mm |

HSS RECOMMENDED RPM PER DRILL AND MATERIAL TYPE

Recommended RPM per drill diameter and material type						
Drill Diameter	Mild Steel	Free-Cut Stainless	Grey Cast Iron	Aluminium	Copper	Brass
2	3501	2228	5252	6366	6366	6366
2.5	2801	1783	4202	5093	4093	5093
3	2334	1485	3501	4244	4244	4244
3.2	2122	1350	3183	3845	3858	4010
3.5	2000	1273	3001	3638	3638	3858
4	1750	1114	2626	3183	3183	3183
4.5	1550	990	2401	2829	2829	2829
4.8	1500	925	2200	2620	2650	2625
5	1400	891	2101	2546	2546	2546
5.5	1273	810	1910	2315	2315	2315
6	1167	743	1751	2122	2122	2122
6.5	1077	686	1616	1959	1959	1959
7	1000	637	1501	1819	1819	1819
8	875	557	1313	1592	1592	1592
9	778	495	1167	1415	1415	1415
10	700	446	1050	1273	1273	1273
12	584	371	875	1107	1107	1061

LUBRICATION WHEN USING DRILLS

- It is recommended that lubrication is used as the drilling process produces friction between the drill bit and the material being drilled, this causes wear on the drill bit.
- When lubrication is used it will extend the life of the drill, and help to maintain the sharp edge and reduce the risk of breakage.

SHARPENING DRILL BITS

- It is possible to sharpen drill bits - care should be taken in ensuring the correct cutting angles are maintained during the re sharpening process.

WANT TO KNOW MORE?

Scan the QR code to watch the drill bits & chisels in action





NEW

PRODUCT DISPLAY SOLUTIONS

Say goodbye to scattered displays with Starrett's new product display solutions. Designed specifically with popular trade professions in mind, our dedicated stands ensure that your customers find what they need easily.

Included are profiles for the following sectors:

- Electrical
- Plumbing
- Engineering
- Construction

Contact our UK Sales team today to explore how this solution can improve your showroom and sales.

sales@starrett.co.uk



**VIEW THE
DIGITAL
CATALOGUE**



HACKSAW BLADES & FRAMES

Starrett®

bi-metal unique™ saw technology

Starrett Unique™ Technology is distinct from other methods of producing bi-metal saw blades. It joins two strips of high-speed steel wire to backing steel using solid-state diffusion bonding.

ADVANTAGES

- **Massive increase in resistance to tooth breakage and fracture.** Unique™ Blades feature **170% more weld contact area** than standard bi-metal blades as a result of the solid state diffusion bonding process. **This ensures exceptionally strong teeth.**
- **SMOOTHER, FASTER CUTS** - Multi Edge Performance and the Split Chip Advantage generate thinner chips which are more quickly and easily removed from the saw cut. In tests, Unique™ blades proved to be an average of **35% faster than directly competing products.**
- **LONGER BLADE LIFE** - The exceptionally strong teeth, Multi Edge Performance and Split Chip Advantage ensure that Unique™ blades last an average of **35% longer than competing blades.**
- **LOWER COST PER CUT** - The increase in resistance to tooth breakage and fracture, smoother, faster cuts and longer blade life all combine to guarantee one simple benefit - lower cost per cut.

Starrett Bi-Metal Unique™ Saw Technology is currently available in our Safe-Flex™ Hand Hacksaw Blades, Unified Shank™ Jigsaw Blades and Intens Bandsaw Blades.

Starrett® / / / bi-metal unique® ← FSS Safe-Flex® Made in Brazil BS1224 300mm (12") 24T

BI-METAL UNIQUE™ HAND HACKSAW BLADES

SAFE-FLEX™ HIGH SPEED STEEL BLADES

A patented solid state diffusion process produces the industry's most advanced bi-metal hacksaw blade.



FEATURES

- Massive increase in tooth strength and reduction in tooth breakage and fracture when compared against traditional bi-metal blades.
- Excellent for interrupted cuts in cramped places or where the blade is subject to

Dimensions Length x Width x Thickness	TPI (25mm)
300mm x 13mm x 0.65mm 12" x 1/2" x .025"	18
	24
	32

2 Blades on card	
Cat No	Item Number
KBSI218-2	AV823
KBSI224-2	AV827
KBSI232-2	AV8325

10 Blade Tube Pack	
Cat No	Item Number
KBSI218-10	AV8235
KBSI224-10	AV8315
KBSI232-10	AV8326

50 Blade Visual Pack	
Cat No	Item Number
KBSI218-50	AV82352
KBSI224-50	AV8317
KBSI232-50	AV83262

50 Blade Tube Pack	
Cat No	Item Number
BSI218	AV765
BSI224	AV767
BSI232	AV769

100 Blade Visual Pack	
Cat No	Item Number
KBSI218-100 #	AV823535
KBSI224-100	AV8320
KBSI232-100	AV83265

REDSTRIPE® HAND HACKSAW BLADES

SOLID HIGH SPEED STEEL BLADES



FEATURES

- Ideal when the blade is not subject to bending and twisting stresses.
- Uniformly hardened blade holds the edge when cutting hard-to-machine alloys, maintaining the straightness of the cut.

Dimensions Length x Width x Thickness	TPI (25mm)
300mm x 13mm x 0.65mm 12" x 1/2" x .025"	18
	24
	32

2 Blades on card	
Cat. No.	Item Number
KRSI218-2 #	AV822
KRSI224-2 #	AV826
KRSI232-2 #	AV8322

10 Blade Tube Pack	
Cat. No.	Item Number
KRSI218-10 #	AV8225
KRSI232-10 #	AV8323

50 Blade Tube Pack	
Cat. No.	Item Number
RSI218	AV685
RSI224	AV687
RSI232	AV689

50 Blade Visual Pack	
Cat. No.	Item Number
KRSI218-50 #	AV82272
KRSI224-50 #	AV8307

= MTO - Made to order, may be subject to longer lead times.

GREY-FLEX® HAND HACKSAW BLADES

HIGH CARBON STEEL BLADES

These all-purpose blades are an economical alternative when cutting mild steel, copper, brass, aluminium and other similar materials. The blades feature an all carbon construction with a hardened cutting edge and flexible back.



50 Blade Tube Pack			
Cat. No.	Item Number	Dimensions Length x Width x Thickness	TPI (25mm)
GF1218	AV805		18
GF1224	AV807	300mm x 13mm x 0.65mm 12" x 1/2" x .025"	24
GF1232	AV809		32

HACKSAW FRAMES


K140

CLOSED GRIP

Light duty hacksaw frame accepting 300mm (12") blades. The blades can be tensioned by a single wing nut in the front of frame.

FEATURES

- 300mm (12") Starrett Bi-Metal Unique, high speed steel Safe-Flex hacksaw blade included.



Cat. No.	Item Number	Description
K140	BS535	Non-Adjustable Light Duty Hacksaw Frame, Closed Grip



K145

CLOSED GRIP - HIGH TENSION

Heavy-Duty Hacksaw Frame with Closed Grip. A professional quality, high-tension hack saw frame that is easy to use with an efficient adjustment lever.

FEATURES

- 300mm (12") Starrett Bi-Metal Unique, high speed steel Safe-Flex hacksaw blade included.
- The handle is covered by rubber overmould for comfortable grip.
- Six turns of the tensioning handle will tension the blade to the recommended point.



Cat. No.	Item Number	Description
K145	BS550	High-Tension Heavy-Duty Hacksaw Frame, Closed Grip

146

HOBBY SAW



Cat. No.	Item Number
# 146	BS555

= MTO - Made to order, may be subject to longer lead times.

Ideal for lightweight cutting, particularly suitable for cutting in restricted places, unreachable by conventional hacksaw frames. The Hobby Saw accepts 250mm or 300mm (10" or 12") blades.

HACKSAW FRAMES

K147

BI-METAL COMPASS SAW

The ideal tool for cutting plasterboard, featuring a heavy-duty, variable pitch, bi-metal blade to cut most materials and provide an extra-long cutting life.

FEATURES

- 225mm (9") Starrett Bi-Metal Unique Blade included.
- Heavy duty plastic handle for ideal comfort and the best cutting leverage provides easy cutting.
- The blade rotates full 360° to easily cut at any angle.



Cat. No.	Item Number	Description
# K147	BS562	Compass Saw, Bi-Metal
BT91014DT-2	BT91014DT-2	Replacement blade for K147 (2 pack)

= MTO - Made to order, may be subject to longer lead times.

K148

PVC SAWS

Used for cutting PVC and ABS materials. Also used for cutting plasterboard, plywood and general-purpose cutting.

FEATURES

- It is shipped with a 300mm (12") or 450mm (18") blade length.
- Featuring cast aluminium handle.



Cat. No.	Item Number	Description
# K148-12	BS572	Handle with 300mm (12") Blade
# K148-18	BS577	Handle with 450mm (18") Blade

= MTO - Made to order, may be subject to longer lead times.

REPLACEMENT BLADE FOR 148

- Used for cutting plasterboard, plywood and general purpose cutting.

Cat. No.	Item Number	Dimensions
# PVC-12	BS575	300mm(12")
# PVC-18	BS582	450mm (18")

= MTO - Made to order, may be subject to longer lead times.

149

TUBULAR HACKSAW FRAME

Knurled, closed, high-impact plastic handle ensures convenience and firmness in handling. It only allows the use of 300mm (12") saws, which can be mounted to cut in any of the four directions, tensioned by a butterfly nut.

FEATURES

- Light arch with closed handle.
- Greater robustness and rigidity.
- High-impact plastic knurled handle.
- Ensures convenience and firmness in handling.



Cat. No.	Item Number	Depth
# 149	BS597	95mm (3.3/4")

= MTO - Made to order, may be subject to longer lead times.



JIGSAWS

Starrett®

bi-metal unique™ saw technology





Starrett Unique™ Technology is distinct from other methods of producing bi-metal saw blades. It joins two strips of high-speed steel wire to backing steel using solid-state diffusion bonding.

ADVANTAGES

- Massive increase in resistance to tooth breakage and fracture. Unique™ Blades feature 170% more weld contact area than standard bi-metal blades as a result of the solid state diffusion bonding process. This ensures exceptionally strong teeth.
- Smoother, faster cuts. Multi Edge Performance and the Split Chip Advantage generate thinner chips which are more quickly and easily removed from the saw cut. In tests, Unique™ blades proved to be an average of 35% faster than directly competing products.
- Longer blade life. The exceptionally strong teeth, Multi Edge Performance and Split Chip Advantage ensure that Unique™ blades last an average of 35% longer than competing blades.
- Lower cost per cut. The increase in resistance to tooth breakage and fracture, smoother, faster cuts and longer blade life all combine to guarantee one simple benefit - lower cost per cut.

Starrett Bi-Metal Unique™ Saw Technology is currently available in our Safe-Flex™ Hand Hacksaw Blades, Unified Shank™ Jigsaw Blades and Intenss Bandsaw Blades.



THE BONDING PROCESS

- Two strips of high speed steel wire are joined to the backing steel in a solid phase.

THE CONTACT AREA

- 1. Traditional bi-metal blades feature one high speed steel wire, electron beam welded to the backing material.
- 2. Unique™ blades feature two wires, joined laterally to the backing steel in a solid phase, providing 170% more weld contact area.

MULTI EDGE PERFORMANCE

- After initial use the soft backing material in the centre of the blade will wear away, forming a groove which acts as a natural chip breaker, and providing the blade with multiple cutting edges - Multi Edge Performance

SPLIT CHIP ADVANTAGE

- The multiple cutting edges produce thinner chips that are more easily removed from the saw cut - The Split Chip Advantage.

Starrett® dualcut™

CLEAN CUT ON BOTH SIDES OF THE MATERIAL



dualcut
Made for
WOOD

DUAL CUT™ JIGSAW BLADES CUT SOFT & HARD WOOD, MDF, FORMICA & ACRYLIC

OUR UNIFIED SHANK® FITS ALL WELL KNOWN JIGSAW MACHINES

OUR BI-METAL UNIQUE® SAW TECHNOLOGY JIGSAW BLADES WILL LAST
25% LONGER ON AVERAGE COMPARED TO EXISTING BI-METAL BLADES



dualcut™

CLEAN CUT ON BOTH SIDES OF THE MATERIAL

DUAL CUT JIGSAW BLADES

UNIFIED SHANK

For the ultimate surface finish on both sides of the material being cut, Starrett Dual Cut™ Jigsaw Blades are the ideal solution. The patented tooth design allows these blades to cut on both the upstroke and downstroke, preventing breakout and minimizing surface chipping. Made with Starrett's Bi-Metal Unique™ Saw Technology, they offer 170% greater resistance to tooth breakage, longer life, and lower cost per cut than other blades.

FEATURES

- Particularly suited to cutting soft and hard wood, MDF, acrylic, Formica, melamine, and other coated materials
- Available in standard or scroll cut format
- Lasts 25% longer than other jigsaw blades
- Fast, precise, burr-free cutting
- Dual cutting action
- 170% greater resistance to tooth breakage
- Unified shank



OUR JIGSAW BLADES LAST 25% LONGER*
STRONGER WITH 170% MORE WELD CONTACT
FASTER, SMOOTHER & MORE PRECISE CUTS**
UNBREAKABLE***

PERFECT FINISH
ON BOTH SIDES!

(A) (B)

* On average when compared to existing bi-metal blades.
** With our Multi Edge Performance & Split Chip Advantage.
*** During normal use.

BI-METAL UNIQUE™ JIGSAW BLADES

UNIFIED SHANK™ - FITS ALL WELL KNOWN JIGSAW MACHINES

Starrett Unified Shank™ Jigsaw Blades incorporate Starrett's exclusive Bi-Metal Unique™ process technology. Blades produced using this process resist breakage, cut faster, and last longer than conventional saws. Unified Shank™ Jigsaw Blades are available in twin packs for a limited range, five-blade packs, and various assortment packs.



Competitors Jigsaw Blade Conversions**

Cat. No.	Item Number	Blade / Application Type	TPI (25mm)	Cutting Thickness	Blades per Pack	Blade Dimensions* Length x Width x Thickness	Competitors				
							Metabo	Makita	Lenox	Bosch	
WOOD CUTTING	BU2DCS-2	SA385	Dual Cut™ Straight + Curved Cuts Smooth Finish Top & Bottom	9-19	4 - 20mm	2	50mm x 5mm x 1.3mm (2" x 3/16" x .050")	---	BR-13	---	T101AOF
	BU3DC-2	SA384	Dual Cut™ Scroll + Curved Cuts Smooth Finish Top & Bottom	9-19	6 - 30mm	2	75mm x 8mm x 1.5mm (3" x 5/16" x .060")	---	---	---	T101BIF
	BU36T	SA300	Tapered Blade - Clean Cuts	6	30 - 45mm	5	75mm x 7.5mm x 1.3mm (3" x 5/16" x .050")	---	---	456S 456J	---
	BU36	SA305	Fast Straight Cuts	6	30 - 45mm	5		23976	B-16 B-17	406S 486J	T144DF
	BU38	SA315	Fast Straight Cuts	8	30 - 45mm	5		23639	B-25	---	T127D
	BU310T	SA320	Tapered Blade - Clean Cuts	10	6 - 30mm	5		23975	B-19	450S	T101BF
	BU310DT	SA325	Tapered Downstroke Cuts	10	6 - 30mm	5	23686	---	450SR	T101BRF	
	BU46	SA310	Fast Straight Cuts	6	45 - 60mm	5	100mm x 9.5mm x 1.3mm (4" x 3/8" x .050")	---	---	686S 686J	T301DL
	BU56	SA380	Straight Fast & Thick Cuts	6	60 - 100mm	5	125mm x 9.5mm x 1.3mm (5" x 3/8" x .050")	23980	---	686J	T344DF
	MULTI-PURPOSE	BU214	SA335	Wood, Metal & Plastic	14	3 - 30mm	5	50mm x 7.5mm x 1mm (2" x 5/16" x .040")	23973	B-23	314S
BU218		SA345	Thin Metal	18	3 - 30mm	5	50mm x 9.5mm x 1mm (2" x 3/8" x .040")	23972	---	318S	T118AF
BU214S		SA340	Scroll Cuts	14	3 - 30mm	5	50mm x 4.5mm x 1mm (2" x 3/16" x .040")	23970	B-26	416SC 416JC	T118BOF
BU41014		SA330	Straight Cuts	10-14	4.8 - 60mm	5	100mm x 9.5mm x 1mm (4" x 3/8" x .040")	23979	---	---	T123X T318B
BU418		SA350	Straight Cuts - Wood & Metal	18	3.2 - 60mm	5		---	---	518S 518J	T318BF
CTT46-2		CTT46-2	Straight Cuts - Fibreglass & Abrasive Materials	6	80mm	2	130mm x 8mm x 1.26	---	---	---	---
METAL CUTTING		BU224	SA355	Thin Metal	24	1.6 - 3.2mm	5	50mm x 7.5mm x 1mm (2" x 5/16" x .040")	23971	B-22 B-27	324S
	BU232	SA370	Thin Curved Cuts	32	0.9 - 1.6mm	5	50mm x 4.5mm x 1mm (2" x 3/16" x .040")	23636	B-24	332S	T118G U118G
	BU224S	SA360	Scroll Cuts	24	1.6 - 3.2mm	5		23695	---	320SC 320JC	T101AOF
	BU424	SA365	Straight Cuts	24	1.6 - 3.2mm	5	100mm x 9.5mm x 1mm (4" x 3/8" x .040")	23978	---	424S 424J	T318AF
	CTU218-2	SA4016	Carbide Blade - Stainless Steel Cutting	18	2 - 5mm	2	50mm x 7.5mm x 1mm	23663	---	---	T118EHM
CTU224-2	SA4018	Carbide Blade - Stainless Steel Cutting	24	1.5 - 3mm	2	50mm x 7.5mm x 1mm (2" x 5/16" x .040")	23662	---	---	T118AHM	
MULTI-PURPOSE CARBIDE GRIT	BU230X-2	SA374	Carbide Grit Blade - Abrasive Materials	Coarse CG	-	2	50mm x 7.5mm x 1mm (2" x 5/16" x .040")	---	---	---	---
	BU230X	SA375	Carbide Grit Blade - Abrasive Materials	Coarse CG	-	5		---	---	---	---

* Length dimension references tooth bearing section of jigsaws. The total length, including blade shank, is approximately 25mm (1") longer.
 ** Not directly comparable blades.

2 packs, 20 packs & 100 packs are also available on request for most jigsaw blades in the range - but only whilst stocks last - please ask for details.

ASSORTMENT PACKS WITH UNIFIED SHANK™

Cat. No.	Item Number	Blades per Pack	Description
BU1	SA390	5	Wood Cutting Assortment Pack: Includes one each: BU36, BU46, BU38, BU310T and BU214S
BU2	SA392	5	Multi-Purpose Assortment Pack: Includes one each: BU46, BU310T, BU214, BU224S and BU232
BU3	SA394	5	Metal Cutting Assortment Pack: Includes one each: BU41014, BU214, BU224, BU224S and BU232
BU4	SA395	19	Multi-Purpose Assortment Pack. Includes one each: BU36T, BU36, BU46, BU56, BU38, BU310T, BU310DT, BU2DCS, BU3DC, BU41014, BU214, BU214S, BU218, BU418, BU230X, BU224, BU224S, BU424, BU232



	WOOD CUTTING BLADES								MULTI USE BLADES					METAL CUTTING BLADES									
Exclusive Unified Shank Jigsaw Blades	BU203C	BU20C	BU36	BU36T	BU38	BU46	BU56	BU310T	BU3100T	BU4014	BU214	BU214S	BU218	BU418	BU20X	6T / Multi / CT	BU224	BU224S	BU424	BU222	CTU218	CTU224	
Cutting length	57	75	75	75	75	100	125	75	75	100	50	50	50	100	50	130	50	50	100	50	55	55	
Thickness	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.0	1.0	1.0	1.0	1.0	1.0	1.3	1.0	1.0	1.0	1.0	1.0	1.0	
Cutting Direction	↕	↕	↑	↑	↑	↑	↑	↑	↓	↑	↑	↑	↑	↑	↕	↑	↑	↑	↑	↑	↑	↑	
0.9-1.6mm																					☑	☑	☑
1.6-3.2mm										☑							☑	☑	☑				
3.2-4.8mm										☑			☑	☑									
4.8-6.4mm										☑	☑	☑											
Soft	★★	★★		★★	★	★		★★	★★	★	★	★	★	★		★★							
Hard	★★	★★	★	★★	★	★		★★		★	★	★				★★							
Wood		★	★★		★			★★	★★	★	★	★	★	★									
Veneer			★	★★	★			★★	★	★													
						★	★			★													
							★																
PVC								★★		★			★	★									
3-12mm																							
12-25mm								★★		★													
Contour cutting	☑											☑							☑				
Curved cutting		☑	☑	☑	☑			☑	☑		☑	☑	☑		☑		☑				☑		
Straight cutting		☑	☑	☑	☑	☑	☑	☑		☑					☑	☑	☑			☑		☑	☑
Fast Cutting			☑	☑	☑	☑	☑	☑							☑	☑							
Clean Cutting				☑				☑	☑														
Acrylic	☑	☑		☑				☑			☑	☑					☑						
Ceramic															☑								
Fibreglass															☑	☑							
Formica	☑	☑		☑				☑	☑														
Plaster							☑										☑						
MDF	☑	☑						☑	☑				☑		☑		☑			☑			
Suspended Floors													☑								☑		
Tubes and profiles										☑			☑								☑		

Cutting Performance	
Excellent	★★ Satisfactory ★

Note: Use of a coolant is recommended for all metal cutting

NEW

CARBIDE TIPPED JIGSAW BLADES

Designed for quick and precise cuts on tough and abrasive materials, this blade ensures an extended lifespan compared to standard options. Plus, enjoy smooth and efficient cutting that not only reduces trigger time but also minimises operator exposure to harmful vibrations.

FEATURES & BENEFITS:

- Unified shank to fit a variety of machines
- 130mm x 8mm x 1.26 x 6 TPI (4mm spacing)
- 100mm tooth bearing length
- Equivalent to T341HM
- Up to 80mm cutting ability
- Precision ground solid carbide tips
- Straight cuts with an upward stroke

IDEAL FOR CUTTING:

- Plaster Board
- Cement Board
- Fibre Glass (including marine grades)
- Carbon Fibre
- Graphite
- MDF
- Hard Woods
- Composite Decking Materials
- GRP Biax
- Aluminium

Item Number	TPI	Blades in Pack
CTT46-2	6	2
# CTT46-250	6	250

- Made to order, may be subject to longer lead times.



100% Plastic Free No Plastic - Environmentally Friendly Packaging!



RECIPROCATING SAW BLADES

NEW

EX POWER
BI-METAL



INCREASED PRODUCTIVITY

FIND OUT MORE



NEW TIP DESIGN

NEW TOOTH DESIGN

BEST PERFORMANCE

HIGH DURABILITY

CUTS 3x MORE THAN BEFORE

FEATURES

- Bi-metal steel blade.
- Highly resistant to breakage.
- More accurate cuts.
- Cuts in hard-to-reach places.
- One blade model for each different application - Wood, Metal, Multi Purpose and King Cut™.

SCROLL 

STRAIGHT 

TAPERED 





BI-METAL


RECIPROCATING SAW BLADES

FOR METAL


Starrett's 3X POWER Bi-Metal blade triples life and cutting speed over previous models, offering unmatched market value. Its straight and scroll designs excels in tough, tip-driven cuts, perfect for cordless saws cutting metal sheets and sections.

FEATURES

- Designed for metal cutting
- Straight and scroll blade formats
- Ideal for cordless saw machines
- Unbreakable; providing safety and reliability
- Optimised tooth pitch for a reduction in vibration, offering cleaner cuts and less fatigue
- Reinforced Shank



**SCAN TO
WATCH VIDEOS**



AVAILABLE IN



Available In Various Tooth Pitches
- For a variety of applications

Reinforced Shank
- To Avoid Breakage



	Length x Width x Thickness		TPI (25mm)	Catalogue Number	Item Number	Pack Size
	mm	inch				
METAL	102 x 19 x 0.89	4 x 3/4 x 0.035	14	B414-5	SA15932	5
	102 x 19 x 0.89	4 x 3/4 x 0.035	18	B418-5	SA15942	5
			24	B424-5	SA15952	5
	102 x 8 x 0.89	4 x 5/16 x 0.035	24	SB424-5	SA27185	5
	152 x 19 x 0.89	6 x 3/4 x 0.035	14	B614-5	SA186	5
			18	B618-5	SA191	5
	203 x 19 x 0.89	8 x 3/4 x 0.035	24	B624-5	SA196	5
			18	B818-5	SA2677	5



3X POWER

BI-METAL


RECIPROCATING SAW BLADES

MULTI-PURPOSE

Starrett's 3X POWER Bi-Metal blade triples life and cutting speed over previous models, offering unmatched market value. It has straight and tapered blade designs which excel in cutting a range of multi-materials including metal, wood, plastic, and any wood & metal combo including nail embedded wood.

FEATURES

- Designed for multi-purpose cutting
- Straight and scroll blade formats
- Ideal for cordless saw machines
- Unbreakable; providing safety and reliability
- Optimised tooth pitch for a reduction in vibration, offering cleaner cuts and less fatigue
- Reinforced Shank



▶ SCAN TO WATCH VIDEOS



AVAILABLE IN

STRAIGHT

TAPERED

Available In Various Tooth Pitches
- For a variety of applications

Reinforced & Unified Shank
- To Avoid Breakage



	Length x Width x Thickness		TPI (25mm)	Catalogue Number	Item Number	Pack Size
	mm	inch				
MULTI	152 x 19 x 1.27	6 x 3/4 x 0.050	6-10	BT6610-5	SA2266	5
	152 x 19 x 0.89	6 x 3/4 x 0.035	10	B610-5	SA181	5
	228 x 19 x 1.27	9 x 3/4 x 0.050	10	BT910-5	SA2246	5
	305 x 19 x 1.27	12 x 3/4 x 0.050	6-10	BT12610-5	SA2276	5
			10-14	BT121014-5	SA2296	5
	152 x 19 x 0.89	6 x 3/4 x 0.035	6	VB66-5 *	SA161	5
			30 Coarse	XR6-1 **	SA278	1
				XR6-20 **	# SA27805	20

* "V" tooth saw blade - ideal for plasterboard cutting - image below.
 ** Carbide Grit saw blade - used on ceramic tiles, fibreglass and cement board - image below.
 # - Made to order, may be subject to longer lead times.




RECIPROCATING SAW BLADES

FOR WOOD

Starrett's 3X POWER Bi-Metal blade triples life and cutting speed over previous models, offering unmatched market value. It has straight and tapered blade designs which excel in cutting a range of wood applications including building materials, logs, and railway sleepers.

FEATURES

- Designed for wood cutting
- Straight and scroll blade formats
- Ideal for cordless saw machines
- Unbreakable; providing safety and reliability
- Optimised tooth pitch for a reduction in vibration, offering cleaner cuts and less fatigue
- Reinforced Shank



SCAN TO WATCH VIDEOS




AVAILABLE IN

- STRAIGHT 
- TAPERED 

Available In Various Tooth Pitches
- For a variety of applications

Reinforced & Unified Shank
- To Avoid Breakage



	Length x Width x Thickness		TPI (25mm)	Catalogue Number	Item Number	Pack Size
	mm	inch				
WOOD	152 x 19 x 0.89	6 x 3/4 x 0.035	6	B66-5	SA2626	5
	152 x 19 x 1.27	6 x 3/4 x 0.050	3	BT63-5	SA216	5
			6	BT66-5	SA220	5
	228 x 19 x 1.27	9 x 3/4 x 0.050	6	BT96-5	SA2241	5
	305 x 19 x 1.27	12 x 3/4 x 0.050	3	BT123-5	SA212	5
			6	BT126-5	SA265	5



EXPOWER

BI-METAL

RECIPROCATING SAW BLADES

KING CUT

Designed for fire, rescue, and demolition, its straight and tapered blades excel in tough tasks. Ideal for cordless saw machines, these blades are unbreakable, ensuring safety and reliability. With a thicker, wider body and reinforced shank, they're built for heavy-duty work, including emergency extrication.

FEATURES

- Designed for fire, rescue and demolition
- Straight and tapered blade formats
- Ideal for cordless saw machines
- Unbreakable; providing safety and reliability
- Thicker & wider body designed for heavy-duty demolition and emergency extrication
- Reinforced Shank



SCAN TO WATCH VIDEOS




Thicker & wider body designed for heavy-duty demolition and emergency extrication

Available In Various Tooth Pitches - For a variety of applications

Available in: Straight and Tapered Blade Format

Reinforced & Unified Shank - To Avoid Breakage

AVAILABLE IN



	Length x Width x Thickness		TPI (25mm)	Catalogue Number	Item Number	Pack Size
	mm	inch				
	152 x 19 x 0.89	6 x 3/4 x 0.035	18	BR618-5	# SA271966	5
			10-14	BR61014-5	SA271962	5
			10-14	BTR61014-5	SA2719821	5
	152 x 27 x 1.60	6 x 1 x 0.063	6-10	BTR6610-5	SA2719826	5
			18	BR818-5	# SA2719801	5
	203 x 19 x 0.90	8 x 3/4 x 0.035	10-14	BR81014-5	SA271971	5
			10-14	BTR81014-5	SA2719831	5
	203 x 19 x 1.27	8 x 3/4 x 0.050	6-10	BTR8610-5	SA22685	5
			10-14	BR91014-5	# SA2719806	5
	228 x 19 x 1.30	9 x 3/4 x 0.050	10-14	BTR91014-5	SA2719836	5
			6-10	BTR9610-5	SA2719841	5
	203 x 27 x 1.60	8 x 1 x 0.063	10-14	BR121014-5	SA2719813	5
			10-14	BTR121014-5	SA2719846	5
	305 x 19 x 1.27	12 x 3/4 x 0.050	6-10	BTR12610-5	SA2719851	5

- Made to order, may be subject to longer lead times.

EXPOWER

BI-METAL

RECIPROCATING SAW BLADES

**SUPER
HEAVYDUTY**



RECIPROCATING SAW BLADES

CARBIDE TIPPED

Starrett's carbide tipped blades triples life and cutting speed over previous models, offering unmatched market value. This blade is ideal for car dismantling, demolition, and fire and rescue operations. It provides a longer lifespan than standard blades, reduces trigger time, and minimizes exposure to harmful vibrations.





Exclusive to the CR128

FEATURES


- Ideal for car dismantling, demolition, and fire & rescue operations
- Provides a longer tool lifespan over standard blades
- Reduces trigger time
- Minimizes exposure to harmful vibrations

100% Plastic Free No Plastic - Environmentally Friendly Packaging!



**SCAN TO
WATCH VIDEOS**

CARBIDE TIPPED	Length x Width x Thickness	TPI	Catalogue	Item Number	Pack
	mm	(25mm)	Number		Size
	152 x 24 x 1.27	8	CR68	SA271966	1
	228 x 24 x 1.27	8	CR98	SA271962	1
	300 x 24 x 1.27	8	CR128	SA2719821	1



NEED LARGER PACKS? Email us at sales@starrett.co.uk

EXPOWER


BI-METAL

RECIPROCATING PALLET DISMANTLING

The pallet dismantling and repair blade range cuts all pallet and nail embedded pallet wood types effectively. Blades are unpainted with engraved identification, available in straight format with rounded tips to prevent snagging on nails or damaged pallets.

FEATURES

- Suitable for cutting all types of wood
- Blades come unpainted with identifying information engraved on them
- Available in a straight blade format
- Includes a rounded tip to prevent snagging while cutting through nails and damaged pallets



Length x Width x Thickness		TPI (25mm)	Catalogue Number	Item Number	Pack Size
mm	inch				
203 x 19 x 0.89	8 x 3/4 x 0.035	10	B810P-20	SA1967	20
			B810P-250	SA1970	250
228 x 19 x 0.89	9 x 3/4 x 0.035	10	# B910P-20	SA1973	20
			# B910P-250	SA1975	250

= MTO - Made to order, may be subject to longer lead times.


RECIPROCATING PNEUMATIC

Starrett offers a line of Bi-Metal Unique® saw blades designed for pneumatic reciprocating saws. This line includes three blades with varying TPIs (Teeth Per Inch) suitable for metal cutting applications.



SPECIFICATIONS

- **Application:** Metal cutting
- **Application Material Thickness:** 1.6-11mm (1/16-7/16")
- **Dimensions:** 92 x 13 x .65mm (3.5/8" x 1/2" x .025")
- **TPI:** 32
- **Pack:** Plastic tube
- **Blades in Pack:** 5
- **Shank:** Unified



	Length x Width x Thickness		TPI (25mm)	Catalogue Number	Item Number	Pack Size
	mm	inch				
METAL	92 x 13 x .65	3.5/8 x 1/2 x .025	32	BS226-5	SA2910	5
			24	BS227-5	SA2920	5
			24	BS227-20	SA2923	20
			18	BS228-5	SA2930	5
MULTI			14-18	BS229-5	SA2940	5
			14-18	BS229-20	SA2942	20

BI-METAL & CARBIDE GRIT RECIPROCATING SAW BLADE ASSORTMENT PACKS



KRB12-A



SB6-A




KRB12-A ASSORTMENT PACK (SA2905)				
	Blade Length	Blades Included	Application	TPI (25mm)
12 BLADE SET	150mm / 6"	BT66	WOOD	6
		XR6	MULTI	30 Coarse
		VB66	MULTI	6
	228mm / 9"	BT910	MULTI	10
	102mm / 4"	B424	METAL	24
		B614	METAL	14
	150mm / 6"	B624	METAL	24
	228mm / 9"	BTR6610	DEMOLITION	6-10
		BTR91014	KING CUT	10-14
		BTR9610	KING CUT	6-10
		BTR121014	KING CUT	10-14
	300mm / 12"	BTR12610	KING CUT	6-10

SB6-A ASSORTMENT PACK (SA290)				
	Blade Length	Blades Included	Application	TPI (25mm)
5 BLADE SET	150mm / 6"	B66	WOOD	6
		B610	MULTI	10
		B614	METAL	14
		B618	METAL	18
		B624	METAL	24



MASONRY RECIPROCATING SAW BLADES

SUPERIOR PERFORMANCE
FOR CUTTING HEAVY-DUTY
MASONRY APPLICATIONS



Ideal for civil
construction



Available in four
sizes: 9", 12", 18", 20"



Unified shank



MASONRY RECIPROCATING SAW BLADES

Developed with high-strength carbide teeth, these blades cut through heavy materials with precision. They handle bricks, tiles, concrete blocks, and stones with ease.

Available in four sizes: 9", 12", 18", and 20", the blades suit a range of construction projects. They provide stability for controlled cuts, and offer fast and precise results. Plus, clean finishing, long-lasting durability, and safer operation. Designed for demanding tasks, they deliver reliable performance.



Ideal for civil construction



Available in four sizes: 9", 12", 18", 20"




Unified shank

FEATURES & BENEFITS

- Ground carbide teeth for deep, precise cuts
- Durable blade with high wear resistance
- High performance in tough conditions, including outdoor sites and confined spaces
- Ideal for building, renovation, and demolition work
- Blade slots improve cooling and reduce vibration
- 100% plastic free packaging

APPLICATIONS

- Cuts brick, concrete blocks, stone and natural materials
- Ideal for renovation and demolition projects
- Suitable for cutting duct, and electrical, plumbing and ventilation systems
- Ideal for heavy-duty tasks requiring high performance



Cat No.	Blade Length		TPI
	mm	inch	
CRM916-1	225 x 25 x 2.5	9" x 1" x 100"	2
CRM1220-1	305 x 50.5 x 2.5	12" x 2" x 100"	2
CRM1832-1	455 x 50.5 x 2.5	18" x 2" x 100"	2
CRM2036-1	505 x 50.5 x 2.5	20" x 2" x 100"	2



HAND TOOLS

TAPE MEASURES



Starrett®

This value priced tape measure with high visibility ABS plastic is easy to locate and difficult to damage. Incorporates industry standard standout and positive blade lock. Includes a steel belt clip.

Cat. No.	Item Number	Blade L & W	Graduation*
KTS34-5M-N	DV8003	5m x 19mm	Metric

***Blade Graduation Style:**
Metric: Graduated in Millimetres
Metric / Imperial: Graduated Millimetres and 1/16"



Starrett®
EXACT®

These tape measures, featuring a high carbon steel blade and durable ABS plastic casing, have a rubber overlay for better grip and shock absorption. Ergonomically designed for comfort and class II rated, they include industry-standard standout and enhanced blade protection.

Cat. No.	Item Number	Blade L & W	Graduation*
KTX12-12ME-N	DV8021	3.5m (12') x 13mm (1/2")	Metric / Imperial
KTX12-3.5M-N	DV8019	3.5m x 13mm	Metric
KTX34-16ME-N	DV8024	5m (16') x 19mm (3/4")	Metric / Imperial
KTX1-26ME-N	DV8028	8m (26') x 25mm (1")	Metric / Imperial
KTX1-8M-N	DV8026	8m x 25mm	Metric



Starrett®
EXACT® PLUS

The high carbon steel blade of the Starrett Exact Plus measuring tape, coated in yellow nylon, is up to six times more resistant to abrasion and corrosion. Its PC-ABS plastic and rubber case enhances impact resistance and grip, significantly extending product life.

Cat. No.	Item Number	Blade L & W	Graduation*
KTXPI06-16ME-N	DV8041	5m (16') x 27mm (1.06")	Metric / Imperial
KTXPI06-5M-N	DV8040	5m x 27mm	Metric
KTXPI06-26ME-N	DV8044	8m (26') x 27mm (1.06")	Metric / Imperial
# KTXPI06-8M-N	DV8042	8m x 27mm	Metric
# KTXPI06-10M-N	DV8045	10m x 27mm	Metric

= MTO - Made to order, may be subject to longer lead times.

MEASURE STIX

S12 Metric / Imperial



Manufactured from high quality precision steel and with a permanent adhesive backing to provide convenient, at-a-glance measurements. Can be mounted on most surfaces like work benches, saw tables, walls, etc. Easily cut with scissors and available in left-to-right or right-to-left.

Cat. No.	Item Number	Blade Size	Graduation*	Reading
# SM44ME	TA3600	13mm x 1.2m (1/2" x 4')	S12 (Metric/Imperial)	Left-to-right
SM412ME	TA3605	13mm x 4m (1/2" x 12')	S12 (Metric/Imperial)	Left-to-right
SM412WMERL	TA3677	13mm x 4m (1/2" x 12')	S12 (Metric/Imperial)	Right-to-left
SM66ME	TA3610	19mm x 2m (3/4" x 6')	S12 (Metric/Imperial)	Left-to-right

= MTO - Made to order, may be subject to longer lead times.

LONG TAPES

530 SERIES - STEEL BLADE (CLOSED REEL)



The closed reel steel long tape features a rugged rewind mechanism. Nylon rollers at case opening to reduce blade wear through sustained field use. Blades are produced with high visibility, easy-to-read graduations.

FEATURES

- Vinyl clad steel case.
- Easy-to-read graduations.
- Nylon rollers to reduce blade
- Folding hook ring.

Cat. No.	Item Number	Blade Size	Graduation*
# 530-15CM	DA49500	9mm x 15m	Metric
# 530-20CM	DA49530	9mm x 20m	Metric
# 530-30CM	DA49506	9mm x 30m	Metric

***Blade Graduation Style: Metric:** Graduated in Millimetres

= MTO - Made to order, may be subject to longer lead times.

PROSITE PROTRACTOR

505A-12 and 505A-7

ALUMINIUM MITRE

The popular ProSite 505 Protractor family consists of two 300mm (12") combination protractors, a 300mm (12") mitre protractor and two 175mm (7") mitre protractors. The combination protractors take the guesswork out of these functions: mitre cuts, single cuts, compound mitre cuts, included conversion table, protractor and roof pitches. The mitre protractors are ideal for carpenters, plumbers and all building trades that require the measuring and transferring of angles.

FEATURES

- ProSite Protractors take error-prone calculations out of the process of mitre cuts.
- This easy-to-use tool has two laser engraved scales.
- Mitre cut scale transfers readings directly to the mitre saw for mitre joints.
- Single cut scale transfers readings directly to the mitre saw.
- Made from durable 6.5mm (1/4") aluminium with Teflon® "O" ring for smooth and precise operation.
- Protractor saves time and reduces waste.

505A-12

505A-7



Cat. No.	Item Number	Description
505A-12	DA661	300mm (12") Mitre Protractor
505A-7	DA6609	175mm (7") Mitre Protractor




PROSITE PROTRACTOR

505P-7

PLASTIC MITRE

The 175mm (7") Plastic Mitre Protractor simplifies mitre cuts by eliminating error-prone calculations. Perfect for carpenters, plumbers, and other building trades, this tool excels in measuring and transferring angles. It's also invaluable for home use. This durable plastic mitre protractor delivers the same functionality as the 505A-7 aluminium protractor.



- An easy-to-use tool featuring two laser-engraved scales
- The mitre cut scale directly transfers readings to the mitre saw for precise mitre joints
- The single cut scale seamlessly transfers readings for accurate butt joints
- Saves time and minimizes waste
- Constructed from durable, 7-inch hardened plastic
- Size: 13.7 x 24 x 2.2cm

Cat. No.	Item Number	Description
505P-7	DA6612	175mm (7") Plastic Mitre Protractor



UTILITY KNIVES



STARRETT

LARGE SIZE SLIDE LOCKING

Large ABS plastic utility knife with a slide locking system.

FEATURES

- This utility knife works with 18mm (.710") blade (KS06R).
- Blade with 8 break-away segments.

Cat. No.	Item Number	Blade Width	Description
# KUS045-N	DV8400	18mm (.710")	Large Plastic Slide Locking

= MTO - Made to order, may be subject to longer lead times.

STARRETT EXACT



Cat. No.	Item Number	Blade Width	Description
# KUX035-N	DV8414	9mm (3/8")	Small Plastic Automatic Locking

= MTO - Made to order, may be subject to longer lead times.

Cat. No.	Item Number	Blade Width	Description
KUX040-N	DV8415	9mm (3/8")	Small Plastic Screw Locking

Cat. No.	Item Number	Blade Width	Description
KUX025-N	DV8412	18mm (.710")	Large Plastic - Automatic Locking

AUTOMATIC LOCKING METAL BLADE GUIDE

Small plastic utility knife with automatic locking, metal blade guide.

FEATURES

- This utility knife works with 9mm (3/8") blade (KS05R).
- ABS plastic body and rubber plastic overmoulded.
- Blade with 13 break-away segments.

SCREW LOCKING METAL BLADE GUIDE

Small plastic utility knife with screw locking, metal blade guide.

FEATURES

- This utility knife works with 9mm (3/8") blade (KS05R).
- ABS plastic body and rubber plastic overmoulded.
- Blade with 13 break-away segments.

AUTOMATIC LOCKING METAL BLADE GUIDE

Large plastic utility knife with automatic locking metal blade guide.

FEATURES

- This utility knife works with 18mm (.710") blade (KS06R).
- ABS plastic body and rubber plastic overmoulded.
- Blade with 8 break-away segments.



S011 HIDDEN EDGE® - SAFETY KNIFE. RETRACTABLE BLADE

The blade stays safely tucked away when not in use. Release the safety lock and squeeze the lever to use. Blade changes are fast and tool-free, with a quick-release mechanism and spare storage in the body.

FEATURES

- This utility knife is supplied with 3 trapezoidal blades (KS01R).
- It also works with hook blades (KSH01R).
- Easy to use safety lock and lever allows the blade to be exposed instantly.
- Thumb wheel accurately adjusts cutting depth.
- Fast, tool-free blade changes.

ALUMINIUM DIE-CAST BODY FOLDING KNIFE

Utility knife features a die-cast folding knife using trapezoidal or hook blade.

FEATURES

- This utility knife works with trapezoidal (KS01R) or hook blades (KSH01R).
- Supplied with 1 blade and a dispenser with 3 spare trapezoidal blades.

ALUMINIUM RETRACTABLE KNIFE

The Exact® Plus KUXP005-S features a heavy-duty aluminum body, non-slip rubber surface, five cut levels, and an integrated three-blade dispenser. It allows for safe cutting of strings, wires, and thin cords without blade exposure. Suitable for general applications.



Cat. No.	Item Number	Blade Type	Description
S011	DA63545	Standard Trapezoidal (or Hook)	Hidden Edge Utility Knife
968	DA63865	-	Leather Belt Holster for S011



Cat. No.	Item Number	Blade Type	Description
KUXP010-N	DV8431	Standard Trapezoidal (or Hook)	Aluminium Die-Cast Body Folding

Cat. No.	Item Number	Blade Type	Description
# KUXP005-N	DV8430	Standard Trapezoidal (or Hook)	3 trapezoidal blades (KS01R) inside the knife dispenser and 1 already fitted. Hook blades (KSH01R) can be used. The dispenser has capacity for 4 blades.



- Made to order, may be subject to longer lead times.

NEW

KUX001

SAFETY KNIFE

LIGHTWEIGHT DESIGN WITH AUTO RETRACT



FEATURES & BENEFITS

- Ergonomically designed for user comfort with excellent thumb and finger grip
- Lightweight construction reducing the strain on the hand when in use
- Smooth top and side slide for extending the blade
- Simple tool free case opening, and blade change
- Solid hinge design
- Auto retracting mechanism
- Built in safety features
- Can be used with 'straight' and 'hook' blades KS01R, KSB-100D, KSH01R
- Exclusive design with distinctive body
- 100% sustainable packaging made from new materials
- Full instructions included

Item Number	Catalogue Number	Product Size	Order Qty in Multiples of..
KUX001	KUX001	154x42x19	6

Replacement blades available on p61.

UTILITY KNIVES

REPLACEMENT BLADES

Ensure safe and easy blade handling with our dispensers.



	Cat. No.	Item Number	Blade Type	Dispenser Description	Fits
	KS01R	DA6221	Standard Trapezoidal	10 high carbon steel trapezoidal blades	S011
#	KSB-100D	DA63557	Standard Trapezoidal	100 high carbon steel trapezoidal blades	KUXP010-N KUXP005-N KUX001
#	KSH01R	DA6224	Hook	10 high carbon steel hook blades	
#	KS05R	DA63533	Break-away 3/8" (9mm)	10 high carbon steel break-away blades.	KUX035-N KUX040-N KUXP020-N
	KS06R	DA63534	Break-away .710" (18mm)	10 high carbon steel break-away blades.	KUS045-N KUX025-N

= MTO - Made to order, may be subject to longer lead times.





ANGLE METER

MAGNETIC ANGLE METER,
0 TO 90°

Large, readable scale for accurate readings from 0 to 90° in any quadrant. The integral magnetic base frees hands when used on ferrous surfaces.

Cat. No.	Item Number	Description
AM-2	DS0002	Magnetic Angle Meter, 0 to 90°

FEATURES

- Measures any angle for pitch or slope.
- Handy rise, run, angle and pitch information on back of the tool.

BE-1 BULL'S-EYE

CIRCULAR LEVEL

Circular bull's-eye levels offer a full 360° large sight for easy viewing. Each level features sturdy plastic construction, ideal for home, workshop, and industry use.

Cat. No.	Item Number	Description
BE-1	DS0006	44mm / 1-3/4" Circular Level



CHALK LINES

Our chalk line features high impact-resistant ABS plastic cases capable of holding 120g (4 oz) of chalk and 30m (100') of line with a press-to-release feature. Manufactured with fast line rewind, each line is secured with a stainless steel hook.

Starrett®

FEATURES

- 3.5X faster line rewind.

Cat. No.	Item Number	Size	Feet	Metres
KCS001-N	DV8300	120g (4 oz)	100'	30m



Starrett® EXACT®

FEATURES

- Rubber plastic soft touch overmoulding.
- 50% stronger line than standard chalk lines.
- 6X faster line rewind.
- Easy feed window.

Cat. No.	Item Number	Size	Feet	Metres
KCX001-N	DV8301	120g (4 oz)	100'	30m

TEMPORARY CHALK

The new bottle design is formulated and coloured for distinctiveness and to lay down hard clean lines. It provides easier handling, and a no-spill cap.

Cat. No.	Item Number	Size	Colour
# SC4BLU	DA6605	1800g (4 lbs)	Blue
# SC8B	DA6601	230g (8 oz)	Blue
SC8R	DA6600		Red
# SC8W	DA6602		White

= MTO - Made to order, may be subject to longer lead times.





RULES

STRAIGHT EDGE ALUMINIUM RULE

AMSE SERIES

Straight-edge aluminium rules are parallel, and made of anodized aluminium with smooth, square, and straight edges. They feature centimetre and millimetre graduation readings on both edges.

FEATURES

- Ideal for schools and shops, wood-workers, tinsmiths, metal workers, and bench applications.
- They lie flat, resist bending and feature large, easy to read graduations and numbers that are heavier than conventional machine graduated scales.
- Rules are 50mm (2") wide with centimetre and millimetre graduations reading on either edge.
- Accurate and flexible.



Cat. No.	Item Number	Length	Thickness
# AMSE-500	DS0581	500mm	2mm
# AMSE-1000	DS0582	1000mm	
# AMSE-1500	DS0583	1500mm	3mm
# AMSE-2000	DS0584	2000mm	

= MTO - Made to order, may be subject to longer lead times.

ALUMINIUM METRESTICK

MS-2

Aluminium Metrestick is parallel, accurate and flexible.

FEATURES

- This rule lies flat and features large, easy to read numbers.
- Anodized aluminium.




Cat. No.	Item Number	Length	Thickness	Description	Graduation
MS-2	DS0597	1m (39.37")	1.9mm (.075")	Ruled 2 Sides	Metric and Imperial



SQUARES

53


CARPENTERS' TRY SQUARE



Cat. No.	Item Number	Dimension
K53M-200-S	DS0620	200mm (8")
K53M-250-S	DS06212	250mm (10")
K53M-300-S	DS06214	300mm (12")
K53M-350-S	DS0622	350mm (14")

FEATURES

- Stainless steel blade.
- Graduations etched on both sides of the blade.
- 50mm (2") cast aluminium handle.



15

UNIVERSAL BEVEL

200mm (8") stainless steel blade and plastic handle with one spirit level vial.



FEATURES

- Blade lock for transferring angles.
- Handle is ABS plastic for a comfortable grip.

Cat. No.	Item Number	Dimension
K15-N	DS0627	200mm (8")



LASER DISTANCE METERS

STARRETT®

SERIES

KLMS-30 DS24905

OUR MOST COMPACT MODEL, THE KLMS-30 LASER DISTANCE METER, FITS IN YOUR POCKET AND IS EASY TO STORE.



IP54
PROTECTION

CLASS 2

TOTAL RANGE:
30 METRES

*PROTECTION IP54:
DUST AND SPLASH PROOF.

FEATURES

- MEASURING RANGE OF 30 METRES
- LASER TYPE 650 NM, CLASS 2, <1MW
- MULTIFUNCTION (AREA AND VOLUME CALCULATION)
- INDIRECT MEASURING (PYTHAGORAS FUNCTION)
- ADDITION AND SUBTRACTION
- MAXIMUM AND MINIMUM
- FRONT AND BACK MEASURING REFERENCES
- ABILITY TO MEASURE IN METRES, INCHES AND FEET

BENEFITS

- ACCURACY: $\pm 2.0\text{MM}$
- EASY TO READ DISPLAY WITH LED LIGHT
- PROTECTION IP54*
- AUTOMATIC POWER OFF
- MEASUREMENT RESPONSE TIME OF 0.5 SECONDS

ACCESSORIES:

- 2 AAA BATTERIES

EXACT®

SERIES

Starrett®
EXACT®

KLMX-50 DS24910

THE STARRETT EXACT LASER DISTANCE METER IS A HIGH-QUALITY, LIGHTWEIGHT, ERGONOMIC DEVICE THAT PROVIDES LENGTH, AREA, AND VOLUME MEASUREMENTS WITH A SINGLE BUTTON.



IP54
PROTECTION

15

CLASS 2

OVER 20 METRES OF
EXTRA RANGE
TOTAL OF
70 METRES

*PROTECTION IP54:
DUST AND SPLASH PROOF.

FEATURES

- MEASURING RANGE OF 50 METRES
- LASER TYPE 650 NM, CLASS 2, <1MW
- MULTIFUNCTION (AREA AND VOLUME CALCULATION)
- INDIRECT MEASUREMENT (PYTHAGORAS FUNCTION)
- ADDITION AND SUBTRACTION
- MAXIMUM AND MINIMUM
- STAKE OUT FUNCTION
- 3-15 SECONDS TIMER
- MEASURING REFERENCE - FRONT, CENTRE (FOR TRIPOD) & BACK
- ABILITY TO MEASURE IN METRES, INCHES AND FEET

BENEFITS

- HIGH ACCURACY: $\pm 1.5\text{MM}$
- STORES UP TO 10 MEASUREMENT RESULTS
- BUZZER
- EASY TO READ DISPLAY WITH LED LIGHT
- TRIPOD MOUNTABLE
- PROTECTION IP54*
- AUTOMATIC POWER OFF
- MEASUREMENT RESPONSE TIME OF 0.5 SECONDS

ACCESSORIES:

- 1 CARRYING POUCH
- 2 AA BATTERIES

LASER DISTANCE METERS EXACT® PLUS SERIES

KLMXP-100 DS24915

THE STARRETT EXACT PLUS LASER DISTANCE METER IS THE MOST ADVANCED IN THE STARRETT RANGE. THIS UNIT INCLUDES BLUETOOTH® TO CONNECT TO ANDROID AND IOS DEVICES AND A DOWNLOADABLE APP THAT ALLOWS USERS TO CONTROL THE METER VIA A SMARTPHONE OR OTHER COMPATIBLE DEVICE.



*PROTECTION IP54: DUST AND SPLASH PROOF.

FEATURES

- MEASURING RANGE OF 100 METRES
- LASER TYPE 650 NM, CLASS 2, <1MW
- MULTIFUNCTION (AREA AND VOLUME CALCULATION)
- 3 TYPES OF INDIRECT MEASURING (PYTHAGORAS FUNCTION)
- ADDITION AND SUBTRACTION
- MAXIMUM AND MINIMUM
- STAKE OUT FUNCTION
- ANGLE MEASURING
- 3-15 SECONDS TIMER
- MEASURING REFERENCE - FRONT, BACK AND EXTENSION
- ABILITY TO MEASURE IN METRES, INCHES AND FEET

ACCESSORIES:

- 1 CARRYING POUCH
- 2 AA BATTERIES

Starrett®
EXACT® PLUS



IP54
PROTECTION

15

CLASS 2

Bluetooth®



EXTENSION TO START MEASURING FROM CORNERS.

BENEFITS

- BLUETOOTH® WITH ANDROID AND IOS APPS**
- HIGH ACCURACY: $\pm 1.5\text{MM}$
- STORES UP TO 20 MEASUREMENT RESULTS
- BUZZER
- EASY TO READ DISPLAY WITH LED LIGHT
- PROTECTION IP54*
- AUTOMATIC POWER OFF
- MEASUREMENT RESPONSE TIME OF 0.5 SECONDS

**THE APP ALLOWS USERS TO TAKE PICTURES AND CONTROL THE DEVICE THROUGH A SMARTPHONE, MAKING IT EASIER TO MEASURE AND RECORD DATA.



SMALL TOOL BAG

CARRY STRAP

MAIN COMPARTMENT WITH ZIP CLOSURE

COMPACT

VELCRO POCKET AND EXTERNAL COMPARTMENTS

REMOVABLE SHOULDER STRAP



DESCRIPTION	COMPARTMENTS AND POCKETS	DIMENSIONS (MM) L X W X H	WEIGHT (KG)	BARCODE	CATALOGUE NO.	ITEM NUMBER
SMALL TOOL BAG	12 EXTERNAL POCKETS 6 INTERNAL POCKETS	300 x 170 x 220	0.833	0049 659 08429 8	BGS	DT4060

LARGE INTERNAL SPACE AND EASY ACCESS

MAIN COMPARTMENT WITH ZIP CLOSURE

LARGE POCKETS AND EXTERNAL COMPARTMENTS

REMOVABLE SHOULDER STRAP



MEDIUM TOOL BAG

WATERPROOF REINFORCED BASE



DESCRIPTION	COMPARTMENTS AND POCKETS	DIMENSIONS (MM) L X W X H	WEIGHT (KG)	BARCODE	CATALOGUE NO.	ITEM NUMBER
MEDIUM TOOL BAG	7 EXTERNAL POCKETS 6 INTERNAL POCKETS	400 x 220 x 320	1.056	0049 659 08510 5	BGM	DT4062

LARGE TOOL BAG

QUICK AND EASY ACCESS TO TOOLS

VARIOUS POCKETS, EXTERNAL AND INTERNAL COMPARTMENTS

REINFORCED INTERNAL BASE WITH ABS PLASTIC SUPPORTS

REMOVABLE SHOULDER STRAP



REINFORCED RUBBER HANDLE



DESCRIPTION	COMPARTMENTS AND POCKETS	DIMENSIONS (MM) L X W X H	WEIGHT (KG)	BARCODE	CATALOGUE NO.	ITEM NUMBER
LARGE TOOL BAG	21 EXTERNAL POCKETS, 5 INTERNAL 8 ELASTICATED COMPARTMENTS	410 x 240 x 270	1.612	0049 659 08567 9	BGL	DT4064

BANDSAW BLADES FOR PORTABLE MACHINES

NEW



Item N.	Part Number	Description	QTY (Per bag/box)	Suitable for (table below)
UNZ13C1411403	UNZ13X14/5-1,1405PJ	1140MMX13X0.5X14 UNZ PK3	3	1
UNZ13C101411403	UNZ13X10-14/P-1,1405PJ	1140MMX13X0.5X10-14 UNZ PK3	3	1
UNZ13C1811403	UNZ13X18/5-1,1405PJ	1140MMX13X0.5X18 UNZ PK3	3	1
UNZ13C141811403	UNZ13X14-18/P-1,1405PJ	1140MMX13X0.5X14-18 UNZ PK3	3	1
UNZ13A148353	UNZ13X14/5-3-0,8355PJ	835MMX13X0.35X14 UNZ PK3	3	2
UNZ13A10148353	UNZ13X10-14/P-3-0,8355PJ	835MMX13X0.35X10-14 UNZ PK3	3	2
UNZ13A188353	UNZ13X18/5-3-0,8355PJ	835MMX13X0.35X18 UNZ PK3	3	2
UNZ13A14188353	UNZ13X14-18/P-3-0,8355PJ	835MMX13X0.35X14-18 UNZ PK3	3	2
UNZ13A147333	UNZ13X14/5-3-0,7335PJ	733MMX13X0.35X14 UNZ PK3	3	3
UNZ13A10147333	UNZ13X10-14/P-3-0,7335PJ	733MMX13X0.35X10-14 UNZ PK3	3	3
UNZ13A187333	UNZ13X18/5-3-0,7335PJ	733MMX13X0.35X18 UNZ PK3	3	3
UNZ13A14187333	UNZ13X14-18/P-3-0,7335PJ	733MMX13X0.35X14-18 UNZ PK3	3	3
UNZ13A10149003	UNZ13X10-14/P-3-0,9005PJ	900MMX13X0.35X10-14 UNZ PK3	3	4
UNZ13A149003	UNZ13X14/5-3-0,9005PJ	900MMX13X0.35X14 UNZ PK3	3	4
UNZ13A14189003	UNZ13X14-18/P-3-0,9005PJ	900MMX13X0.35X14-18 UNZ PK3	3	4
UNZ13A189003	UNZ13X18/5-3-0,9005PJ	900MMX13X0.35X18 UNZ PK3	3	4
IPD13F10141335S	IPD13X10-14/P-1,3355PJ	1335MMX13X0.65X10-14 ITPD 42	1	5
IPD13F181335S	IPD13X18/5-1,3355PJ	1335MMX13X0.65X18 ITPD 42	1	5
IPD13F141335S	IPD13X14/5-1,3355PJ	1335MMX13X0.65X14 ITPD 42	1	5
IPD13F8121335S	IPD13X8-12/P-1,3355PJ	1335MMX13X0.65X8-12 ITPD 42	1	5
IPD13F6101335S	IPD13X6-10/P-1,3355PJ	1335MMX13X0.65X6-10 ITPD 42	1	5
IPD13F181440S	IPD13X18/5-1,4405PJ	1440MMX13X0.65X18 ITPD 42	1	6
IPD13F141440S	IPD13X14/5-1,4405PJ	1440MMX13X0.65X14 ITPD 42	1	6
IPD13F8121440S	IPD13X8-12/P-1,4405PJ	1440MMX13X0.65X8-12 ITPD 42	1	6
IPD13F6101440S	IPD13X6-10/P-1,4405PJ	1440MMX13X0.65X6-10 ITPD 42	1	6
IPD13F10141440S	IPD13X10-14/P-1,4405PJ	1440MMX13X0.65X10-14 ITPD 42	1	6
IPD1310141735S	IPD13X10-14/P-9-1,7355PJ	1735MMX13X0.9X10-14 ITPD 42	1	7
IPD1318121735S	IPD13X8-12/P-9-1,7355PJ	1735MMX13X0.9X8-12 ITPD 42	1	7
IPD1316101735S	IPD13X6-10/P-9-1,7355PJ	1735MMX13X0.9X6-10 ITPD 42	1	7

Suitable for	Machine Type
1	Makita DPB180 / Makita 2107FK / Makita XBP02Z / Milwaukee a filo e M18 Deep Cut CBS125 / M18 Fuel 2729-22 / DeWalt DC3371N / DeWalt DWM120 / Aldi Workzone / Aldi Ferrex / Scheppach 240V / Bosch GCB 120 / Bosch GCB10-S
2	Metabo MBS 18LTX 2,5 / Metabol8V 613022850 / Makita DP13181Z / Dewalt DCS371N-XJ / Makita XPB01
3	Starrett S1005 / Bosch GCB / Hilti SB4-A22
4	Milwaukee HD18BS / Hikoki CB18DBL / Milwaukee M18 Fuel 2829 / Milwaukee M18 2629-20
5	Femi: 780XL, 782XL, ABS105XL, NG105XL, DCSNG110
6	STARRETT: S1106NG / FEMI: 784XL, ABSNG120XL, NG120XL FLEXICUT 1104E / NEBES: TM105MI, TM105MIP, TM176MI, TM125MI, TM176MI
7	FEMI: 785XL, ABSNG160, NG160XL / NEBES: TM177L


FEATURES & BENEFITS

- High-Quality HSS Edge
- Integrated Multi-Edge and Split Chip Technologies for improved performance
- Patented technology allows for quicker and cleaner cuts
- Advanced design prolongs the life of the blade, reducing replacement frequency
- Suitable for a wide range of cutting applications

APPLICATIONS

- Electrical Conduit, Armor Cable, and PVC
- Strut, Structural, and Threaded Rod
- Pipes, Tubes, and Tubing
- Stainless Steel, Cast Iron and Non-Ferrous Metals
- Machinable and Solid Metals

**WATCH
IN ACTION**





SCAN TO
VIEW ALL
CATALOGUES

Starrett®



The L.S. Starrett Company Ltd. Oxnam Road, Jedburgh, TD8 6LR
Tel.: +44 (0)1835 863501 | sales@starrett.co.uk

Saws & Hand Tools Catalogue 71E Revised October 2025
The L.S. Starrett Company Ltd. 2024© Specifications subject to change

Starrett Distributor |

Follow us!     

www.starrett.co.uk

