


RETRACTABLE REELS (SPRING-RETURN REELS),  
SPECIALIST CABLE REELS, EV CHARGER EXTENSIONS,  
BALANCERS, MULTI-SOCKET OUTLETS & MORE



# SUPPLYING INDUSTRIAL CABLE REEL SOLUTIONS TO THE TRADE



## Cablecaddy Ltd

cable reel solutions


A DIVISION OF CEENORM UK LTD

marcaddy

[www.cablecaddy.co.uk](http://www.cablecaddy.co.uk)

A DIVISION OF

**CEE** **NORM**  
U.K. Ltd



# INDUSTRIAL CABLE REELS

**INDUSTRIAL cable reel** solutions from Cablecaddy/Marcaddy – **retractable cable reels** which allow a better, safer working environment by **eliminating trip hazards** such as extension leads and trailing cables across the floor. Sold under our popular **Marcaddy** brand, they are designed for strength, reliability and above all safety. We can offer **retractable cable reels** for both **indoor & outdoor use** with **IP42, IP43** and **IP65 cable reels** available.

## IP42 Cable Reels



9000 Series

Series range = 6m-8m,  
PVC cable, plastic casing  
Rating range = 1.6KW-1.9KW (unwound)



4000 Series

Series range = 6m-18m,  
PVC/rubber cable, plastic casing  
Rating range = 1.4KW-2.7KW (unwound)



7000 Series

Series range = 12m-27m,  
PVC/rubber cable, plastic casing  
Rating range = 1.8KW-3.0KW (unwound)



6000 PRC Series

Series range = 8m-30m,  
PVC/rubber cable, aluminium casing  
Rating range = 1.1KW-3.0KW (unwound)

## IP65 Cable Reels



4000 Series

Series range = 8m-18m,  
PVC/rubber cable, plastic casing  
Rating range = 1.4KW-2.5KW (unwound)



6000 PRC Series

Series range = 10m-26m,  
PVC/rubber cable, aluminium casing  
Rating range = 1.1KW-3.0KW (unwound)



1400 Series

Series range = 12m-25m,  
PVC/rubber cable, steel casing  
Rating range = 3.5KW-22.0KW (unwound)



1700 Series

Series range = 15m-55m,  
PVC/rubber cable, aluminium/steel casing  
Rating range = 3.5KW-40.0KW (unwound)


## IP43 Cable Reels




6000 PRL Series

Series range = 8m-30m,  
PVC/rubber cable, aluminium casing  
Rating range = 1.1KW-4.0KW (unwound)





# INDUSTRIAL CABLE REELS



**SOME OF OUR MORE POPULAR IP42 CABLE REELS INCLUDE...**

**9000 Series Cable Reel - IP42 with shock resistant plastic external case. PVC cable.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
2	7m + 1m	1.1KW	1.6KW @ 230V	PVC	IP42	9001	<a href="#">VIEW SPECS</a>
2	5m + 1m	1.4KW	1.9KW @ 230V	PVC	IP42	9002	<a href="#">VIEW SPECS</a>
3	6m + 1m	1.1KW	1.6KW @ 230V	PVC	IP42	9003	<a href="#">VIEW SPECS</a>
3	5m + 1m	1.4KW	1.9KW @ 230V	PVC	IP42	9004	<a href="#">VIEW SPECS</a>

**4000 Series Cable Reel - IP42 with shock resistant plastic external case. Rubber or PVC cable.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
3	14m + 1m	1.2KW	1.8KW @ 230V	PVC	IP42	4315	<a href="#">VIEW SPECS</a>
3	9m + 1m	1.2KW	1.8KW @ 230V	Rubber	IP42	4315 RNF	<a href="#">VIEW SPECS</a>
3	9m + 1m	1.9KW	2.5KW @ 230V	PVC	IP42	4325	<a href="#">VIEW SPECS</a>
3	7m + 1m	1.9KW	2.5KW @ 230V	Rubber	IP42	4325 RNF	<a href="#">VIEW SPECS</a>

**7000 Series Cable Reel - IP42 with shock resistant plastic external case. Rubber or PVC cable.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
3	25m + 2m	1.1KW	1.8KW @ 230V	PVC	IP42	7315	<a href="#">VIEW SPECS</a>
3	20m + 2m	1.1KW	1.8KW @ 230V	Rubber	IP42	7315 RNF	<a href="#">VIEW SPECS</a>
3	20m + 2m	2.0KW	3.0KW @ 230V	PVC	IP42	7325	<a href="#">VIEW SPECS</a>
3	17m + 2m	2.0KW	3.0KW @ 230V	Rubber	IP42	7325 RNF	<a href="#">VIEW SPECS</a>


WE OFFER NEARLY 200 DIFFERENT INDUSTRIAL CABLE REEL OPTIONS IN TOTAL...  
TO SEE THE FULL RANGE - AND DOWNLOAD SPECS -  
VISIT OUR WEBSITE [WWW.CABLECADDY.CO.UK](http://WWW.CABLECADDY.CO.UK)



**OUR COMBI-CUBE RANGE OF MULTI-SOCKET OUTLETS...**

VOLTS	SOCKET OUTLETS	PRODUCT CODE	
110V	2 x 16 AMP	613006	<a href="#">VIEW SPECS</a>
110V	4 x 16 AMP	613002	<a href="#">VIEW SPECS</a>
230V	2 x 13 AMP	613004	<a href="#">VIEW SPECS</a>
230V	4 x 13 AMP	613000	<a href="#">VIEW SPECS</a>
230V	2 x 16 AMP	613005	<a href="#">VIEW SPECS</a>
230V	4 x 16 AMP	613001	<a href="#">VIEW SPECS</a>





# INDUSTRIAL CABLE REELS

**SOME OF OUR MORE POPULAR IP65 CABLE REELS INCLUDE...**

**4000 Series Cable Reel - IP65 with shock resistant plastic external case.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
3	14m + 1m	1.2KW	1.8KW @ 230V	PVC	IP65	4315/IP65	<a href="#">VIEW SPECS</a>
3	9m + 1m	1.2KW	1.8KW @ 230V	Rubber	IP65	4315/IP65 RNF	<a href="#">VIEW SPECS</a>
3	7m + 1m	1.9KW	2.5KW @ 230V	Rubber	IP65	4325/IP65 RNF	<a href="#">VIEW SPECS</a>

**6000 PRC Series Cable Reel - IP65 with aluminium external case.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
3	24m + 2m	1.1KW	1.8KW @ 230V	PVC	IP65	6186/PRC/IP65	<a href="#">VIEW SPECS</a>
3	20m + 2m	1.1KW	1.8KW @ 230V	Rubber	IP65	6186/IP65 RNF	<a href="#">VIEW SPECS</a>
3	15m + 2m	2.0KW	3.0KW @ 230V	PVC	IP65	6185/PRC/IP65	<a href="#">VIEW SPECS</a>
3	12m + 2m	2.0KW	3.0KW @ 230V	Rubber	IP65	6184/IP65 RNF	<a href="#">VIEW SPECS</a>
3	12m + 2m	2.0KW	3.0KW @ 230V	Rubber	IP65	6185/IP65 RNF*	<a href="#">VIEW SPECS</a>

\* 6185/IP65 RNF has a reinforced collector

**1400 Series Cable Reel - IP65 with steel external case. Rubber or PVC cable.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
3	20m + 2m	2.0KW	3.5KW @ 230V	PVC	IP65	1428	<a href="#">VIEW SPECS</a>
3	18m + 2m	2.0KW	3.5KW @ 230V	Rubber	IP65	1428 RNF	<a href="#">VIEW SPECS</a>
3	23m + 2m	2.0KW	3.5KW @ 230V	PVC	IP65	1429	<a href="#">VIEW SPECS</a>
3	15m + 2m	3.0KW	5.0KW @ 230V	PVC	IP65	1430	<a href="#">VIEW SPECS</a>
5	18m + 2m	4.0KW	6.0KW @ 400V	PVC	IP65	1440	<a href="#">VIEW SPECS</a>
5	15m + 2m	4.0KW	6.0KW @ 400V	Rubber	IP65	1440 RNF	<a href="#">VIEW SPECS</a>
5	15m + 2m	7.0KW	10.0KW @ 400V	PVC	IP65	1442	<a href="#">VIEW SPECS</a>
5	12m + 2m	7.0KW	10.0KW @ 400V	Rubber	IP65	1442 RNF	<a href="#">VIEW SPECS</a>
5	15m + 2m	7.0KW	10.0KW @ 400V	PVC	IP65	1443	<a href="#">VIEW SPECS</a>
5	12m + 2m	7.0KW	10.0KW @ 400V	Rubber	IP65	1443 RNF	<a href="#">VIEW SPECS</a>
5	8m + 2m	11.0KW	15.0KW @ 400V	Rubber	IP65	1444 RNF	<a href="#">VIEW SPECS</a>

**1700 Series Cable Reel - IP65 with aluminium/steel external case. Rubber or PVC cable.**

CORES	CABLE LENGTH	RATING (WOUND)	RATING (UNWOUND)	CABLE TYPE	IP RATING	PRODUCT CODE	
5	24m + 2m	7.0kVA	10.0kVA @ 400V	PVC	IP65	1753	<a href="#">VIEW SPECS</a>
5	24m + 2m	7.0kVA	10.0kVA @ 400V	Rubber	IP65	1753 RNF	<a href="#">VIEW SPECS</a>
5	15m + 2m	17.0kVA	22.0kVA @ 400V	PVC	IP65	1757	<a href="#">VIEW SPECS</a>
5	15m + 2m	17.0kVA	22.0kVA @ 400V	Rubber	IP65	1757 RNF	<a href="#">VIEW SPECS</a>
5	24m + 2m	17.0kVA	22.0kVA @ 400V	PVC	IP65	1759	<a href="#">VIEW SPECS</a>
5	24m + 2m	17.0kVA	22.0kVA @ 400V	Rubber	IP65	1759 RNF	<a href="#">VIEW SPECS</a>
5	13m + 2m	35.0kVA	40.0kVA @ 400V	PVC	IP65	170516/15	<a href="#">VIEW SPECS</a>
5	13m + 2m	35.0kVA	40.0kVA @ 400V	CF34.UL.160.04.D	IP65	170516/15T	<a href="#">VIEW SPECS</a>


**POPULAR ACCESSORIES**



**1405 - Swivelling bracket**  
(used with 1400 Series)



**1701 - Swivelling bracket**  
(used with 1700 Series)



# CABLECADDY - WE ALSO OFFER

## Multi-socket Combi-Cubes

MARCADDY **Combi-Cubes** are suspendable **multi-socket outlets** offering **drop-down power**. They are used in conjunction with our industrial cable reels and are ideal for use in factories, workshops, production facilities, offices and educational facilities such as schools and universities – anywhere that might benefit from a power source which is permanently available but safely out of the way when not required.



## Specialist cable reel solutions

CABLECADDY also offers a range of specialist cable reels – including **grounding reels**, **data cable reels for signal transmission**, and **grounding reels with explosion proof clips**. Options include IP42 and IP65 reels.



## EV charging cable extension reels



WE offer a range of **EV charging cable extension reels** suitable for type 1 and type 2 charging.  
Single phase 16A-32A.  
Three phase 16A-32A.



## Balancers

CABLECADDY can supply **balancers**, which can significantly reduce the weight of work tools.




Follow us on LinkedIn @Cablecaddy-Ltd-UK



SPRING RETURN REELS, RETRACTABLE REELS,  
SPECIALIST CABLE REELS, EV CHARGER EXTENSIONS,  
BALANCERS, MULTI-SOCKET OUTLETS & MORE

**Cablecaddy Ltd**  
cable reel solutions  
A DIVISION OF CEENORM UK LTD



**Cablecaddy Ltd**

cable reel solutions

For more information on Cablecaddy and our capabilities, including details of some of the other products offered by Cablecaddy, read our online guide...



- SCAN THE CODE OR [CLICK HERE](#)

**CEE NORM**  
U.K. Ltd



01952 212700  
[sales@ceenorm.co.uk](mailto:sales@ceenorm.co.uk)  
[www.ceenorm.co.uk](http://www.ceenorm.co.uk)



0161 3367111  
[sales@transpowerengineering.co.uk](mailto:sales@transpowerengineering.co.uk)  
[www.transpowerengineering.co.uk](http://www.transpowerengineering.co.uk)



01952 212700 (Option 4)  
[info@cablecaddy.co.uk](mailto:info@cablecaddy.co.uk)  
[www.cablecaddy.co.uk](http://www.cablecaddy.co.uk)



**TOGETHER WE HAVE THE POWER TO DO IT RIGHT**



Follow us on LinkedIn @Ceenorm UK Ltd



Follow us on LinkedIn @Transpower Engineering



Follow us on LinkedIn @Cablecaddy Ltd UK



Follow us on Instagram @ceenormuk

