

CEE **NORM**
U.K. Ltd

CN

SUPPLYING
HIGH-CURRENT
PLUGS, SOCKETS
& MORE
TO THE TRADE

WIDE RANGE OF HIGH-CURRENT PLUGS & SOCKETS
160A-600A - FOR HARSH CONDITIONS
MANUFACTURED BY PFIFFNER
(formerly Rauscher & Stoecklin)



PFIFFNER

(formerly Rauscher & Stoecklin)



Hillhead2026

23-25 June | Hillhead Quarry | Buxton | Derbyshire | UK

We'll be
there!

See us
on stand
RB9



Get your free
visitor ticket at
[hillhead.com/
register](http://hillhead.com/register)




PIFFNER (Formerly Rauscher & Stoecklin)

High-current plugs & sockets for use in challenging conditions

WE supply Piffner (formerly Rauscher & Stoecklin) high-current plugs & sockets in IP55 and IP67, made for the toughest of conditions and the most challenging of applications.

The products' robust and corrosion resistant design ensures reliable operation over long periods of time, under the harshest environmental conditions - including temporary immersion in sea water and temperature ranges of -40 degrees celsius up to more than 100 degrees celsius.

Current ratings range from 160A to 600A, and up to 1000V.



PIFFNER

PIFFNER acquired the high-current plugs and sockets business of Rauscher & Stoecklin earlier this year - click [here](#) for the full story.



June 23-25, 2026
Find us on stand RB9

OUR HIGH-CURRENT RANGE

160A-600A PLUGS FROM PFIFFNER (formerly Rauscher & Stoecklin)

PLUGS

HIGH-CURRENT PLUGS - 160 AMP to 600 AMP

	AMPS	VOLTAGE	PINS	TYPE	PART NUMBER
	160A	230V	4 PIN	D-Line	HCU25120
	160A	230V	5 PIN	D-Line	HCU25130
	160A	400V	4 PIN	D-Line	HCU25121
	160A	400V	5 PIN	D-Line	HCU25131
	200A	230V	4 PIN	C-Line	HCU11430
	200V	230V	5 PIN	C-Line	HCU11435
	200A	400V	4 PIN	C-Line	HCU11431
	200A	400V	5 PIN	C-Line	HCU11436
	250A	230V	4 PIN	C-Line	HCU22080
	250A	230V	5 PIN	C-Line	HCU22085
	250A	230V	4 PIN	B-Line	HCU11440
	250A	230V	5 PIN	B-Line	HCU11445
	250A	400V	4 PIN	B-Line	HCU11441
	250A	400V	5 PIN	B-Line	HCU11446
	250A	400V	4 PIN	C-Line	HCU22081
	250A	400V	5 PIN	C-Line	HCU22086
	315A	230V	4 PIN	B-Line	HCU22900
	315A	230V	5 PIN	B-Line	HCU22905
	315A	400V	4 PIN	B-Line	HCU22901
	315A	400V	5 PIN	B-Line	HCU22906
	400A	230V	4 PIN	B-Line	HCU11450
	400A	230V	5 PIN	B-Line	HCU11455
	400A	400V	4 PIN	B-Line	HCU11451
	400A	400V	5 PIN	B-Line	HCU11456
	500A	230V	4 PIN	A-Line	HCU25200
	500A	230V	5 PIN	A-Line	HCU25210
	500A	400V	4 PIN	A-Line	HCU25201
	500A	400V	5 PIN	A-Line	HCU25211
	600A	230V	4 PIN	A-Line	HCU25280
	600A	230V	5 PIN	A-Line	HCU25290
	600A	400V	4 PIN	A-Line	HCU25281
	600A	400V	5 PIN	A-Line	HCU25291

SCREW
TERMINAL

IP67

WE offer four different ranges of **plugs and sockets** - **A-Line, B-Line, C-Line** and **D-Line**. **A & B** are suitable for **high mechanical loads**. **C & D** have robust plastic housing, and are a more **compact** solution. **A, B, C & D** have options for **seawater resistant housing**.

PFIFFNER

A-Line



ALUMINIUM

TERMINATION CAPACITY 120-300

B-Line



ALUMINIUM

TERMINATION CAPACITY 70-240

C-Line



PLASTIC

TERMINATION CAPACITY 35-150

D-Line



PLASTIC

TERMINATION CAPACITY 35-150

500V, 690V and 1000V also available. Many of the plugs are also available as a seawater resistant option. Contact our projects team if you require help choosing the correct product from our high-current range.

OUR HIGH-CURRENT RANGE

160A-600A CONNECTORS FROM PFIFFNER (formerly Rauscher & Stoecklin)

CONNECTORS

HIGH-CURRENT CONNECTORS - 160A to 600A

	AMPS	VOLTAGE	PINS	TYPE	PART NUMBER
	160A	230V	4 PIN	D-Line	HCU25125
	160A	230V	5 PIN	D-Line	HCU25135
	160A	400V	4 PIN	D-Line	HCU25126
	160A	400V	5 PIN	D-Line	HCU25136
	200A	230V	4 PIN	C-Line	HCU11640
	200V	230V	5 PIN	C-Line	HCU11645
	200A	400V	4 PIN	C-Line	HCU11641
	200A	400V	5 PIN	C-Line	HCU11646
	250A	230V	4 PIN	C-Line	HCU22120
	250A	230V	5 PIN	C-Line	HCU22125
	250A	230V	4 PIN	B-Line	HCU11650
	250A	230V	5 PIN	B-Line	HCU11655
	250A	400V	4 PIN	B-Line	HCU11651
	250A	400V	5 PIN	B-Line	HCU11656
	250A	400V	4 PIN	C-Line	HCU22121
	250A	400V	5 PIN	C-Line	HCU22126
	315A	230V	4 PIN	B-Line	HCU22890
	315A	230V	5 PIN	B-Line	HCU22895
	315A	400V	4 PIN	B-Line	HCU22891
	315A	400V	5 PIN	B-Line	HCU22896
	400A	230V	4 PIN	B-Line	HCU11660
	400A	230V	5 PIN	B-Line	HCU11665
	400A	400V	4 PIN	B-Line	HCU11661
	400A	400V	5 PIN	B-Line	HCU11666
	500A	230V	4 PIN	A-Line	HCU25205
	500A	230V	5 PIN	A-Line	HCU25215
	500A	400V	4 PIN	A-Line	HCU25206
	500A	400V	5 PIN	A-Line	HCU25216
	600A	230V	4 PIN	A-Line	HCU25285
	600A	230V	5 PIN	A-Line	HCU25295
	600A	400V	4 PIN	A-Line	HCU25286
	600A	400V	5 PIN	A-Line	HCU25296

SCREW
TERMINAL

IP67

WE offer four different ranges of **plugs and sockets** - **A-Line, B-Line, C-Line** and **D-Line**. **A & B** are suitable for **high mechanical loads**. **C & D** have robust plastic housing, and are a more **compact** solution. **A, B, C & D** have options for **sea water resistant housing**.



PFIFFNER

A-Line



ALUMINIUM

TERMINATION CAPACITY 120-300

B-Line



ALUMINIUM

TERMINATION CAPACITY 70-240

C-Line



PLASTIC

TERMINATION CAPACITY 35-150

D-Line



PLASTIC

TERMINATION CAPACITY 35-150

500V, 690V and 1000V also available. Many of the connectors are also available as a seawater resistant option. Contact our projects team if you require help choosing the correct product from our high-current range.

OUR HIGH-CURRENT RANGE

160A-600A SOCKETS FROM PFIFFNER (formerly Rauscher & Stoecklin)

SOCKETS

HIGH-CURRENT SOCKETS - 160A to 600A



AMPS	VOLTAGE	PINS	TYPE
160A	230V	4 PIN	D-Line
160A	230V	5 PIN	D-Line
160A	400V	4 PIN	D-Line
160A	400V	5 PIN	D-Line
200A	230V	4 PIN	C-Line
200V	230V	5 PIN	C-Line
200A	400V	4 PIN	C-Line
200A	400V	5 PIN	C-Line
250A	230V	4 PIN	C-Line
250A	230V	5 PIN	C-Line
250A	230V	4 PIN	B-Line
250A	230V	5 PIN	B-Line
250A	400V	4 PIN	B-Line
250A	400V	5 PIN	B-Line
250A	400V	4 PIN	C-Line
250A	400V	5 PIN	C-Line
315A	230V	4 PIN	B-Line
315A	230V	5 PIN	B-Line
315A	400V	4 PIN	B-Line
315A	400V	5 PIN	B-Line
400A	230V	4 PIN	B-Line
400A	230V	5 PIN	B-Line
400A	400V	4 PIN	B-Line
400A	400V	5 PIN	B-Line
500A	230V	4 PIN	A-Line
500A	230V	5 PIN	A-Line
500A	400V	4 PIN	A-Line
500A	400V	5 PIN	A-Line
600A	230V	4 PIN	A-Line
600A	230V	5 PIN	A-Line
600A	400V	4 PIN	A-Line
600A	400V	5 PIN	A-Line

SURFACE SOCKETS /WALL-MOUNTED	PANEL SOCKETS (STRAIGHT)	PANEL SOCKETS (ANGLED)
SCREW-TERMINAL		
IP67	IP67	IP67
PART NUMBER	PART NUMBER	PART NUMBER
HCU25145	HCU25165	HCU25185
HCU25155	HCU25175	HCU25195
HCU25146	HCU25166	HCU25186
HCU25156	HCU25176	HCU25196
HCU11670	HCU11760	HCU20608
HCU11675	HCU11765	HCU20613
HCU11671	HCU11761	HCU20609
HCU11676	HCU11766	HCU20614
HCU22150	HCU22130	HCU22140
HCU22155	HCU22135	HCU22145
HCU11680	HCU11770	HCU20618
HCU11685	HCU11775	HCU20623
HCU11681	HCU11771	HCU20619
HCU11686	HCU11776	HCU20624
HCU22151	HCU22131	HCU22141
HCU22156	HCU22136	HCU22146
HCU22860	HCU22870	HCU22880
HCU22865	HCU22875	HCU22885
HCU22861	HCU22871	HCU22881
HCU22866	HCU22876	HCU22886
HCU11690	HCU11780	HCU20628
HCU11695	HCU11785	HCU20633
HCU11691	HCU11781	HCU20629
HCU11696	HCU11786	HCU20634
HCU25225	HCU25245	HCU25265
HCU25325	HCU25255	HCU25275
HCU25226	HCU25246	HCU25266
HCU25326	HCU25256	HCU25276
HCU25305	HCU25325	HCU25345
HCU25315	HCU25355	HCU25355
HCU25306	HCU25326	HCU25346
HCU25316	HCU25336	HCU25356

SURFACE SOCKETS



PANEL SOCKETS (ANGLED)



PANEL SOCKETS (STRAIGHT)



500V, 690V and 1000V also available. Many of the sockets are also available as a seawater resistant option. Contact our projects team if you require help choosing the correct product from our high-current range.



June 23-25, 2026
Find us on stand RB9

OUR HIGH-CURRENT RANGE

160A-600A INLETS FROM PFIFFNER (formerly Rauscher & Stoecklin)

INLETS

HIGH-CURRENT SOCKETS - 160A to 600A

	AMPS	VOLTAGE	PINS	TYPE
	160A	230V	4 PIN	D-Line
	160A	230V	5 PIN	D-Line
	160A	400V	4 PIN	D-Line
	160A	400V	5 PIN	D-Line
	200A	230V	4 PIN	C-Line
	200V	230V	5 PIN	C-Line
	200A	400V	4 PIN	C-Line
	200A	400V	5 PIN	C-Line
	250A	230V	4 PIN	C-Line
	250A	230V	5 PIN	C-Line
	250A	230V	4 PIN	B-Line
	250A	230V	5 PIN	B-Line
	250A	400V	4 PIN	B-Line
	250A	400V	5 PIN	B-Line
	250A	400V	4 PIN	C-Line
	250A	400V	5 PIN	C-Line
	315A	230V	4 PIN	B-Line
	315A	230V	5 PIN	B-Line
	315A	400V	4 PIN	B-Line
	315A	400V	5 PIN	B-Line
	400A	230V	4 PIN	B-Line
	400A	230V	5 PIN	B-Line
	400A	400V	4 PIN	B-Line
	400A	400V	5 PIN	B-Line
	500A	230V	4 PIN	A-Line
	500A	230V	5 PIN	A-Line
	500A	400V	4 PIN	A-Line
	500A	400V	5 PIN	A-Line
	600A	230V	4 PIN	A-Line
	600A	230V	5 PIN	A-Line
	600A	400V	4 PIN	A-Line
	600A	400V	5 PIN	A-Line

SURFACE INLETS /WALL-MOUNTED	PANEL INLETS (STRAIGHT)	PANEL INLETS (ANGLED)
SCREW-TERMINAL		
IP67	IP67	IP67
PART NUMBER	PART NUMBER	PART NUMBER
HCU25140	HCU25160	HCU25180
HCU25150	HCU25170	HCU25190
HCU25141	HCU25161	HCU25181
HCU25151	HCU25171	HCU25191
HCU11700	HCU11730	HCU20578
HCU11705	HCU11735	HCU20583
HCU11701	HCU11731	HCU22579
HCU11706	HCU11736	HCU22584
HCU22110	HCU22090	HCU22100
HCU22115	HCU22095	HCU22105
HCU11710	HCU11740	HCU20588
HCU11715	HCU11745	HCU20593
HCU11711	HCU11741	HCU20589
HCU11716	HCU11746	HCU20594
HCU22111	HCU22091	HCU22101
HCU22116	HCU22096	HCU22106
HCU22910	HCU22920	HCU22930
HCU22915	HCU22925	HCU22935
HCU22911	HCU22921	HCU22931
HCU22916	HCU22926	HCU22936
HCU11720	HCU11750	HCU20598
HCU11725	HCU11755	HCU20603
HCU11721	HCU11751	HCU20599
HCU11726	HCU11756	HCU20604
HCU25220	HCU25240	HCU25260
HCU25230	HCU25250	HCU25270
HCU25221	HCU25241	HCU25261
HCU25231	HCU25251	HCU25271
HCU25300	HCU25320	HCU25340
HCU25310	HCU25330	HCU25350
HCU25301	HCU25321	HCU25341
HCU25311	HCU25331	HCU25351

SURFACE INLETS



PANEL INLETS (ANGLED)



PANEL INLETS (STRAIGHT)



500V, 690V and 1000V also available. Many of the inlets are also available as a seawater resistant option. Contact our projects team if you require help choosing the correct product from our high-current range.



June 23-25, 2026
Find us on stand RB9

OUR HIGH-CURRENT RANGE

160A-600A CONNECTOR UNITS FROM PFIFFNER (formerly Rauscher & Stoecklin)

INLETS

HIGH-CURRENT CONNECTOR UNITS - 160A to 600A

	AMPS	VOLTAGE	PINS	TYPE
	160A	230V	4 PIN	D-Line
	160A	230V	5 PIN	D-Line
	160A	400V	4 PIN	D-Line
	160A	400V	5 PIN	D-Line
	200A	230V	4 PIN	C-Line
	200V	230V	5 PIN	C-Line
	200A	400V	4 PIN	C-Line
	200A	400V	5 PIN	C-Line
	250A	230V	4 PIN	C-Line
	250A	230V	5 PIN	C-Line
	250A	230V	4 PIN	B-Line
	250A	230V	5 PIN	B-Line
	250A	400V	4 PIN	B-Line
	250A	400V	5 PIN	B-Line
	250A	400V	4 PIN	C-Line
	250A	400V	5 PIN	C-Line
	315A	230V	4 PIN	B-Line
	315A	230V	5 PIN	B-Line
	315A	400V	4 PIN	B-Line
	315A	400V	5 PIN	B-Line
	400A	230V	4 PIN	B-Line
	400A	230V	5 PIN	B-Line
	400A	400V	4 PIN	B-Line
	400A	400V	5 PIN	B-Line
	500A	230V	4 PIN	A-Line
	500A	230V	5 PIN	A-Line
	500A	400V	4 PIN	A-Line
	500A	400V	5 PIN	A-Line
	600A	230V	4 PIN	A-Line
	600A	230V	5 PIN	A-Line
	600A	400V	4 PIN	A-Line
	600A	400V	5 PIN	A-Line

CUMI	CUBC	CUCB
SCREW-TERMINAL		
IP55	IP55	IP55
PART NUMBER	PART NUMBER	PART NUMBER
HCU25360	HCU25390	HCU25420
HCU25375	HCU25405	HCU25435
HCU25361	HCU25391	HCU25421
HCU25376	HCU25406	HCU25436
HCU11790	HCU11820	HCU17360
HCU11795	HCU11825	HCU17365
HCU11791	HCU11821	HCU17361
HCU17796	HCU11826	HCU17366
HCU22160	HCU22170	HCU22180
HCU22165	HCU22175	HCU22185
HCU11800	HCU11830	HCU17370
HCU11805	HCU11835	HCU17375
HCU11801	HCU11831	HCU17371
HCU11806	HCU11836	HCU17376
HCU22161	HCU22171	HCU22181
HCU22166	HCU22176	HCU22186
HCU22960	HCU22970	HCU22890
HCU22965	HCU22975	HCU22894
HCU22961	HCU22971	HCU22891
HCU22966	HCU22976	HCU22895
HCU11810	HCU11840	HCU17380
HCU11815	HCU11845	HCU17385
HCU11811	HCU11841	HCU17381
HCU11816	HCU11846	HCU17386
HCU25365	HCU25395	HCU25425
HCU25380	HCU25410	HCU25440
HCU25366	HCU25396	HCU25426
HCU25381	HCU25411	HCU25441
HCU25370	HCU25400	HCU25430
HCU25385	HCU25415	HCU25445
HCU25371	HCU25401	HCU25431
HCU25386	HCU25416	HCU25446

CUMI

MECHANICALLY INTERLOCKED



CUBC

BLOCK CONTACTOR



CUCB

CIRCUIT BREAKER



500V, 690V and 1000V also available. Many of the units are also available as a seawater resistant option. Contact our projects team if you require help choosing the correct product from our high-current range.

Customised solutions are available on request - please contact the projects team for further advice.

The Ceenorm offer...



INDUSTRIAL PLUGS CONNECTORS

SOCKET OUTLETS (SURFACE MOUNTED)

SOCKET OUTLETS (PANEL MOUNTED)

APPLIANCE INLETS (SURFACE MOUNTED)

APPLIANCE INLETS (PANEL MOUNTED)

SWITCHED INTERLOCKED SOCKETS

LOW VOLTAGE REEFER PLUGS & SOCKETS

PHASE INVERTERS SHIP-TO-SHORE MILITARY

SPECIAL PURPOSE PRODUCTS SCHUKO PLUGS

COMBINATION UNITS CARAVAN ACCESSORIES

FILM/TV/EVENTS ENCLOSURES/WINDOWS

WE ALSO OFFER

HIGH-CURRENT PLUGS & SOCKETS TOOLS

LOW-VOLTAGE TRANSFORMERS* CABLE-REELS**

*From Transpower Engineering
**From Cablecaddy

CUSTOM-BUILD DISTRIBUTION EQUIPMENT

CEE **NORM**
U.K. Ltd



01952 212700
sales@ceenorm.co.uk
www.ceenorm.co.uk



0161 3367111
sales@transpowerengineering.co.uk
www.transpowerengineering.co.uk



01952 212700 (Option 4)
info@cablecaddy.co.uk
www.cablecaddy.co.uk



Follow us on LinkedIn @Ceenorm UK Ltd



Follow us on Instagram @ceenormuk

