Showlite Space Only Floorcovering Form International Imaging Congress 7- 8 October 2024, Olympia London



t 01264 365550 e Exhibitorsales@showlite.co.uk www.showlite.co.uk

Invoice Details		Stand Details		
Purchase Order No:				
Invoice Company Name:				
Invoice Contact name:		Exhibiting Company Name:		
Invoice Address:		Stand Number:		
		Stand Size:	Х	
Post Code:		Open Sides:		
Tel No:				
VAT Number:				
Email Address for invoice:				

Please supply and install the following items on hire

		After		
Space Only Flooring Options		06/09/2024	QUANTITY	TOTAL COST
Cord carpet to space only stands with polythene covering per sqm	£13.20	£15.48	sqm	
Premium Floorcovering (Vinyl, woodplank vinyl, velour carpet etc)		£26.40	sqm	
Carpet / Premium flooring colour :				

SUB TOTAL VAT 20% TOTAL

Please see carpet & vinyl swatches on pages 2 & 3. Email: Exhibitorsales@showlite.co.uk for Velour swatches.

All orders are subject to availability and stock is not reserved until full payment has been received. To pay by Credit/Debit Card please call +44 (0)1264 365550 once you are in receipt of your invoice.

Cheques made payable to **Showlite Ltd**. BACS details will be available on your invoice.

By completing this order form, you are agreeing to our Terms and Conditions. Please contact us if you require a copy.

Any complaints or faults must be reported in writing before the close of the exhibition.



showlite XPO-RIB CARPET SELECTION



EVENT & EXHIBITION INDUSTRY CARPET RANGE

100% POLYPROPYLENE FIBRES/SBR LATEX BACKING




showlite FLOOR VINYL SELECTION



EVENT & EXHIBITION INDUSTRY VINYL RANGE PU LACQUER | NATURAL FEEL | SLIP RESITANCE

StageFloor Vinyl

- · Natural Feel
- 30m x 4m standard rolls
- Weight: +/- 1500gr/m2
- Fire certification: cfl -s1
- Pu lacquer
- Split widths & cuts available
- Thickness: +/- 2mm
- R11 Slip Resistance



WoodPlank Vinyl

A NATURAL PLANK EFFECT WITH AN **AUTHENTIC LOOKING GRAIN WHICH ADDS STYLE & COMFORT**

- Natural feel
- 30m x 4m standard rolls
- Weight: +/- 1500gr/m2
- Fire certification: cfl s1
- Pu lacquer
- Split widths & cuts available
- Thickness: +/- 2mm
- R10 slip resistance











Bamboo

Cherry

