

**HANSCRAFT**<sup>®</sup>  
european spa producer



# Hot tub catalogue







#### **EUROPEAN SPA PRODUCER**

based in Prague near the airport,  
Czech Republic

#### **EXPERIENCE**

we have 15 years experience in  
importing, selling and servicing  
hot tubs

#### **STRICT TESTING**

we test each hot tub for real  
conditions before dispatching

#### **THE BEST QUALITY HOT TUBS PARTS**

we mainly use components from US  
and European suppliers

#### **THE THICKEST SHELLS IN THE MARKET**

quality double layer acrylic 7 mm  
from the USA with an above-  
standard layer of polyurethane layer  
GreenShield

#### **CERTIFICATIONS**

our hot tubs have passed strict  
performance and quality tests and  
they proudly wear TÜV RHEILAND  
sticker on the packaging

#### **SQR SYSTEM**

we are using an innovative and  
reliable method called SQR system  
to install 98% of parts to the shell

#### **MOST MODERN PRODUCTION IN CENTRAL EUROPE**

in terms of age, equipment and used  
technologies, we are among the  
3 most modern hottub productions  
in Central Europe

#### **OUR UNIQUE OKA DESIGN**

product line OKA design was  
created in cooperation with leading  
Czech designer and architect  
Ing. Arch. MgA. Ondřej Kamenický

#### **ENVIRONMENTALLY FRIENDLY PRODUCTION**

we are proud to be a 97% non-waste  
company

# CONTENTS

## OKANDINAVIA DESIGN

### DIAMOND



Dimensions: 220 × 220 × 93 cm  
Capacity: 1 320 l • Sitting seats: 3  
Lounge seats: 2 • Jets: 85

page 14

## OKA DESIGN

### AMETHYST OKA1



Dimensions: 200 × 100/150 ×  
× 206,2/78 cm • Capacity: 900 l  
Lounge seats: 2 • Jets: 39

page 18

### NEPHRITE OKA2



Dimensions: 216 × 160 × 78 cm  
Capacity: 790 l • Sitting seats: 2  
Lounge seats: 1 • Jets: 48

page 19

### SAPPHIRE OKA3



Dimensions: 210 × 180 × 93 cm  
Capacity: 805 l • Sitting seats: 4  
Lounge seats: 1 • Jets: 56

page 20

### ONYX OKA4



Dimensions: 200 × 200 × 93 cm  
Capacity: 1 000 l • Sitting seats: 3  
Lounge seats: 2 • Jets: 65

page 21

### ALMANDINE OKA5



Dimensions: 220 × 220 × 93 cm  
Capacity: 1 320 l • Sitting seats: 3  
Lounge seats: 2 • Jets: 73

page 22

## HC DESIGN

### HC1



Dimensions: 200 × 200 × 93 cm  
Capacity: 1 000 l • Sitting seats: 4  
Lounge seats: 1 • Jets: 59

page 26

### HC2



Dimensions: 200 × 200 × 93 cm  
Capacity: 1 000 l • Sitting seats: 2  
Lounge seats: 2 • Jets: 50

page 27

### HC3



Dimensions: 200 × 200 × 93 cm  
Capacity: 1 000 l • Sitting seats: 3  
Lounge seats: 2 • Jets: 55

page 28

### HC4



Dimensions: 216 × 160 × 93 cm  
Capacity: 950 l • Sitting seats: 1  
Lounge seats: 2 • Jets: 48

page 29

### HC5



Dimensions: 216 × 160 × 93 cm  
Capacity: 945 l • Sitting seats: 2  
Lounge seats: 1 • Jets: 43

page 30

### HC6



Dimensions: 220 × 220 × 93 cm  
Capacity: 1 480 l • Sitting seats: 7  
Jets: 62

page 31

### HC7



Dimensions: 220 × 220 × 93 cm  
Capacity: 1 350 l • Sitting seats: 3  
Lounge seats: 2 • Jets: 61

page 32

### HC8



Dimensions: ø214 × 93 cm  
Capacity: 980 l • Sitting seats: 6  
Jets: 32

page 33

# Exceptional quality

## Manufacture in Europe



Our hot tubs made in Europe in a next-generation factory using robotic production technology with extreme precision are subject to systematic testing.

To achieve the highest level of warranty, we use the best components in all production stages.

## 100% recyclable materials



The basis for ecological safety of our hot tubs is 100% recyclable Italian material GreenShield, which completely eliminates any risk associated with the use of outdated fibreglassing technology and the chemical substance styrene.

## Professional team

Thanks to our cooperation with Martin Procházka, a physiotherapist of top Czech athletes, our hot tubs are designed so that the massage is always comfortable and maximally effective. Ing. Arch. MgA. Ondřej Kamenický adds a modern and attractive look to the hot tubs.

## TÜV standard



Thanks to our modern production and best quality components, all our products have received the TÜV Rheinland certification. This independent certification provides an international guarantee of quality.

Certified by an independent laboratory approved by TÜV in terms of 20 control criteria, some of which are:

- Resistance to high temperatures, temperature fluctuations and chemicals
- Material resistance, structural stability, resistance to pressure
- Optimized design eliminating the risk of leakage
- Meets electrical safety standards

**Only 5% of hot tubs on the market are TÜV certified!**

## Inspired by the aerospace and automotive industries

Our robotic production line inspired by the automotive and aerospace industries allows us to achieve accuracy down to the millimeter so that every detail is fine-tuned.



## Warranties

Thanks to the use of the highest quality of material in all stages of production, we can offer the best warranties on the market and a perfect delivery time.

The modern design of the hot tubs allows easy accessibility in case of the need for technical interventions.

**WARRANTY** | **10**  
ON THE TUB AND  
STRUCTURE | **YEARS**

**WARRANTY** | **2**  
ON ELECTRONICS | **YEARS**




## Carefully selected materials



The shells of Hanscraft hot tubs are made of the best quality acrylic sheets, an exclusive material that gives them exceptional durability and reliability. The patent for the ABS-PMMA acrylic sheet makes it possible to combine the resistance of acrylate with the strength of ABS, reinforced with 2 layers of high-density Greenshield insulation.

Thanks to these first-class materials and rigorous testing, there is no doubt about the long service life and reliability of each hot tub.



## The best materials for hot tub paneling



The outer panels, which thoroughly protect Hanscraft hot tubs, are designed using patented processes to withstand bad weather, UV radiation, high temperatures, scratches, shocks and solvents. They are easy to maintain and are made of high-quality construction material, which is also used for terraces and facades.



## Centralized control

The latest technologies developed by Balboa are used to control all the functions that the hot tub offers. A true leader in the spa industry, Balboa Water Group has been designing hot tub equipment for over 30 years.

## A wooden structure tested by time

The wooden structure treated with products according to class 4 is highly resistant to water, temperature fluctuations and the harshest climatic conditions. The flexibility of the wood reduces noise caused by vibrations and ensures reliable stability.



# Technology for your services



## Multi-level insulation for significant energy savings

Hanscraft hot tubs are designed to allow you to enjoy hydrotherapy in complete tranquility.

Your spa is the result of innovative technologies aimed primarily at reducing energy consumption.



Like every part of our hot tubs, the insulation is uncompromising. Whether it's the shell, paneling, thermocover or other technical elements, we have created a number of proven technical solutions saving up to several kilowatts per year.



## Optimal insulation

### Tub

Double GreenShield layer insulation is much more effective and durable than expensive foam insulation, and it also allows for better resistance of the tub.




### Paneling

All the panels and the bottom are coated with a 10 mm thermoshield PVC foam, which allows insulation of the hose system and other technical elements of the hot tub.

### Thermocover

The thermocover of Hanscraft hot tubs designed from the highest quality materials allows you to maintain an ideal water temperature.



### ABS base


The thermoformed ABS base provides an impermeable barrier against heat loss and rising moisture coming from the ground.

## 3 independent pumps

In order to achieve less noisy operation and to be able to control the energy consumption of the switched off hot tub, we decided to separate the massage and circulation pump.

Each pump switches on with a specific jet selection. The intensity of the massage therefore remains the same whether you are alone in the hot tub or there are several people.

The circulation pump is set for filtration and heating. This allows all pumps and heater running at the same time. This solution enables both a significant reduction in noise when the hot tub is not in use and lower electricity consumption.





### Massage pump

For premium OKA and HC design hot tubs, we always use 2 single-speed 2.2 kW pumps (with exception in hot tubs OKA1, OKA2 and HC8, which have only 1 single-speed pump) and one 200–400 W filtration pump. The reason for this is to guarantee their longer service life and, last but not least, to ensure an optimal massage with a constant flow in all places.

## Blower

Our hot tubs are equipped with a blower for even more intensive hydrotherapy. The preheated air is driven via air jets. This makes the massage even more comfortable as it reduces the feeling of cold in the case of low outdoor temperatures. The preheated air also prevents the water temperature from dropping during the massage.



### Circulation pump

There are several advantages to installing separate circulation pump:

- Significant reduction in hot tub noise in standby mode
- Less energy consumption than hot tubs that uses a dual speed pump for water circulation
- Allows further extension of the service life of massage pumps

# Comfort for health

## Benefits of hydrotherapy


Hydrotherapy is very beneficial for body and soul. It has relaxing and healing effects. It can thus relieve muscle tension and joint pain, help regenerate the body and blood circulation, eliminate toxins, reduce stress and improve sleep quality. The jets are arranged to target specific areas of the body.

Some models have a tasteful and, most importantly, pleasant waterfall, which creates a relaxed atmosphere.





## Venturi effect

Thanks to the Venturi effect, you can choose between an intense and a gentle massage. The adjustment knob (air volume control) allows you to precisely adjust the air to water ratio of the massage jets.



## Hydromassage jets


The CMP jets in Hanscraft hot tubs provide a great variety of massages. The hot tubs are equipped with 4 types of stainless steel jets of 3 different sizes. All benefit from an adjustable Venturi effect and added air to the hydromassage jets. The jets are perfectly arranged to target specific areas of the body.




■ Unidirectional movable jet



■ A simple rotating jet that draws small circles and moves towards a specific part of the body



■ Bi-rotational jet for an intensive massage of a large part of the body




■ Unidirectional rotating jet that sprays a pulsating stream of water for an intensified massage





## Respecting the body from an ergonomic point of view

The size of each seat was thoroughly studied according to European standards. The space for each hot tub seat is created to best copy the contours of your body and to make sitting in it, including the massage, comfortable.



# An experience for all the senses



## Relaxing atmosphere

For those who love peace and relaxation, our hot tubs are equipped with a backlit waterfall. Let yourself be quietly carried away by the sound of running water and forget the concept of time.



## Atmosphere full of colors

The play of lights (with LED lighting) provides the user with all the beneficial effects of chromotherapy. This natural method of projecting colored lights on the skin helps to maintain the proper functioning of the body from a physical and mental point of view. Chromotherapy can have a positive effect on fatigue, depression and anxiety, and it is a suitable adjunct to hydrotherapy.



## Telescopic skimmer for crystal clear water

Don't they say that the best accessories are those we don't even notice? The telescopic skimmer technology allows perfect water care regardless of the number of people in the hot tub. While fixed skimmers become clogged as soon as the water level rises too high and thus no longer collect dirt from the surface, a telescopic skimmer is always ideal for collecting foam from the surface of the water.



Audio Bluetooth



Subwoofer

## Complete audio set

HANSCRAFT OKA design hot tubs even include a quality audio system for a moment of absolute relaxation. The system is controlled with your smart phone or tablet via Bluetooth and is also equipped with a subwoofer to make your experience even more intense. Listen to your favorite music in the best hot tub. The audio system is available in HC design hot tubs for extra charge.






## The importance of safe water



Because your satisfaction also depends on the quality of water in your hot tub, at HANSCRAFT we do our best for its safety. In hot tubs, where the elevated water temperature contributes to the spread of bacteria, effective maintenance is essential. This is why we equip our hot tubs with a dual, completely natural water disinfection system that respects your skin. This also reduces the use of chemicals.



# Quality water for health



## Dual equipment for 100% natural water treatment



### Ozonator

It ensures water purity by converting oxygen to ozone.

- 100% natural method
- Reduces the amount of chemicals needed
- Helps destroy bacteria, viruses and algae
- Oxidizes pollutants, undesirable odors and limestone
- Does not require charging because it uses oxygen from the air



### UV lamp

Disinfects water using type C Ultraviolet Rays (UV).

- Allows clean and clear water
- 100% natural
- Destroys microorganisms, bacteria, algae
- Reduces the amount of chemicals needed



# OKANDINAVIA

— DESIGN —

The real gem among  
the hot tubs



DIAMOND

Nominated for the RED DOT Award and winner of the GRAND PRIX competition



reddot design award



**WARRANTY**  
ON THE TUB AND  
STRUCTURE

**10**  
YEARS



The DIAMOND hot tub from the OKANDINAVIA line elevates the wellness experience to heavenly heights. It is a masterpiece by the court architect and designer of HANSCRAFT, Ing. Arch. MgA. Ondřej Kamenický, and will be appreciated especially by discerning clients. It has roots in timeless Scandinavian luxury and design. The novelty is the so-called "hybrid position," where one lounge can be used not only for lying down but also for sitting.

## STANDARD EQUIPMENT



+ Acrylic tub Aristech® Lucite® ABS/PMMA

+ Touch control panel Balboa® SPA touch 3

+ CMP® stainless steel jets

+ Solid line design

+ Telescopic skimmer

+ High Pressure Laminates panels Fundermax®

+ 3 massage pumps 2.2 cv  
and 1 circulation pump

+ UV lamp and Ozonator



+ Blower with preheated air

+ Bluetooth audio + Subwoofer Aquatic AV®

+ Nordic insulation

+ LED lighting (including cabinet LED light strip)

+ Thermocover



## BEYOND-STANDARD EQUIPMENT



WiFi connection




Microsilks



By Pass connection



Steps



Thermocover lifter

For more information on beyond-standard equipment, see pg. 39

# DIAMOND

220 × 220 × 93 cm

5<sup>3</sup> SEATS  
PLACES 2 LOUNGERS

85  
JETS

3 MASSAGE PUMP  
+  
1 CIRCULATION PUMP


BLOWER

AUDIO  
BLUETOOTH  
+ SUBWOOFER



### Balboa Spa Touch 3

Backlit touch control panel



### LED light strip under the casing

Along with the illuminated logo label, creates a unique lighting atmosphere



### Nordic insulation

The best hot tub deserves the best insulation. Nordic insulation is one of the most energy-efficient insulations on the market

COMFORT	
Control panel	Touch control panel Balboa® SPA Touch 3
Hydromassage jets	77× Stainless steel CMP®
Air jets	8× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Audio system	Bluetooth + subwoofer Aquatic AV®
Water treatment	Ozonator + UV lamp
Equipment	LED lighting: illumination of the hot tub, jets, valves, headrest, logo, and bottom lighting

TECHNICAL DATA	
Pumps (4×)	– 3 mono speed massage pump 2.2 kW – 1 circulation pump 200–400 W
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	High Pressure Laminate panels Fundermax®
Water volume	1 320 l
Hot tub weight	450 kg





Thermocover is included in the standard equipment



Thermocover

Beyond-standard equipment



WiFi connection



Microsilk



By Pass connection



Steps



Thermocover lifter

For more information on beyond-standard equipment, see pg. 39

## A hot tub according to your wishes

### HPL

Choose the paneling color



Concrete Dark Stone Patina Bronze Antique



Afro Grey Creek Ecuador

### WOOD




Rusketus Varnish Thermowood




Choose the thermocover color



C/09 C/11 C/15 C/30



Choose the shell color



Pearl White Winter Solstice



— OKA —  
DESIGN

Elegant lines and design  
exceptional functions



AMETHYST (OKA1)



NEPHRITE (OKA2)



SAPPHIRE (OKA3)



ONYX (OKA4)



ALMANDINE (OKA5)

**WARRANTY**  
ON THE TUB AND  
STRUCTURE

**10**  
**YEARS**



The OKA line from HANSCRAFT is a real gem in terms of the know-how of today's acrylic hot tubs. Every detail is thought out, each material is carefully selected for its technical properties and robustness. Its innovative yet elegant design provides all the benefits of exceptional relaxation in a hot tub.

## BEYOND-STANDARD EQUIPMENT




WiFi connection



Microsilks



By Pass connection



Extra insulation  
40 mm



Steps



Thermocover lifter



Cabinet LED  
light strip

## STANDARD EQUIPMENT



+ Acrylic tub Aristech® Lucite® ABS/PMMA

+ Touch control panel Balboa®SPA touch

+ CMP® stainless steel jets



+ Solid line design

+ Telescopic skimmer

+ High Pressure Laminates panels Fundermax®

+ 2 massage pumps 2.2 cv  
and 1 circulation pump\*

+ UV lamp and Ozonator




+ Blower with preheated air

+ Bluetooth audio + Subwoofer Aquatic AV®

+ Relaxation waterfall

+ LED lighting

+ Thermocover



For more information on beyond-standard equipment, see pg. 39

\*Hot tubs OKA1 and OKA2 have 1 massage and 1 circulation pump

# OKA DESIGN AMETHYST OKA1

200 × 100/150 × 206,2/78 cm


2<sup>0</sup> SEATS  
PLACES 2 LOUNGERS

39  
JETS

1 MASSAGE PUMP  
+  
1 CIRCULATION PUMP

BLOWER

AUDIO  
BLUETOOTH  
+ SUBWOOFER



### Balboa Spa Touch

Backlit touch control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water

COMFORT	
Control panel	Touch control panel Balboa® SPA Touch
Hydromassage jets	29× Stainless steel CMP®
Air jets	10× Stainless steel CMP®
Air control	Venturi effect: air/water flow control
Audio system	Bluetooth + subwoofer Aquatic AV®
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>
TECHNICAL DATA	
Pumps (2×)	<ul style="list-style-type: none"> <li>– 1 mono speed massage pump 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	High Pressure Laminate panels Fundermax®
Water volume	900 l
Hot tub weight	215 kg



# OKA2 NEPHRITE

216 × 160 × 78 cm

OKA DESIGN

## COMFORT

Control panel	Touch control panel Balboa® SPA Touch
Hydromassage jets	36× Stainless steel CMP®
Air jets	12× Stainless steel CMP®
Air control	Venturi effect: air/water flow control
Audio system	Bluetooth + subwoofer Aquatic AV®
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (2×)	<ul style="list-style-type: none"> <li>– 1 mono speed massage pump 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	High Pressure Laminate panels Fundermax®
Water volume	790 l
Hot tub weight	220 kg

**AUDIO**  
BLUETOOTH  
+ SUBWOOFER

**BLOWER**

1 MASSAGE PUMP  
+  
1 CIRCULATION PUMP

**48**  
JETS

**3** PLACES  
2 SEATS  
1 LOUNGER



**Balboa Spa Touch**

Backlit touch control panel



**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water



# SAPPHIRE OKA3

210 × 180 × 93 cm

**5** PLACES  
**4** SEATS  
**1** LOUNGER

**56** JETS

**2** MASSAGE PUMPS  
 +  
**1** CIRCULATION PUMP

**BLOWER**

**AUDIO**  
 BLUETOOTH  
 + SUBWOOFER



### Balboa Spa Touch

Backlit touch control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Jets for the cervical spine

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

COMFORT	
Control panel	Touch control panel Balboa® SPA Touch
Hydromassage jets	48× Stainless steel CMP®
Air jets	8× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Audio system	Bluetooth + subwoofer Aquatic AV®
Water treatment	Ozonator + UV lamp
Equipment	– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting– Waterfall – Anatomical headrest
TECHNICAL DATA	
Pumps (3×)	– 2 mono speed massage pumps 2.2 kW – 1 circulation pump 200–400 W
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	High Pressure Laminate panels Fundermax®
Water volume	805 l
Hot tub weight	230 kg



# OKA4 ONYX

200 × 200 × 93 cm

OKA DESIGN

## COMFORT

Control panel	Touch control panel Balboa® SPA Touch
Hydromassage jets	55× Stainless steel CMP®
Air jets	10× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Audio system	Bluetooth + subwoofer Aquatic AV®
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	High Pressure Laminate panels Fundermax®
Water volume	1 000 l
Hot tub weight	275 kg


**AUDIO**  
BLUETOOTH  
+ SUBWOOFER

**BLOWER**

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

65  
JETS

5 PLACES  
3 SEATS  
2 LOUNGER



### Balboa Spa Touch

Backlit touch control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Jets for the cervical spine

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine



# OKA DESIGN ALMANDINE OKA5

220 × 220 × 93 cm

**5** PLACES  
**3** SEATS  
**2** LOUNGERS

**73** JETS

**2** MASSAGE PUMPS  
 +  
**1** CIRCULATION PUMP

**BLOWER**

**AUDIO**  
 BLUETOOTH  
 + SUBWOOFER



### Balboa Spa Touch

Backlit touch control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Jets for the cervical spine

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

Control panel	Touch control panel Balboa® SPA Touch
Hydromassage jets	61× Stainless steel CMP®
Air jets	12× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Audio system	Bluetooth + subwoofer Aquatic AV®
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	High Pressure Laminate panels Fundermax®
Water volume	1 320 l
Hot tub weight	315 kg





Model	AMETHYST (OKA1)	NEPHRITE (OKA2)	SAPPHIRE (OKA3)	ONYX (OKA4)	ALMANDINE (OKA5)
Dimensions	200 × 100/150 × 206,2 × 78 cm	216 × 160 × 78 cm	210 × 180 × 93 cm	200 × 200 × 93 cm	220 × 220 × 93 cm
Number of places	2	3	5	5	5
Loungers	2	1	1	2	2
Seats	0	2	4	3	3
Number of jets	39	48	56	65	73
Water volume	900 l	790 l	805 l	1 000 l	1 320 l
Weight	215 kg	220 kg	230 kg	275 kg	315 kg

Thermocover is included in the standard equipment



Thermocover

Beyond-standard equipment



WiFi connection



Microsilk



By Pass connection



Extra insulation 40 mm



Steps



Thermocover lifter



Cabinet LED light strip

For more information on beyond-standard equipment, see pg. 39

## A hot tub according to your wishes

### HPL



Concrete Dark Stone Patina Bronze Antique




Afro Grey Creek Ecuador

### WOOD



Rusketus Varnish Thermowood

Choose the paneling color



Choose the thermocover color




C/09 C/11 C/15 C/30

Choose the shell color



Sterling Silver Winter Solstice Pearl White Tucsan Sun Majestic Sky



Pearl Shadow



— HC —  
DESIGN

Smooth shapes, full equipment  
and customization



HC1



HC2



HC3



HC4



HC5



HC6



HC7



HC8

**WARRANTY**  
ON THE TUB AND  
STRUCTURE

**10**  
**YEARS**



HANSCRAFT HC design line offers the best of acrylic hot tubs. Every detail is thought out, and each material is carefully selected for its technical properties and robustness. This range provides all the benefits of unique relaxation in a hot tub.

## BEYOND-STANDARD EQUIPMENT




WiFi connection



Microsilk



By Pass connection



Extra insulation  
40 mm



Audio or audio  
+subwoofer



Spa Touch



Steps



Thermocover  
lifter

## STANDARD EQUIPMENT




+ Touch control panel Balboa® TP700



+ CMP® stainless steel jets



+ Telescopic skimmer



+ Relaxation waterfall

+ LED lighting inner

+ Thermocover

+ Acrylic tub Aristech® Lucite® ABS/PMMA


+ Soft, rounded shapes

+ High density polymer panels Nomawood®

+ 2 massage pumps 2.2 cv  
and 1 circulation pump\*

+ UV lamp and Ozonator

+ Blower with preheated air



For more information on beyond-standard equipment, see pg. 39

\*Hot tub HC8 has 1 massage and 1 circulation pump

# HC1

200 × 200 × 93 cm

5 PLACES  
4 SEATS  
1 LOUNGER

59 JETS

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

BLOWER



### Balboa TP700

Backlit control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

COMFORT	
Control panel	Balboa® TP700
Hydromassage jets	49× Stainless steel CMP®
Air jets	10× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

TECHNICAL DATA	
Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	1 000 l
Hot tub weight	265 kg

# HC2

200 × 200 × 93 cm

HC DESIGN

**BLOWER**

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

50  
JETS

4 PLACES  
2 SEATS  
2 LOUNGER

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	44× Stainless steel CMP®
Air jets	6× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	1 000 l
Hot tub weight	265 kg



**Balboa TP700**

Backlit control panel



**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water



**Cervical spine jets**

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine





# HC3

200 × 200 × 93 cm

5<sup>3</sup> SEATS  
PLACES 2 LOUNGERS

55  
JETS


2 MASSAGE PUMPS  
+  
CIRCULATION PUMP 1

BLOWER



### Balboa TP700

Backlit control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	49× Stainless steel CMP®
Air jets	6× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	1 000 l
Hot tub weight	265 kg

# HC4

216 × 160 × 93 cm

HC DESIGN

**BLOWER**

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

48  
JETS

3 PLACES  
1 SEATS  
2 LOUNGER

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	42× Stainless steel CMP®
Air jets	6× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>



## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	950 l
Hot tub weight	225 kg



### Balboa TP700

Backlit control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine



# HC5

216 × 160 × 93 cm

**3** PLACES  
**2** SEATS  
**1** LOUNGER

**43** JETS

**2** MASSAGE PUMPS  
 +  
**1** CIRCULATION PUMP

**BLOWER**



### Balboa TP700

Backlit control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	37× Stainless steel CMP®
Air jets	6× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>- LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>- Waterfall</li> <li>- Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>- 2 mono speed massage pumps 2.2 kW</li> <li>- 1 circulation pump 200-400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	945 l
Hot tub weight	220 kg



# HC6

220 × 220 × 93 cm

HC DESIGN

**BLOWER**

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

62  
JETS

7  
PLACES

7 SEATS  
0 LOUNGER

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	50× Stainless steel CMP®
Air jets	12× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	1 480 l
Hot tub weight	315 kg



**Balboa TP700**

Backlit control panel



**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water



**Cervical spine jets**

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine



# HC7

220 × 220 × 93 cm

5<sup>3</sup> PLACES  
2 LOUNGERS

61 JETS

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

BLOWER




### Balboa TP700

Backlit control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	53× Stainless steel CMP®
Air jets	8× Stainless steel CMP®
Cervical spine massage	Yes
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	<ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul>

## TECHNICAL DATA

Pumps (3×)	<ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	1 350 l
Hot tub weight	315 kg

# HC8

Ø 214 × 93 cm

HC DESIGN

**BLOWER**

1 MASSAGE PUMP  
+  
1 CIRCULATION PUMP

32  
JETS

6 PLACES  
6 SEATS  
0 LOUNGER

## COMFORT

Control panel	Balboa® TP700
Hydromassage jets	22× Stainless steel CMP®
Air jets	10× Stainless steel CMP®
Air control	Venturi effect: air/water flow control
Water treatment	Ozonator + UV lamp
Equipment	LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting

## TECHNICAL DATA

Pumps (2×)	– 1 mono speed massage pump 2.2 kW – 1 circulation pump 200–400 W
Blower	Yes (with preheated air)
Heating	Balboa® 3 Kw
Filtration	Telescopic skimmer CMP® cartridge filter
Shell	Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)
Side panels	HDP panels Nomawood®
Water volume	980 l
Hot tub weight	210 kg



**Balboa TP700**

Backlit control panel



**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water





# HC DESIGN



Thermocover is included in the standard equipment



Thermocover

Model	HC1	HC2	HC3	HC4	HC5	HC6	HC7	HC8
Dimensions	200 × 200 × 93 cm	200 × 200 × 93 cm	200 × 200 × 93 cm	216 × 160 × 93 cm	216 × 160 × 93 cm	220 × 220 × 93 cm	220 × 220 × 93 cm	Ø 214 × 93 cm
Number of places	5	4	5	3	3	7	5	6
Loungers	1	2	2	2	1	0	2	0
Seats	4	2	3	1	2	7	3	6
Number of jets	59	50	55	48	43	62	61	32
Water volume	1 000 l	1 000 l	1 000 l	950 l	945 l	1 480 l	1 350 l	980 l
Weight	265 kg	265 kg	265 kg	225 kg	220 kg	315 kg	315 kg	210 kg

## Beyond-standard equipment



WiFi connection



Audio or audio +subwoofer



By Pass connection



Extra insulation 40 mm



Microsilk



Spa Touch



Steps



Thermocover lifter

For more information on beyond-standard equipment, see pg. 39

## A hot tub according to your wishes

### Choose the paneling color



Dark Grey


Teak



### Choose the thermocover color




C/09



C/11



C/15




C/30


### Choose the shell color




Sterling Silver




Winter Solstice




Pearl White



Tucsan Sun



Majestic Sky



Pearl Shadow

# A HOT TUB ACCORDING TO YOUR WISHES

Whatever model you choose, we offer a wide range of colors for the tub, paneling and thermocover of the hot tub.

## 1. CHOOSE A TUB ACCORDING TO YOUR WISHES




## 2. CHOOSE A HOT TUB PANELING



## 3. CHOOSE A THERMOCOVER COLOR













# First choice accessories

## More about The thermocover

This is necessary to maintain the water temperature. It prevents heat loss to the maximum extent, but it also fulfills a safety function when children are near the hot tub. Each thermocover is made to order in the colors of your choice. You can choose from a range of 4 colors.

**Galvanized aluminium reinforcements to ensure perfect reinforcement**

**The inner mesh layer of the thermocover reduces water condensation and mold growth**


High-quality layer against UV radiation

High-density insulation made of polystyrene with a thickness of 9–13 cm

15 cm high skirt for even greater tightness of insulation around the entire hot tub

Lockable securing straps

Impermeable film



## And also:

- Reinforced AMANN © seams
- High-load zippers YKK ©
- Wide handles




## More about The thermocover lifter

Necessary equipment to facilitate work. The lifter allows you to open and close the hot tub with a simple movement.



## More about The steps

Necessary for entering or exiting the HANSKRAFT hot tub; it has 2 wide and stable steps made of high-density polyethylene (HDPE), which guarantees a long service life and water resistance.



# Beyond-standard accessories



## Extra insulation

If extra insulation is chosen, the wooden structure of the hot tub is filled by 40 mm thick thermoshield PVC foam. This ensures protection of technical components and hoses against extreme cold. This equipment is mainly offered in Scandinavian countries, but it also saves money on power consumption.



## WiFi interface

Make your life easier with the possibility of operating the hot tub's control panel via a WiFi interface. Change the temperature or check the correct operation of the hot tub: all this can be done in the blink of an eye on your smartphone even from the other side of the world.



## Control panel Spa Touch

This is standard equipment of the OKA design hot tubs, however, but this Spa Touch touch control panel can be installed on a range of HC design hot tubs on request.




## Microsilks technology

This is a device that produces billions of fine bubbles rich in oxygen that hydrate and regenerate the skin in depth by removing impurities, smoothing it out and neutralizing free radicals. This cosmetic procedure provides relief for people suffering from skin diseases such as eczema and psoriasis.



## By Pass connection

This variant allows independent filtration or heating of the hot tub, e.g. using a sand filtration or a heat pump for swimming pools, thus reducing electricity consumption.



## Preparation for embedding the hot tub

Do you want to embed your hot tub in a designated area? We offer you the option of ordering a hot tub without external paneling.



## Cabinet LED light strip

Discover the magic of LED lighting and create the perfect atmosphere. Several LED light strips placed under the side panels of the hot tub will create the right atmosphere for relaxation.





[www.hanscraft.eu](http://www.hanscraft.eu)