

Pool & Spa Access For All

Disabled Access - Pool Equipment - Spares - Servicing

Pool Lift Guide

	Model	Lifting	Rotation	Height Clearance	Weight	Options
	Ranger 2	Fully Automatic Battery Powered	None	In-Ground Only	160kg	Chest Strap, Headrest Assembly, Cover, Transport Cart
De.	Portable Pro 2	Fully Automatic Battery Powered	None	In-Ground Only	160kg	Chest Strap, Headrest Assembly, Cover
	Revolution XL	Fully Automatic Battery Powered	360° Automatic	40" (102cm)	226kg	Chest Strap, Headrest Assembly, Cover, Transport Cart, Sling Seat
	Scout Excel	Fully Automatic Battery Powered	360° Automatic	26" (65cm) (Seat Adjustable)	1 <i>7</i> 0kg	Chest Strap, Headrest Assembly, Cover, Transport Cart, Sling Seat
	Mighty 400	Fully Automatic Battery Powered	360° Automatic	Pedestal base options for above ground 8" (20cm), to 48" (121cm)	181kg	Chest Strap, Headrest Assembly, Cover, Transport Cart, Sling Seat
	Mighty 600	Fully Automatic Battery Powered	360° Automatic	Pedestal base options for above ground 8" (20cm), to 48" (121cm)	272kg	Chest Strap, Headrest Assembly, Cover, Transport Cart, Sling Seat
1	EZ2	Manual (Hydraulic)	360° Manual	15" (38 cm)	181kg	Hard Seat, 4 Way Hanger Bar, Cover, EZWheels
	Power EZ2	Battery Assisted	360° Manual	15" (38 cm)	181kg	Hard Seat, 4 Way Hanger Bar, Cover, EZWheels
A	Nebula	Battery Assisted	360° Manual	16" - 60" (41cm - 152cm)	181kg	Chest Strap, Hard Seat, Cover, Power Rotate Option
3	Neptune	Fully Automatic Battery Powered	360° Automatic	21" - 68" (54cm - 172cm)	181kg	Chest Strap, Headrest, Cover

Table Of Contents

POOL HOISTS

- Pro Series
 Slimline fully automatic lifts designed for in-ground installations
- Revolution Series

 Flexible rotating lifts engineered for in-ground, partially recessed, and select above-ground installations
- Mighty Series
 High lifting capacity rotating lifts for in-ground pools, as well as some semi-recessed and partially raised pools
 - Our most popular series of lifts, available in manual or powered configurations
 - Spa Series
 Rotating lifts designed for above-ground installations with up to 68" (172 cm) of clearance
 - POOL EQUIPMENT
 Poolside and changing room equipment for every situation
- FAQ
 Information regarding warranty, LOLER and Installations

Ranger 2 F-RNGR2

FEATURES

Fully automatic for independent use
Flip up armrests
24V battery powered (battery & charger included)
Operated using water resistant handheld control
Adjustable lapstrap and footrest
Lifting capacity 25 stones (160kg)





Accessory Options

- Pull out leg rest
- Headrest
- Chest Strap
- Cycle Attachment
- Transport Caddy
- Cover

The Ranger 2 is ideal for smaller clubs or centers, or for private individuals who want to retain their independence thanks to the handheld control.



Scan here for more information about the Ranger 2

SPECIFICATIONS

Setback range 14.5" - 19" (36-48cm)

Max draft (pool deck to water) 14" (35cm)

Overall height 50" (127cm)

Width side to side 26.25" (67cm)

Width front to back, footrest removed 33" (84cm)

Plastic Colour Options







Tan



Grey



Blue

Custom powder coated colours available to order!



Portable Pro 2



SPECIFICATIONS

Max setback from pool 6" (15cm) Overall height 50" (127cm) Width including footrest 70" (178cm) Width excluding footrest 40" (102cm)

Plastic Colour Options



Grey Tan



Blue

Custom powder coated colours available to order!



FEATURES

Fully automatic for independent use 24V battery powered (battery & charger included) Operated using water resistant handheld control Lifting capacity 25 stones (160kg) Adjustable lapstrap and footrest 5 Year structural warranty

Accessory Options

- Headrest
- Pull out leg rest
- Chest Strap
- Cover
- Cycle Attachment

The Portable Pro 2 requires no poolside installation and is simply wheeled to where is required and wheeled away for storage. The lift features a compact frame made possible by the counterbalance weights / sand under the blue cover. Being fully automatic allows the user to operate the lift themselves.

Scan here for more information about the Portable Pro 2

Revolution XL

F-702RL

FEATURES

Fully automatic for independent use
Dual flip up armrests
24V battery powered (battery & charger included)
Operated using water resistant handheld control
Adjustable lapstrap and footrest
Lifting capacity 35.5 stones (226kg)
5 year structural warranty



SPECIFICATIONS

Setback range 9" - 50" (22-127cm)
Overall height 91" (232cm)
360 degree rotation for easy access
Adjustable seat height and footrest
22" (56cm) wide seat



Accessory Options

- Transport Cart
- Cover
- Spine Board
- Pull Out Leg Rest
- Headrest
- Cycle Attachment
- Chest Strap
- Sling Seat

The Revolution XL Pool Lift is now sleeker and more versatile with an increased water draft, anchor setback, and better clearance for short walls / curbs.



Scan here for more information about the Revolution XL

Plastic Colour Options



Custom powder coated colours available to order!



SPECIFICATIONS


Setback range 7" - 44" (18cm - 112cm) Overall height 87" (221cm) 360 rotation for easy access Adjustable seat height and footrest

Scout Excel

CUSTOM F-SCTXL



Plastic Colour Options



Custom powder coated colours available to order!

Grey

Blue

FEATURES

Fully automatic for independent use
Dual flip up armrests
24V battery powered (battery & charger included)
Operated using water resistant handheld control
Adjustable lapstrap and footrest
Lifting capacity 26.5 stones (170kg)

Accessory Options

- Transport Cart
- Cover
- Spine Board
- Pull Out Leg Rest
- Headrest
- Cycle Attachment
- Chest Strap

When combined with the adjustable seat height and a full 360° rotation, the Scout Excel allows you to clear short curbs or walls up to 27-inches high!



Scan here for more information about the Scout Excel

Mighty 400F-MTY400

FEATURES


Fully automatic for independent use
Flip up armrests
24V battery powered (battery & charger included)
Operated using water resistant handheld control
Adjustable lapstrap and footrest

Lifting capacity 28.5 stones (181kg)



SPECIFICATIONS

Setback range 10" - 44" (26-111 cm) Lowering depth 30" (76cm) 360 degree direct drive rotation



Accessory Options


- Transport Cart
- Cover
- Spine Board
- Pull Out Leg Rest
- Headrest
- Cycle Attachment
- Chest Strap

One of the main advantages of the Mighty 400/600 is their large setback, meaning they are perfect for pools with a deck-level grille.



Scan here for more information about the Mighty 400

Plastic Colour Options



Custom powder coated colours available to order!



Mighty 600 F-MTY600



SPECIFICATIONS

Setback range 10" - 44" (26-111 cm) Lowering depth 32" (81cm) 360 degree direct drive rotation 22" (56cm) seat for added comfort

Plastic Colour Options



Custom powder coated colours available to order!

FEATURES

Fully automatic for independent use Flip up armrests 24V battery powered (battery & charger included) Operated using water resistant handheld control Adjustable lapstrap and footrest Lifting capacity 42.5 stones (272kg) 5 year structural warranty

Accessory Options

- **Transport Cart**
- Cover
- Spine Board
- **Pull Out Leg Rest**
- Headrest
- Cycle Attachment
- Chest Strap

The Mighty 400/600 are ideal lifts for any above ground or spa pool when installed on their own pedestal base.



Scan here for more information about the Mighty 600

EZ2 F-EZPL2

FEATURES

Mesh seat, chains and standard hanger bar included 360 degree manual rotation 6" (15cm) storage socket included Lifting capacity 28.5 stones (181kg) 5 year structural warranty



The EZ2 and Power EZ2 Lifts offer affordable options for pool access. Both lifts are installed into a single poolside socket and can be easily removed and carried by one person to another location. Alternatively, EZWheels allow the EZ2 & PowerEZ2 to be easily moved to and from the poolside, and can be used as upright storage. A helper will be required to rotate the lift over the water before lowering the user into the pool.



Scan here for more information about the EZ2



SPECIFICATIONS

Setback range 12" - 20" (30-50cm)
Height when lowered 48" (122cm)
Height when fully extended 73" (185cm)
Setback can be increased with an extension
anchor arm

Accessory Options



Hard Seat Option with 4-Way Hanger Bar



Rover Transporter



Extension Anchor Arm




EZWheels



Power EZ2

F-PEZPL2



SPECIFICATIONS

Setback range 12" - 20" (30-50cm)
Height when lowered 48" (122cm)
Height when fully extended 73" (185cm)
Setback can be increased with an extension anchor arm

Accessory Options



Hard Seat Option with 4-Way Hanger Bar



Rover Transporter





Extension Anchor Arm

EZWheels

FEATURES

Mesh seat, chains and standard hanger bar included

24v Battery and Charger included

Handheld control included

360 degree manual rotation

6" (15cm) storage socket included

Lifting capacity 28.5 stones (181kg)

5 year structural warranty

An alternative option to the included mesh sling seat is the Hard Seat Option, which is a plastic moulded seat that is hung via the included 4-way hanger bar. Its supporting chains can be adjusted to enable a comfortable and safe position for the user. This seat can be transported via our Rover transporter, which also allows the user to be wheeled from a changing area directly to the lift.



Scan here for more information about the Power EZ2

Nebula

F-NBLA

FEATURES

Lifting capacity 28.5 stones (181 kg)

360 degree manual rotation

Adjustable seat height

24v rechargeable battery and charger included

5 Year Structural Warranty

Powder coated stainless steel construction



SPECIFICATIONS

Wall clearance: 16" to 60+" (41cm - 152 cm)

Setback: 10-32" (25 - 81 cm)

OPTIONS:

Cover, Hard Seat, Power Rotate Option, Custom
Colours



Designed specifically for above ground hot tubs and swim spas. Thanks to their slimline design and ability to lift up and over walls up to 172cm in height, the new spa series lifts are highly versitile and ideal for a wide range of above ground installations. Suitable for both commerical and residential use.

Accessory Options



Hard Seat Option with 4-Way Hanger Bar




Rover Transporter





Neptune F-NPTN



SPECIFICATIONS

Wall clearance: 21" to 68" (54cm - 172cm)

Minimum setback: 10"

OPTIONS:

Cover, Hard Seat, Custom Colours, Headrest Assembly

Plastic Colour Options



Custom powder coated colours available to order!

FEATURES

Lifting capacity 28.5 stones (181 kg)
360° battery-powered rotation
Pull-out leg rest
Adjustable seat height
Flip up armrest
24v rechargeable battery and charger included
5 Year Structural Warranty
Powder coated stainless steel construction

ASK ABOUT OUR INSTALLATION SERVICE

Pool Equipment



Mobility Pool Access Steps

Designed to provide comfortable and easier access to the swimming pool for those with impaired mobility. Each tread is wide and finished with anti-slip plastic for safety and comfort. The handles are manufactured from 38mm 316 stainless-steel tube to assist the swimmer in to the pool. Each set of steps are manufactured to your exact pool requirements.



Poolside Wheelchair

Poolside wheelchair designed to allow users access throughout wet leisure environments from showers and changing rooms to the poolside. The wheelchair is manufactured from polished 316 stainless-steel for long lasting use and features a 127kg carrying capacity



Overflow Grating

Swimming pool overflow grating, manufactured in the UK from high quality moulded engineering plastic, offering strength and durability whilst not compromising comfort under foot. Our overflow grating is manufactured to order to meet your requirements and is available in standard widths of 250mm, 300mm and 350mm, other widths can be accommodated.



Swimming Pool Lane Ropes

Anti Wave Swimming Lanes are one of the most popular lane ropes for UK swimming pools. All of the lane ropes are manufactured in the UK and can be finished in any colour to suit the pool or club, or they can be finished to comply with FINA regulations. All swimming lanes are manufactured to suit, so whatever pool size or colour you may want, these lane lines are ideal.



Water Polo Goals

The Anti Global Water Polo Goal is designed to be lightweight and easy to store whilst not compromising on quality. This folding, floating water polo goal meets FINA requirements, making it suitable for clubs and swimming pool facilities across the world. The goal is available with either 1.2 meter depth or 1.4 meter depth.

Pool Equipment



Swimming Starting Blocks

The blocks are easy to install and are supplied with all components and clear instructions for your poolside installation. The Anti brand's starting blocks having been used at many high profile swimming competitions around the world including FINA world cup swimming events, Olympic, and Commonwealth games.



Changing Table

With variable or fixed height adjustments, and sizes ranging from 1400mm, 1500mm, 1700mm and 1900mm, we offer a variety of changing tables to fit your changing room needs. Certain models of changing tables sold also include Freecote® antimicrobial and antibacterial coating.



Swimsuit Dryer

Manufactured in the UK, the swimsuit dryer features super quiet operation and effortless operation using the "easy-press" lid. The swimsuit dryer includes a free cleaning and maintenance kit. The Swimsuit Dryer comes in 9 exciting colours, and with a drying time of just 8 seconds, it is eco friendly.



Check out our website for more information about our poolside and competition equipment

FAQ

What is our warranty?

All of our Aqua Creek lifts come with an impressive 5-year structural warranty for peace of mind.

5-year Pro-Rata Warranty on electronic components The electronic components including the LINAK actuators come with a prorata warranty as follows:

Year 1-2: 100% coverage

Year 3: 60% coverage (customer responsible for 40%)

Year 4: 50% coverage (customer responsible for 50%)

Year 5: 40% coverage (customer responsible for 60%)

Engineer visits are not covered by warranty

Do we provide installations?

Our experienced engineers can carry out assembly of the lift, poolside drilling and installation of fixings to ensure a safe and professional finish for every project. A demonstration of the lift can be undertaken after installation, and staff training can be provided upon request. We offer nationwide installation, simply contact us for a quotation.

FAQ

Do pool lifts require LOLER Inspections?

The Lifting Operations and Lifting Equipment Regulations 1998 (also known as LOLER) apply to all types of lifting equipment used by members of the public. Inspections and maintenance ensure the safest possible operation of the equipment and must be completed biannually (every 6 months) to stay compliant. We offer one off visits as well as service agreements with key benefits. The service agreement can be provided upon request. Our engineers operate nationwide and we can often attend a short notice.

In Ground or Above Ground?

This refers to the swimming pool or spa with which the lift will be used. In the UK, most pools are in-ground, while the term "above-ground" typically applies to hot tubs or swim spas but are becoming increasingly popular, particularly for independent swim schools. In practical terms, the key consideration is whether the lift must clear a raised edge before lowering the user into the water. If so, an above-ground lift will be required.



Floor 21, Alpha Tower, Suffolk Street Queensway, Birmingham B1 1TT

Tel: +44 (0)121 428 1155

Email: sales@suntrap-systems.co.uk
Web: www.suntrap-systems.co.uk