

Program will be delivered in digital form, not printed. Print spec elements such as bleed are provided for the convenience of companies who may be using the same ad in print elsewhere. Ads conforming to either the print or digital specs are acceptable.

## MECHANICAL SPECS


**TRIM SIZE:** 8.15 x 10.875 in. / 206.375 x 276.225 mm  
(set document to trim size)

**Live Area:** All type, images, and other critical information must be a minimum of 0.25 in / 6.5 mm inside the trim on all sides




### Double Page Spread

**Trim:** 16.25 x 10.875 in. / 413 x 276.225 mm  
**Bleed:** 16.5 x 11.125 in. / 419 x 283 mm  
**Live (Non-Bleed):** 15.75 x 10 in. / 400 x 254 mm




### Full-Page

**Trim:** 8.125 x 10.875 in. / 206.375 x 276.225 mm  
**Bleed:** 8.375 x 11.125 in. / 213 x 283 mm  
**Live (Non-Bleed):** 6.8 x 10 in. / 173 x 254 mm



### 1/2 Page Horizontal

**Trim:** 8.125 x 5.375 in. / 206.375 x 136.525 mm  
**Bleed:** 8.375 x 5.5 in. / 213 x 139.7 mm  
**Live (Non-Bleed):** 6.8 x 4.625 in. / 173 x 117.5 mm



### 1/4 Page Vertical

**Live (Non-Bleed):** 3.33 x 4.625 in. / 84.6 x 117.5 mm

## DIGITAL ART REQUIREMENTS

Files created in InDesign with fonts embedded are preferred. PDFs only, created on High Quality Print or PDF/X-1a:2001.

[Download InDesign Templates](#)

**Color profile:** RGB (digital) or CMYK (print)

**Bleed Ads:** Keep all text, logos, and important graphics a minimum of 0.375 in (9.5 mm) inside from the trim. Bleeds should extend 0.125 in (3.2 mm) beyond the trim, on the sides that bleed.

**Non-Bleed Ads:** Please set up the file to the “live” specs. This is what will show in the digital version. If your ad has a white background, please add a hairline rule around the ad (the size of the “Live” specs)


Submit your ad materials to this folder: [24PBEC](#)

## EXCLUSIVE PRODUCT CATEGORY ADVERTISING AND LOGO STOPPER MATERIALS DEADLINE: 3 September 2024

### MECHANICAL SPECS

**TRIM SIZE:** 2 x 2 in. / 50.8 x 50.8 mm  
(set document to trim size)

**Live Area:** All type, images, and other critical information must be a minimum of 0.25 in / 6.5 mm inside the trim on all sides



#### Exclusive Product Category Ads

Trim: 2 x 2 in. / 50.8 x 50.8 mm

**Black & White ONLY**

### MECHANICAL SPECS FOR LOGO STOPPER

Logos will be reproduced between 1.25 in. / 31.8 mm and 2 in. / 50.8 mm wide. Sizes vary dependent on the width/height ratio of each logo. Logos should be submitted in **Black & White** or grayscale at a minimum of 1200 pixels wide. Vector formats such as Adobe Illustrator EPS will reproduce at a higher quality and are preferred.

## LOGOS AND WEB BANNER ADVERTISING SPECIFICATIONS

### LOGOS

The preferred format for logos is Adobe Illustrator EPS. For best results, supplied logos should be vector art. Bitmap logos must be supplied at 600 dpi or greater as an EPS file. EPS files are needed for any logos to be used on printed materials. DO NOT send logos that are embedded in word processing documents or PowerPoint files (quality will be poor).

For logos that will be used on digital materials or website only, the preferred format is .png files with a transparent background. Other acceptable formats are .gif and .jpg. Ensure logo is at least 300 dpi.

**Submit logos to:** [logos@spe.org](mailto:logos@spe.org)

### WEB BANNER ADS

#### Dimensions:

- 250 px wide x 250 px high
- 850 px wide x 150 px high

**File size:** 30KB limit, regardless of file type

**File types:** .gif, .jpg or .png.

Animation is allowed but sound is not. Maximum limit is 15 seconds.

Advertiser must specify the target URL for the ad. URL may contain UTM tracking codes.

**Submit banner ads to:** [24PBEC](#)